

DARK | DARK

**DARK<sup>®</sup>**

WHAT  
ARE YOU  
LOOKING  
FOR?


## WALL




AGUJA  
page 10



BANGSTER  
page 60



BANGSTER HOODY  
page 66



BANGSTER HOODY  
page 66



BENDIT  
page 76



BENDIT  
page 76




BOELY-T  
page 85




BOELY  
page 88



CHIQUE  
page 104




DING  
page 141




ELPEE  
page 144



EMANUELLE  
page 154



EQUALIZER  
page 164



FRIENDZ  
page 182



IJ-LAMP  
page 206



KAVE00  
page 210



L-HOP  
page 256




L-HOP  
page 256




ORGUE  
page 324



RBA  
page 360




SL53  
page 374



SQUARE MOON  
page 394



TALORE  
page 396



TOTM  
page 430



TUKI 60  
page 452



TWERKIT  
page 464



TWERKIT  
page 464



VASARELY  
page 478



WALLSTER  
page 488



WALLSTER JR  
page 496

# SUSPENSION



**APOLLO**  
page 16



**BALLZZZ ONE**  
page 38



**BALLZZZ TWO**  
page 38



**BALLZZZ ORGANIC**  
page 38



**BALLZZZ FDR**  
page 52



**BANGSTER**  
page 60



**BANGSTER HOODY**  
page 66



**BENDIT**  
page 76



**BOKY**  
page 92



**CAPITANO**  
page 96



**CAPTAIN CORK MAX**  
page 98



**CAPTAIN CORK**  
page 98



**CAPTAIN CORK**  
page 98



**CHIQUE**  
page 104



**CROSSLIGHT**  
page 112




**CUIABA**  
page 116



**CUPCAKE**  
page 126



**DANDY**  
page 134



**ELPEE**  
page 144



**ELPEE G9**  
page 144



**EMANUELLE**  
page 154



**EQUALIZER**  
page 164



**FRIENDZ**  
page 182



**GAZTA**  
page 188



**HIHOPE TIKI**  
page 198



**HIHOPE TUKI**  
page 198



**IJ-LAMP**  
page 206



**LA CAGE**  
page 250



**LGTM**  
page 260



**PETU**  
page 336



**PLANETZZZ**  
page 344




**PLANETZZ PLUZ**  
page 348



**SANGHA**  
page 362



**SATURNUZ**  
page 370



**SL53**  
page 374



**SOYUZ**  
page 382



**SPACEWALKER**  
page 386



**TERRATOI**  
page 406



**TOTM**  
page 430




**TRAPPED**  
page 438



**TUKI 40**  
page 442



**TUKI 60**  
page 452



**TWO CAN**  
page 470

# SUSPENSION



**KITN SPOTS**  
page 220

**KITN SPOTS+PENDANT**  
page 226

**KITN SPOTS+LED-LINE**  
page 232

**KITN SPOTS+LED-LINE+PENDANT**  
page 238

**KITN L SPOTS**  
page 244

**METROLINE**  
page 284



**MR BEAM**  
page 290

**MISS RIGHT**  
page 298

**NINZA**  
page 306

**ORGUE**  
page 324

**SPINE**  
page 390

**VIDRYA**  
page 482


# LED LINE



**FLEX CONTOURO**  
page 178

**FLEX CABINETO**  
page 180

# TRACK



**KFORTY-8 TRACK**  
page 214

**TOQI TRACK**  
page 418

**TUKI 40 TRACK**  
page 442

# TABLE



**BENDIT**  
page 76

**CUIABA**  
page 116

**NOTAARI**  
page 320

**TOTM**  
page 430

# FLOOR



**CUIABA**  
page 116

**NOTAARI**  
page 320

**SPACEWALKER**  
page 386

# CEILING



CUPCAKE JENNY page 126   CUPCAKE KATHY page 126   CUPCAKE LUCY page 126   GAZTA WALL page 194   MAGNIFIQUE COUCOU page 264   MAGNIFIQUE DEEP page 264



PETU page 336   POPZZ page 356   TALORE page 396   TAQI SET 1 page 400   IP65 TAQI BOX 1 page 400   IP65 TEEVY page 404



TOQI BOX 7 page 418   TOQI FIX page 418   TORNER page 425   TORNER page 425   TORNER GU10 page 425   TUKI 40 page 442



APETITO page 26   ATJSJI page 28   ATJSJI BOX 1 page 28   ATJSJOEM page 34   BOELY page 88   CUPCAKE SUZY page 126



MAGNIFIQUE MOVE page 264   MAGNIFIQUE KIKI page 264   MAGNIFIQUE BULB page 264   NINZA page 306   NINZA page 306   IP65 IP67 PETI page 330



TERRATOI FIX page 406   TERRATOI SKIEF page 406   TIKI page 410   TIKI BOX 1 page 410   TIKI FIX page 410   TOQI BOX 1 page 418



TUKI 40 SET 1/90 page 442   TUKI 40 FIX page 442   TUKI 60 MOVE page 452   ZNOW page 502   ZQUARE page 508   ZQUARE page 508


# AGUJA

design ricardo bofill taller de arquitectura

**HERITAGE**  
COLLECTION

**2014**







BB(B)	COLORS	02	Black	
		03	White	
		111	Brass Finish	
E	CRI • LUMENOUTPUT	3	AGUJA 115	>90CRI • 3150 Lm / 19,4W / 3000K
			AGUJA 170	>90CRI • 5250 Lm / 32,6W / 3000K
		2	AGUJA 115	>90CRI • 2900 Lm / 19,4W / 2700K
			AGUJA 170	>90CRI • 4900 Lm / 32,6W / 2700K
K	DRIVER	1	No driver	
		0	Non dimmable (intern)	
		3	Dali (extern)	



AGUJA 115  
1279-BB(B)-3-K




AGUJA 170  
1275-BB(B)-3-K










AGUJA 300  
1276-BB(B)-3-K



BB(B)	COLORS	02		Black
		03		White
		111		Brass Finish
E	CRI • LUMENOUTPUT	3	AGUJA 300	>90CRI • 8175 Lm / 50W / 3000K
		2	AGUJA 300	>90CRI • 7700 Lm / 50W / 2700K
K	DRIVER	1	No driver	
		0	Non dimmable (intern)	
		3	Dali (extern)	

Aluminium








# APOLLO

design romy kühne





Marmelade HQ \_ Detail Concept




Watt the firms \_Kras architecten





Miras \_ Buro Project

APOLLO  
740-BB-001-DD-II(I)  
740-BB-930002-DD-II(I)-K




BB(B)	COLOR OUTSIDE	02	Black
		03	White
CCC	TYPE E27	001	LED / Globe (MAX 15 W)
EFF	CRI • LUMENOUTPUT	930	>90 CRI • 1400 Lm / 350 mA / 14 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE	02	2,5 m
		03	5 m
II(I)	COLOR INSIDE	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)



# APETITO

design dark studio




**APETITO**  
 IP20 3040-BB-90538H-K  
 IP44 3041-BB-90538H-K

**APETITO BOX 1**  
 IP20 3043-BB-90538H-K  
 IP44 3042-BB-90538H-K


BB(B)	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	905	>90 CRI • 1 x 550 Lm / 180 mA / 6,4 W
GG	REFLECTOR	38	38°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver
		0	Non dimmable (extern) - fits in opening made in ceiling
		3	Dali (extern)
		4	Phase cut (extern)




ATSJI  
design skwon









**ATSJI**  
 IP20 1335-BB(B)-EFFGGH-K  
 IP44 1336-BB(B)-EFFGGH-K


**ATSJI MOVE**  
 IP20 1337-BB(B)-EFFGGH-K  
 IP44 1338-BB(B)-EFFGGH-K

**ATSJI BOX 1**  
 IP20 1339-BB(B)-EFFGGH-II(I)-K  
 IP44 1330-BB(B)-EFFGGH-II(I)-K

BB(B)	COLOR OUTSIDE	02	Black	
		03	White	
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1 x 750 Lm / 180 mA / 7W	
		910	>90 CRI • 1 x 1000 Lm / 250 mA / 9W	
		914	>90 CRI • 1 x 1400 Lm / 350 mA / 14W	
		GG	REFLECTOR	12 12°
				34 34°
H	COLOR TEMP.	60	60°	
		2	2700K	
		3	3000K	
II(I)	COLOR INSIDE only ATSJI BOX 1	02	Black	
		03	White	
K	DRIVER	111	Brass Finish	
		150	Bronze Light	
		151	Bronze Dark	
		RAL color on request		
		1	No driver	
0	Non dimmable (extern) / except for ATSJI BOX1 (intern)			
3	Dali (extern)			
4	Phase cut (extern) / except for ATSJI BOX1 (intern)			




**ATSJOEM**  
design dark studio







**ATSJOEM**  
 IP20 2121-BB-909GGH-K  
 IP44 2122-BB-909GGH-K



**ATSJOEM MOVE**  
 IP20 2123-BB-909GGH-K



**ATSJOEM BOX**  
 IP20 2124-BB-909GGH-K  
 IP44 2125-BB-909GGH-K



BB	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	909	>90 CRI • 1 x 780 Lm / 180 mA / 7W
GG	REFLECTOR	12	12°
		34	34°
		60	60°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase-cut (extern)



# BALLZZZ

design anthony boelaert





CM HO \_ Retail Office



Flanders Insurance \_ Anthony Boelaert



Hotel Chateau de Vignee \_ WWM



BALLZZZ ONE 950  
1913-BB-90600H-DD-K

BALLZZZ ONE 1200  
1915-BB-90600H-DD-K

BALLZZZ ONE 1500  
1916-BB-90600H-DD-K

















BALLZZZ ONE 1800  
1917-BB-90600H-DD-K

BALLZZZ TWO 1200  
2003-BB-90600H-DD-K

BALLZZZ TWO 1500  
2005-BB-90600H-DD-K

BALLZZZ TWO 1800  
2006-BB-90600H-DD-K

BALLZZZ TWO 2200  
2007-BB-90600H-DD-K



950

1200

1500


1800

950  
1200

1200  
1500

1500  
1800

1800  
2200



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)








**BALLZZZ ORGANIC 1**  
2325-BB-90600-H-DD-K

**BALLZZZ ORGANIC 2**  
2326-BB-90600-H-DD-K

**BALLZZZ ORGANIC 3**  
2327-BB-90600-H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (intern)



# BALLZZZ G9

design anthony boelaert




BALLZZZ ONE G9 950  
1920-BB-071-DD

BALLZZZ ONE G9 1200  
1921-BB-071-DD

BALLZZZ ONE G9 1500 G9  
1922-BB-071-DD

BALLZZZ ONE G9 1800  
1923-BB-071-DD




BB	COLOR RING	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	G9 - LED 6W - 500lm
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m

Alu - Glass

BALLZZZ G9 ORGANIC 1  
2330-BB-071-DD

BALLZZZ G9 ORGANIC 2  
2331-BB-071-DD

BALLZZZ G9 ORGANIC 3  
2332-BB-071-DD



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	G9 - LED 6W - 500lm
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m

Alu - Glass




# BALLZZZ FDR

design anthony boelaert




Blanco \_ Anthony Boelaert







Possibilities




E27 fitting  
order lamps  
see page 518

BALLZZZ FDR 950  
1913-BB-001-DD-J

BALLZZZ FDR 1200  
1915-BB-001-DD-J

BALLZZZ FDR 1500  
1916-BB-001-DD-J

BALLZZZ FDR 1800  
1917-BB-001-DD-J



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
CCC	TYPE E27	001	LED (MAX.10 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
J	UP DOWN TYPE	0	down outside
		2	up outside
		4	double down






BALLZZZ FDR ORGANIC 1  
2335-BB-001-DD-J

BALLZZZ FDR ORGANIC 2  
2336-BB-001-DD-J

BALLZZZ FDR ORGANIC 3  
2337-BB-001-DD-J



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
CCC	TYPE E27	001	LED (MAX 10 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
J	UP DOWN TYPE	0	down outside
		2	up outside
		4	double down




Die lichtgestalter archicult photo@becker-medien




# BANGSTER

design dark studio & christoph adlfinger-pullmann






**BANGSTER S**  
2140-BB(B)-071GG0-DD-00  
2140-BB(B)-904GGH-DD-00-K




BB(B)	COLORS	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	LED (MAX 6 W)
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6 W
GG	GLOBE SINGLE	20	Ø200
		30	Ø300
H	COLOR TEMP.	0	N.A.
		1	2200K
		2	2700K
		3	3000K
DD	SUPS. CABLE	01	1,5 m
		02	2,5 m
II	GLOBE color	00	Transparent
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)



**BANGSTER WALL 1**  
2141-BB-071200-00  
2141-BB-90420H-00-K



**BANGSTER WALL 2**  
2197-BB-071200-00-JJ(J)  
2197-BB-90420H-00-JJ(J)-K



BB	COLORS	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	LED (MAX 6 W)
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6 W
GG	GLOBE	20	Ø200
H	COLOR TEMP.	0	N.A.
		1	2200K
		2	2700K
		3	3000K
II	GLOBE color	00	Transparent
JJ(J)	COLORS	02	Black
		03	White
		110	Brass
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)



# BANGSTER HOODY

design jeroen debruyne










**BANGSTER HOODY S**  
 2145-BB(B)-071GG0-DD-00  
 2145-BB(B)-904GGH-DD-00-K



BB(B)	COLORS	02	Black	
		03	White	
		110	Brass	
		150	Bronze Light	
		151	Bronze Dark	
		RAL color on request		
CCC	TYPE G9	071	LED (MAX 6 W)	
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6 W	
GG	GLOBE dimension	SINGLE	20	Ø200
			30	Ø300
H	COLOR TEMP.	0	N.A.	
		1	2200K	
		2	2700K	
		3	3000K	
DD	SUPS. CABLE	01	1,5 m	
		02	2,5 m	
II	GLOBE color	00	Transparent	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	


Alu - Glass - Brass





**BANGSTER HOODY WALL 1**


2147-BB(B)-071200-00  
2147-BB(B)-90420H-00-K



BB(B)	COLORS	02		Black
		03		White
		110		Brass
		150		Bronze Light
		151		Bronze Dark
		RAL color on request		
CCC	TYPE G9	071		LED (MAX 6 W)
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6 W	
GG	GLOBE	20	Ø200	
H	COLOR TEMP.	0	N.A.	
		1	2200K	
		2	2700K	
		3	3000K	
II	GLOBE color	00	Transparent	
JJ(J)	COLORS	02		Black
		03		White
		110		Brass
		150		Bronze Light
		151		Bronze Dark
		RAL color on request		
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	


**BANGSTER HOODY WALL 2**

2199-BB(B)-071200-00-JJ(J)  
2199-BB(B)-90420H-00-JJ(J)-K



## BENDIT TABLE

3453-BB(B)-H-II(I)-K



# BENDIT

design anthony boelaert



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated

FF	LED	26	>90 CRI • 620 Lm / 26 W/m
		2	2700K

H	COLOR TEMP.	3	3000K
		4	4000K

II(I)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red

K	DRIVER	1	No driver (24V)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)

Metal-Alu








BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
FF	LED	26	>90 CRI • 620 Lm / 26 W/m (WALL M) >90 CRI • 820 Lm / 26 W/m (WALL)
		H	COLOR TEMP.
		3	3000K
		4	4000K
II(I)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
JJ(J)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
K	DRIVER	1	No driver (24V)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

BENDIT WALL M  
3450-BB(B)-H-II(I)-JJ(J)-K




Metal-Alu




BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated

FF	LED	26	>90 CRI • 620 Lm / 26 W/m (WALL M) >90 CRI • 820 Lm / 26 W/m (WALL)
----	-----	----	--


H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

II(I)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		 RAL color on request	

JJ(J)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		 RAL color on request	

K	DRIVER	1	No driver (24V)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

**BENDIT WALL**  
3455-BB(B)-H-II(I)-JJ(J)-K



Metal-Alu











BENDIT S  
3454-BB(B)-H-ii(i)-K




BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
FF	LED	26	>90 CRI • 2X 620 Lm / 26 W/m
		2	2700K
H	COLOR TEMP.	3	3000K
		4	4000K
ii(i)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
	RAL color on request		
K	DRIVER	1	No driver (24V)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)




# BOELY-T

design tim de taeye & tine vanparijs



BOELY-T G9  
2642-BB-071



BB(B)	COLORS	02	Black
		03	White
		10	Alu
CCC	TYPE G9	071	G9 - LED 6W - 500lm






# BOELY


design dark studio





**BOELY**  
2641-BB(B)-071-D(D)






**BOELY S2/SET 60**  
2640-BB(B)-071-D(D)



**BOELY MIRROR**  
2644-BB(B)-071-D(D)



BB(B)	COLORS	02	 Black
		03	 White
CCC	TYPE G9	071	 G9 - LED 6W - 500lm
DD	DIAMETER	8	8 cm (MAX 4W)
		10	10 cm (MAX 6W)
		12	12 cm (MAX 6W)
		15	15 cm (MAX 9W)





# BOKY


design frank janssens







BOKY  
820-BB-001-DD-I




BB	COLOR INSIDE	03	White (translucent)
		04	Red
		08	Orange
CCC	TYPE E27	001	LED / Globe (MAX 12 W)
DD	SUSP CABLE	01	1,5 m
		02	2,5 m
I	COLOR OUTSIDE	B	Black
		W	White
		RAL color on request	

Alu - PE

# CAPITANO

design dark studio



BB	COLORS	67	Cork
CCC	TYPE E27	001	LED / Globe (MAX 15 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m


Cork



# CAPTAIN CORK

design miguel arruda






Groepspraktijk Tille \_ Cobras Archi







**CAPTAIN CORK S**  
1020-67-001-DD




**CAPTAIN CORK 45S**  
1021-67-001-DD



**CAPTAIN CORK MAX S**  
1022-67-001-DD




**CAPTAIN CORK CLUB3**  
1023-67-001-DD



ceiling base standard matt black  
on request other colors possible

**CAPTAIN CORK CLUB5**  
1024-67-001-DD



ceiling base standard matt black  
on request other colors possible

BB	COLORS	67	Cork
CCC	TYPE E27	001	LED / Globe (MAX 10 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m




# CHIQUÉ

design dark studio



WINNER








CHIQUES

2600-BB(B)-904H-DD-II(I)-JJ(J)-K



BB(B)	COLORS	13	Glass White
		134	Alabaster
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 400 Lm / 250 mA / 4,2 W
H	COLOR TEMP.	1	2200K
		2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
II(I)	COLOR	02	Black
		10	Alu
		150	Bronze Light
		151	Bronze Dark
JJ(J)	COLOR	02	Black
		10	Alu
		150	Bronze Light
		151	Bronze Dark
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dial (intern)
		4	Phase cut (intern)

**DISCLAIMER** – Nature decides the look of alabaster!








BB(B)	COLORS	13	Glass White
		134	Alabaster
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 400 Lm / 250 mA / 4,2 W
		1	2200K
		2	2700K
H	COLOR TEMP.	3	3000K
		2	2700K
		1	2200K
II(I)	COLOR	02	Black
		10	Alu
		150	Bronze Light
		151	Bronze Dark
JJ(J)	COLOR	02	Black
		10	Alu
		150	Bronze Light
		151	Bronze Dark
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dial (extern)
		4	Phase cut (extern)


**DISCLAIMER** – Nature decides the look of alabaster!




**CHIQUÉ 30.5 WALL**  
2606-BB(B)-904H-II(I)-JJ(J)-K




**CHIQUÉ 30.4 WALL**  
2605-BB(B)-904H-II(I)-JJ(J)-K



**CHIQUÉ 30.5 WALL DOUBLE**  
2608-BB(B)-904H-II(I)-JJ(J)-K



**CHIQUÉ 30.4 WALL DOUBLE**  
2607-BB(B)-904H-II(I)-JJ(J)-K



# CROSSLIGHT


design jan melis & ben oostrum




reddot design award  
winner

DE NEDERLANDSE  
DESIGNPRIJZEN3  
Designselectie





CROSSLIGHT S  
130-BB-001-DD



BB(B)	COLORS	03	White (translucent)
		04	Red
		08	Orange
CCC	TYPE E27		LED (MAX 8 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

PE - Alu

# CUIABA

design clidier françois








**⚠️ DISCLAIMER** – Nature decides the look of alabaster!

CUIABA S  
3103-134-90454H-DD-151-K



BB(B)	COLORS	134	Alabaster
-------	--------	-----	-----------

EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6,4 W (CC)
	ALABASTER		>90 CRI • 24V / 6,6 W (CV)
GG	REFLECTOR	54	54°
H	COLOR TEMP.	2	2700K
		3	3000K


DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

II(I)	COLOR	151	Bronze Dark (BRD)
-------	-------	-----	-------------------

K	DRIVER	1	No driver (2 drivers extern)
		0	Non dimmable (2 drivers intern)
		3	Dali (2 drivers extern)
		4	Phase cut (2 drivers intern)

Alu - Glass - Alabaster





**DISCLAIMER** – Nature decides the look of alabaster!

<b>3101</b>			
BB(B)	COLORS	134	Alabaster
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6,4 W (CC)
	ALABASTER		>90 CRI • 24V / 6,6 W (CV)
GG	REFLECTOR	54	54°
H	COLOR TEMP.	2	2700K
		3	3000K


II(I)	COLOR	151	Bronze Dark (BRD)
-------	-------	-----	-------------------

<b>3100</b>			
BB(B)	COLORS	134	Alabaster
	ALABASTER		>90 CRI • 24V / 6,6 W (CV)


II(I)	COLOR	151	Bronze Dark (BRD)
-------	-------	-----	-------------------



**CUIABA FLOOR 180**  
3101-134-90454(H)-151



**CUIABA FLOOR 135**  
3100-134-151






DISCLAIMER – Nature decides the look of alabaster!



CUIABA TABLE  
3102-134-151



BB(B)	COLORS	134	Alabaster
	ALABASTER	>90 CRI • 24V / 6,6 W (CV)	
II(I)	COLOR	151	Bronze Dark (BRD)

Alu - Glass - Alabaster



# CUPCAKE

design susanne uerlings









CUPCAKE SUZY S

1065-BB(B)-804002-DD  
1065-BB(B)-80600H-DD-K  
1065-BB(B)-071-DD-K




CUPCAKE JENNY S

1066-BB(B)-804002-DD  
1066-BB(B)-80600H-DD-K  
1066-BB(B)-071-DD-K




CUPCAKE KATHY S

1067-BB(B)-804002-DD  
1067-BB(B)-80600H-DD-K  
1067-BB(B)-071-DD-K



CUPCAKE CLUB 3

1070-BB(B)-804002-DD  
1070-BB(B)-80600H-DD-K  
1070-BB(B)-071-DD-K



CUPCAKE CLUB 5

1071-BB(B)-804002-DD  
1071-BB(B)-80600H-DD-K  
1071-BB(B)-071-DD-K



BB(B)	COLORS	02	Black
		03	White
		110	Brass
		RAL color on request	

EFF	CRI • LUMENOUTPUT	804	230V MC-LED	>80 CRI • 400 Lm / 6W
		806	CC LED	>90 CRI • 600 Lm / 350mA / 6.4W
		071	G9 LED	(MAX 6 W)

GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K


DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)




CUPCAKE SUZY

1060-BB(B)-804002-00  
1060-BB(B)-80600H-00-K  
1060-BB(B)-071-K




CUPCAKE JENNY

1061-BB(B)-804002-00  
1061-BB(B)-80600H-00-K  
1061-BB(B)-071-K



CUPCAKE KATHY

1062-BB(B)-804002-00  
1062-BB(B)-80600H-00-K  
1062-BB(B)-071-K





BB	COLORS	02		Black	
		03		White	
		110		Brass	
					RAL color on request
EFF	CRI • LUMENOUTPUT	804		>80 CRI • 400 Lm / 6W	
		806		>90 CRI • 600 Lm / 350mA / 6.4W	
		071		G9 LED (MAX 6 W)	
GG	REFLECTOR	00	N.A.		
H	COLOR TEMP.	2	2700K		
		3	3000K		
K	DRIVER	1	No driver		
		0	Non dimmable (extern)		
		3	Dali (extern)		
		4	Phase cut (extern)		



CUPCAKE LUCY

1072-BB(B)-804003-K



MOTION DETECTION optional


BB	COLORS	02		Black	
		03		White	
		110		Brass	
					RAL color on request
EFF	CRI • LUMENOUTPUT	804	CC	>80 CRI • 1350 Lm / 15W	
GG	REFLECTOR	00	N.A.		
H	COLOR TEMP.	3	3000K		
K	DRIVER	1	No driver		
		3	Dali (extern)		
		9	Motion Detection		



# DANDY


design anthony boelaert









DANDY M  
2171-BB(B)-001-DD







DANDY L  
2172-BB(B)-001-DD



DANDY XL  
2173-BB(B)-001-DD




BB	COLORS	02		Black
		111		Brass Finish
		 RAL color on request		
CCC	TYPE E27	001		LED T45 Globe (MAX 10W)
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	

Alu




**DING**  
design nuuv







DING  
851-BB(B)-071-00  
851-BB(B)-80500H-00-K




BB(B)	COLORS	02		Black
		03		White
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		150		Bronze Light
151		Bronze Dark		
111		Brass Finish		
			RAL color on request	
CCC	TYPE G9	071		G9 - LED 6W - 500lm
EFF	CRI • LUMENOUTPUT	805	CC LED	>90 CRI • 1x 400 Lm / 700 mA / 4 W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
K	DRIVER	1	No driver	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	




**ELPEE**  
design dark studio







ELPEE  
2595-BB(B)-90654H-DD-III-K




BB(B)	COLORS	02	Black
		10	Alu Saturated
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		GG	REFLECTOR
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		DD	SUSP. CABLE
		02	2,5 m
III	MATERIALS	00	Naked*
		118	Oak natural
		117	Oak stained black
		134	Alabaster
		139	Terracotta Red
		148	Terracotta Green
		215	Marron Napoleon
		216	Vert De Rajasthan
		218	Rosso Verona
		217	Travertino Romano Striato
		*Material provided by client	
III	ACOUSTIC	02	Black
		155	Green
		156	Beige
		157	Grey
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

ACCESSORIES p. 523


	172-9005-436099	Black
	172-9003-436099	White
	172-0112-436099	Gold



ACOUSTIC COLORS



ELPEE WALL G9  
2597-BB(B)-071-II(I)



BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark

CCC	TYPE G9	071	G9 - LED 6W - 500lm
-----	---------	-----	---------------------


III	MATERIALS	00	Naked*
		118	Oak natural
		117	Oak stained black
		134	Alabaster
		139	Terracotta Red
		148	Terracotta Green
		215	Marron Napoleon
		216	Vert De Rajasthan
		218	Rosso Verona
		217	Travertino Romano Striato
		*Material provided by client	

III	ACOUSTIC	02	Black
		155	Green
		156	Beige
		157	Grey





ELPEE G9  
2598-BB(B)-071-DD-II(I)



BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark

CCC	TYPE G9	071	G9 - LED 6W - 500lm
-----	---------	-----	---------------------

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m


III	MATERIALS	00	Naked*
		118	Oak natural
		117	Oak stained black
		134	Alabaster
		139	Terracotta Red
		148	Terracotta Green
		215	Marron Napoleon
		216	Vert De Rajasthan
		218	Rosso Verona
		217	Travertino Romano Striato

III	ACOUSTIC	02	Black
		155	Green
		156	Beige
		157	Grey



# EMANUELLE

design gregoire maison dieu




BIG SEE  
Product Design  
Award 2024  
Winner







EMANUELLE 400 H  
3305-14-2-DD-K



EMANUELLE 600 H  
3306-14-2-DD-K




EMANUELLE 800 H  
3307-14-2-DD-K



FF	LED	14	>90 CRI • 800 Lm / 14 W/m
			>90 CRI • 1200 Lm / 14 W/m
			>90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

Alu-PC






EMANUELLE 400 V  
3300-14-2-DD-K


EMANUELLE 600 V  
3301-14-2-DD-K

EMANUELLE 800 V  
3302-14-2-DD-K




FF	LED	14	>90 CRI • 800 Lm / 14 W/m
			>90 CRI • 1200 Lm / 14 W/m
			>90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)





EMANUELLE 400 W  
3310-14-2-K



FF	LED	14	>90 CRI • 800 Lm / 14 W/m >90 CRI • 1200 Lm / 14 W/m >90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)


Alu-PC



# EQUALIZER

design lbrand








Chalet Vanipoul - Skialux




**EQUALIZER 1600**  
3501-BB(B)-903H-DD-K-L-MM



BB(B)	COLORS	02	Black		
		03	White		
		10	Alu		
		150	Bronze Light		
		151	Bronze Dark		
EFF	CRI • LUMENOUTPUT	903	>90 CRI • 350 mA / 3,5 W		
		H	COLOR TEMP.	2	2700K
				3	3000K
DD	SUSP. CABLE	01	1,5 m		
		02	2,5 m		
K	DRIVER	0	Non dimmable (extern)		
		3	Dali / Push Dim (extern)		
L	LIGHTING	1	down (1 driver extern) 9x 280 Lm		
		2	up/down (2 drivers extern) 18x 280 Lm		
MM	TYPE	01	1600 Concrete ceiling - driver remote - down		
		02	1600 Concrete ceiling - driver remote - up/down		
		03	1600 Concrete ceiling - driver in ceiling base - down		
		04	1600 Concrete ceiling - driver in ceiling base - up/down		
		05	1600 Plaster board - driver recessed in base - down		
		06	1600 Plaster board - driver recessed in base - up/down		
		07	1600 Plaster board - driver remote - down		
		08	1600 Plaster board - driver remote - up/down		





**EQUALIZER 2500**  
3500-BB(B)-906H-DD-K-L-MM





BB(B)	COLORS	02	Black		
		03	White		
		10	Alu		
		150	Bronze Light		
		151	Bronze Dark		
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 350 mA / 6,4 W		
		H	COLOR TEMP.	2	2700K
				3	3000K
DD	SUSP. CABLE	01	1,5 m		
		02	2,5 m		
K	DRIVER	0	Non dimmable (extern)		
		3	Dali / Push Dim (extern)		
L	LIGHTING	1	down (1 driver extern) 10x 420 Lm		
		2	up/down (2 drivers extern) 20x 420 Lm		
MM	TYPE	01	2500 Concrete ceiling - driver remote - down		
		02	2500 Concrete ceiling - driver remote - up/down		
		03	2500 Concrete ceiling - driver in ceiling base - down		
		04	2500 Concrete ceiling - driver in ceiling base - up/down		
		05	2500 Plaster board - driver recessed in base - down		
		06	2500 Plaster board - driver recessed in base - up/down		
		07	2500 Plaster board - driver remote - down		
		08	2500 Plaster board - driver remote - up/down		



CONCRETE CEILING  
DRIVER REMOTE




CONCRETE CEILING  
DRIVER IN CEILING BASE






PLASTERBOARD – BA13  
DRIVER RECESSED IN BASE



EQUALIZER 1600 / 05 NON-DIM or DALI/PUSH-DIM  
3501-BB(B)-903H-DD-K-1-05


EQUALIZER 2500 / 05 NON-DIM or DALI/PUSH-DIM  
3500-BB(B)-906H-DD-K-1-05



DOWN

EQUALIZER 1600 / 06 NON-DIM or DALI/PUSH-DIM  
3501-BB(B)-903H-DD-K-2-06

EQUALIZER 2500 / 06 NON-DIM or DALI/PUSH-DIM  
3500-BB(B)-906H-DD-K-2-06




UP / DOWN

PLASTERBOARD – BA13  
DRIVER REMOTE

EQUALIZER 1600 / 07 NON-DIM or DALI/PUSH-DIM  
3501-BB(B)-903H-DD-K-1-07


EQUALIZER 2500 / 07 NON-DIM or DALI/PUSH-DIM  
3500-BB(B)-906H-DD-K-1-07



DOWN

EQUALIZER 1600 / 08 NON-DIM or DALI/PUSH-DIM  
3501-BB(B)-903H-DD-K-2-08


EQUALIZER 2500 / 08 NON-DIM or DALI/PUSH-DIM  
3500-BB(B)-906H-DD-K-2-08



UP / DOWN



**EQUALIZER WALL**  
3502-BB(B)-903H-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	903	>90 CRI • 350 Lm / 350 mA / 3,5 W
		2	2700K
		3	3000K
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)




Metal-Alu

# FLEX CONTOURO

design dark studio



FLEX CONTOURO 654lm/m / 7.2W / 24v/5m / 2700K  
130-9000-000174





# FLEX CABINETO

design dark studio



FLEX CABINETO 432lm/m / 7.2W / 24v/5m / 2700K  
130-9000-000175




# FRIENDZ

design cliéier françois



FRIENDZ Wall  
3530-BB-904H-II(I)-JJ-K



BB	COLORS	02	Black
		03	White
		37	Natural
		RAL color on request	
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6,4 W (CC) >90 CRI • 24V / 6,6 W (CV)
	ALABASTER		
H	COLOR TEMP.	2	2700K
		3	3000K
II(I)	COLOR	02	Black
		03	White
		151	Bronze Dark
JJ	COLOR	02	Black
		03	White
K	DRIVER	1	No driver (CC)
		0	Non dimmable (2 drivers extern)
		3	Dali (2 drivers extern)
		4	Phase cut (2 drivers extern)

**DISCLAIMER** – Nature decides the look of alabaster!


Metal-Rattan-Alabaster





**⚠️ DISCLAIMER – Nature decides the look of alabaster!**

FRIENDZ S  
3531-02-904H-II(I)DD-K



BB	COLORS	02	Black
		03	White
		37	Natural
		RAL color on request	
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6,4 W
		ALABASTER	>90 CRI • 24V / 6,6 W (CV)
H	COLOR TEMP.	2	2700K
		3	3000K
II(I)	COLORS	02	Black
		03	White
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (2 drivers extern)
		3	Dali (2 drivers extern)
		4	Phase cut (2 drivers extern)

Metal-Rattan-Alabaster       

**GAZTA**  
design vincent van laere










GAZTA 50S  
 3020-BB(B)-001-DD  
 3020-BB(B)-90600H-DD-K  
 3020-BB(B)-071-DD



E27 FILAMENT-LAMP:  
 to be ordered separately

BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		110	Brass
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		RAL color on request	

CCC	TYPE E27	001	LED Globe (MAX 10W) (230V)
CCC	TYPE G9	071	LED (MAX 6 W) (230V)

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6 W (CC)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

Alu-Brass

# GAZTA WALL



design vincent van laere





GAZTA WALL G9  
3024-BB(B)-071

GAZTA WALL E27  
3025-BB(B)-001



G9-LAMP:  
to be ordered separately

E27 FILAMENT-LAMP:  
to be ordered separately

BB(B)	COLORS	02		Black	
		03		White	
		10		Alu Satinated	
		150		Bronze Light	
		151		Bronze Dark	
		110		Brass	
		101		Soft Pink	
		103		Soft Blue	
		104		Soft Green	
		124		Kaki	
		140		Old Pink	
		141		Terracotta Red	
		142		Oxide Red	
					RAL color on request

CCC	TYPE G9	071		LED (MAX 6 W) (230V)
CCC	TYPE E27	001		LED Globe (MAX 10W) (230V)



Alu-Brass

**HIHOPE**  
design dark studio







HIHOPE TIKI 950  
1941-BB-90600H-DD-II(I)-K





950

HIHOPE TIKI 1200  
1942-BB-90600H-DD-II(I)-K





1200

HIHOPE TIKI 1500  
1943-BB-90600H-DD-II(I)-K




1500

HIHOPE TIKI 1800  
1944-BB-90600H-DD-II(I)-K



1800


HIHOPE TIKI ORGANIC 1  
1955-BB-90600H-DD-II(I)-K



1193

729



HIHOPE TIKI ORGANIC 2  
1956-BB-90600H-DD-II(I)-K



1725

924


HIHOPE TIKI ORGANIC 3  
1957-BB-90600H-DD-II(I)-K



1850




950

BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per spot)
GG	REFLECTOR	00	N.A.
		2	2700K
H	COLOR TEMP.	3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
II(I)	COLOR TIKI	02	Black
		03	White
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)





HIHOPE MOVE  
AAAA-BB(B)-DD-M-II-H-(J)-K



AAAA	MODEL DIAMETER	1931	Ø 8500 mm - 20 spots	
		1932	Ø 6000 mm - 15 spots	
		1933	Ø 4500 mm - 12 spots	
		1934	Ø 3000 mm - 10 spots	
BB(B)	COLOR RING	02	Black	
		03	White	
		111	Brass Finish	
		RAL color on request		
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
		03	5 m	
M	SPOT	TUKI 60	2	>90CRI • 895 Lm / 350mA / 15W / 34° (per spot)
II	COLOR SPOT	02	Black	
		03	White	
H	COLOR TEMP.	2	2700K	
		3	3000K	
		4	4000K	
(J)	INLIGHT (optional)	1	Ledline 14 W / m	
K	DRIVER	0	Non dimmable (extern)	
		3	Dali (extern)	






# IJ-LAMP

design jacob de baan






IJ-LAMP METAL S  
815-BB(B)-042-DD



IJ-LAMP METAL WALL  
817-BB(B)-042-00



BB(B)	COLORS	02	Black
		03	White
		10	Alu Sotinated
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		110	Brass
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	

CCC	TYPE E27	042	LED Globe (MAX 12W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m


Alu-Metal-Brass

**KAVEOO**  
design dark studio






**KAVEOO**  
1375-BB-90600H-K



**KAVEOO MAX**  
1376-BB-91500H-K



BB(B)	COLORS	02	Black	
		03	White	
		111	Brass Finish	
		150	Bronze Light	
		151	Bronze Dark	
		RAL color on request		
EFF	TYPE	KAVEOO	906	>90 CRI • 2x 600 Lm / 350 mA / 6,4 W
		KAVEOO MAX	915	>80 CRI • 2x 1500 Lm / 350 mA / 11,6 W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP	2	2700K	
		3	3000K	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (intern) Except KAVEOO (extern)	
		4	Phase cut (intern)	



48V




# KFORTY-8


design dark studio

CUSTOM MADE  
your dream - our challenge

KFORTY-8 SPOTS/LINE  
3691-BB-S-H-K




KFORTY-8 SPOTS  
3690-BB-S-H-K



PROFILE  
2000 mm 3651-BB

Only in BLACK and WHITE



SPOTS  
3662-BB-S-H-K




TIKI

TUKI


PETI

PETU

MODULE LED SPOT 300  
3663-H



MODULE LED SPOT 600  
3664-H



for accessories and drivers,  
check datasheet

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark

S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU

H	COLOR TEMP	2	2700K
		3	3000K
		4	4000K

K	DRIVER	0	Non dimmable
		3	Dali



— KITN TYPES —

SPOTS

p. 220 / p. 244



SPOTS + PENDANT

p. 226



SPOTS + LED-LINE

p. 232



SPOTS LED-LINE+ PENDANT

p. 238



— KITN SPOTS —



1 TOQI

GU10



2 TIKI



3 TUKI 40



4 PETI



5 PETU

LED


If you haven't found what you are looking for, **contact us**, we make it happen!

KITN  
design dark studio

CUSTOM MADE  
your dream -our challenge




— KITN **PENDANTS** LED —



If you haven't found what you are looking for, **contact us**, we make it happen!

— KITN **PENDANTS** 230V / G9-E27 —











## KITN SPOTS

KITN

225

Composition following your choice


### KITN CUSTOM MADE

2662-BB-S-H-K-length

2662-BB-1-065-length

**KITN 1**  
2400 mm 2660-BB-S-H-K  
2400 mm 2660-BB-1-065

**KITN 2**  
3000 mm 2661-BB-S-H-K  
3000 mm 2661-BB-1-065



### GUIDO

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	1	TOOI
CCC	CCC	065	OPAR51 (MAX 50 W)
HONEYCOMB		ACCESSORIES p. 523	

### LED

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
		H	COLOR TEMP
3	3000K		
4	4000K		
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
HONEYCOMB		ACCESSORIES p. 523	









## KITN SPOTS + PENDANT

KITN


231

Composition following your choice

**KITN CUSTOM MADE**

2662-BB-S-H-K-M-length

2662-BB-1-065-M-length




**KITN 9**

2400 mm 2687-BB-S-H-K-M

2400 mm 2687-BB-1-065-M

3000 mm 2688-BB-S-H-K-M

3000 mm 2688-BB-1-065-M



### GUIDE

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	1	TOQI
CCC	CCC	065	OPAR51 (MAX 50 W)
HONEYCOMB		ACCESSORIES p. 523	

### LED

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
H	COLOR TEMP	2	2700K
		3	3000K
		4	4000K
K	DRIVER	1	No driver(CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
M	PENDANT	X	Make your choice p.218
HONEYCOMB		ACCESSORIES p. 523	











KITN SPOTS + LED-LINE


Composition following your choice  
**KITN CUSTOM MADE**  
 2662-BB-20PH-K-length




- KITN 3**  
 2400 mm 2665-BB-20PH-K  
 3000 mm 2666-BB-20PH-K  
 3600 mm 2667-BB-20PH-K



- KITN 4**  
 2400 mm 2670-BB-S-20PH-K  
 3000 mm 2671-BB-S-20PH-K  
 3600 mm 2672-BB-S-20PH-K




- KITN 5**  
 2400 mm 2675-BB-S-20PH-K  
 3000 mm 2676-BB-S-20PH-K  
 3600 mm 2677-BB-S-20PH-K



BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
FF	LED	20	>90 CRI • 3270Lm/m / 20 WM / 24 Vdc
G	DIFFUSER	P	Plexi
H	COLOR TEMP	2	2700K
		3	3000K
		4	4000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
HONEYCOMB		ACCESSORIES p. 523	












## KITN SPOTS + LED-LINE + PENDANT

Composition following your choice  
**KITN CUSTOM MADE**  
 2662-BB-S-20PH-K-M-length

**KITN 6**  
 2400 mm 2680-BB-S-20PH-K-M  
 3000 mm 2681-BB-S-20PH-K-M  
 3600 mm 2682-BB-S-20PH-K-M



<b>LED</b>		02	Black
		03	White
BB	COLORS	10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		S	
		2	TIKI
		3	TUKI
		4	PETI
		5	PETU
FF	LED	20	>90 CRI • 3270Lm/m / 20 W/M / 24 Vdc
G	DIFFUSER	P	Plexi
H		COLOR TEMP	
		2	2700K
		3	3000K
		4	4000K
K		DRIVER	
		1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
M	PENDANT	X	Make your choice p.218
HONEYCOMB		ACCESSORIES p. 523	










KITN L SPOTS

Composition following your choice  
**KITN CUSTOM MADE**  
 2662-BB-S-H-K-length




<b>GUIDE</b>	BB	COLORS	02	Black
			03	White
			10	Alu Satinated
			150	Bronze Light
			151	Bronze Dark
S	SPOTS	1	TOOI	
CCC	CCC	065	OPAR51 (MAX 50 W)	
<b>HONEYCOMB</b>		ACCESSORIES p. 523		



**KITN 7**  
 2000 mm 2684-BB-S-H-K  
 2684-BB-1-065

**KITN 8**  
 2400 mm 2685-BB-S-H-K  
 2685-BB-1-065



<b>LED</b>	BB	COLORS	02	Black
			03	White
			10	Alu Satinated
			150	Bronze Light
			151	Bronze Dark
S	SPOTS	2	TIKI	
		3	TUKI	
		4	PETI	
		5	PETU	
H	COLOR TEMP	2	2700K	
		3	3000K	
		4	4000K	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	
<b>HONEYCOMB</b>		ACCESSORIES p. 523		



# LA CAGE

design stefan schöning




Elise had a wonderful day









LA CAGE  
600-BB(B)-005-DD-EE



LA CAGE DIVA  
602-BB(B)-001-DD-EE



LA CAGE GROSSA  
603-BB(B)-001-DD-EE




BB(B)	COLORS	02		Black		
		03		White		
		101		Soft Pink		
		103		Soft Blue		
		104		Soft Green		
		124		Kaki		
		140		Old Pink		
		141		Terracotta Red		
		142		Oxide Red		
CCC	TYPE	LA CAGE	005		E14	1x LED (MAX 7W)
		LA CAGE DIVA/GROSSA	001		E27	1x LED (MAX 12W)
DD	SUSP. CABLE	01	1,5 m			
		02	2,5 m			
EE	SUSP. KIT	02		Black		
		03		White		
		04		Pink		




# L-HOP

design danny venlet






L-HOP 1  
1310-BB(B)-300000-WW



L-HOP 2  
1311-BB(B)-300000-WW



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish

CCCCC	TYPE	300000	3000K / 3 W incl. non-dim driver
-------	------	--------	----------------------------------

HH	COLOR TEMP.	WW	Warm white 3000K
----	-------------	----	------------------

Alu - PMMA


**LGTM**  
design carl hagerling



Hansa \_ Buro Project



LGTM  
750-BB-001-DD  
750-BB-91500H-DD-K



BB(B)	COLORS	02	Black (inside gold)
		03	White (inside gold)
		150	Bronze Light (inside gold)
		151	Bronze Dark (inside gold)
CCC	TYPE E27	001	LED Globe (MAX 11W)
EFF	CRI • LUMENOUTPUT	915	>90 CRI • 1500 Lm / 350 mA / 11,6 W
GG	REFLECTOR	00	N.A.
		2	2700K
		3	3000K
		4	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

Alu


# MAGNIFIQUE

design dark studio




ONE RING / ONE DIAMETER (86mm)  
**MAGNETIC CLICK**  
 MULTIPLE SOLUTIONS


— **PLUG TRIM** —




— **MODULE** —



— **PLUG TRIMLESS** —



— **MODULE** —



— **PLUG + TRIM** —




— **PLUG + TRIM** —



— BULB —

MAGNIQUE BULB




p. 283



— PENDANT —

MAGNIQUE PULL




Add your Dark darling (max 3 lg)

p. 283




MAGNIQUE LOFTR



p. 282











MAGNIFIQUE DEEP  
3001-BB(B)-907GGH-K



MAGNIFIQUE MOVE  
3002-BB(B)-907GGH-K




BB(B)	COLORS	02	Black
		03	White
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark

EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1x 780 Lm / 250 mA / 8,7 W
		12	12°
		34	34°
GG	REFLECTOR	60	60°
		2	2700K
		3	3000K


K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)







MAGNIFIQUE COUCOU  
3003-BB-907GGH-K




BB(B)	COLORS	02	Black
		03	White
		110	Brass
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1x 780 Lm / 250 mA / 8,7 W
		12	12°
		34	34°
GG	REFLECTOR	60	60°
		2	2700K
		3	3000K
H	COLOR TEMP.	2	2700K
		3	3000K
		1	No driver (CC)
		0	Non dimmable (extern)
K	DRIVER	3	Dali (extern)
		4	Phase cut (extern)







MAGNIFIQUE KIKI  
3007-BB-907GGH-II(I)-K




BB(B)	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1x 600 Lm / 350 mA / 6,4 W
		22	22°
		34	34°
GG	REFLECTOR	54	54°
		2	2700K
		3	3000K
II(I)	INSIDE COLOR	02	Black
		03	White
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)






MAGNIFIQUE LOFTR  
3005-BB-90747H-01-K




BB(B)	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	907	>90 CRI • lx 780 Lm / 250 mA / 8,7 W
GG	REFLECTOR	47	47°
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)



MAGNIFIQUE PULL  
3006-BB

MAGNIFIQUE BULB  
3004-BB-001



Add your  
Dark darling  
(max. 3 kg)

BB(B)	COLORS	02	Black
		03	White
CCC	TYPE E27	001	LED Globe (MAX 10W)



# METROLINE

design dark studio


CUSTOM MADE  
your dream -our challenge







CM HO - Retail Office




METROLINE S

AAAA-BB-13-DD-K-J



METROLINE

AAAA-BB-13-00-K-J



1200 mm	METROLINE 1	1200
1700 mm	METROLINE 5	1700
2250 mm	METROLINE 7	2250
2545 mm	METROLINE 8	2545
2820 mm	METROLINE 9	2820
3100 mm	METROLINE 10	3100
3380 mm	METROLINE 11	3380
3660 mm	METROLINE 12	3660
3940 mm	METROLINE 13	3940

AAAA	MODEL LENGTH	1850	METROLINE 1	1200 mm		
		1851	METROLINE 5	1700 mm		
		1852	METROLINE 7	2250 mm		
		1853	METROLINE 8	2545 mm		
		1854	METROLINE 9	2820 mm		
		1855	METROLINE 10	3100 mm		
		1856	METROLINE 11	3380 mm		
		1857	METROLINE 12	3660 mm		
		1858	METROLINE 13	3940 mm		
BB	COLORS	02	Black			
		03	White			
		RAL color on request				
CC	LED	13	METROLINE 1	>90CRI • 3910 Lm / 25,9 W / 3000K		
			METROLINE 5	>90CRI • 5866 Lm / 38,9 W / 3000K		
			METROLINE 7	>90CRI • 7821 Lm / 51,8 W / 3000K		
			METROLINE 8	>90CRI • 8798 Lm / 58,3 W / 3000K		
			METROLINE 9	>90CRI • 9776 Lm / 64,8 W / 3000K		
			METROLINE 10	>90CRI • 10754 Lm / 71,3 W / 3000K		
			METROLINE 11	>90CRI • 11731 Lm / 78 W / 3000K		
			METROLINE 12	>90CRI • 12709 Lm / 84,2 W / 3000K		
			METROLINE 13	>90CRI • 14664 Lm / 90,7 W / 3000K		
			DD	CEILING	00	N.A.
					01	1,5 m
				SUSP. CABLE	02	2,5 m
					03	5 m
K	DRIVER	0	Non dimmable (intern)			
		3	Dali (intern)			
J	DIFFUSER	0	Opal			
		1	Prismatic			



# MR BEAM

design detail concept




reddot design award  
winner 2017





## MR.BEAM 1


1600 mm 2301-BBB-1H-DD-II(I)-[J]-LL-K













2200 mm 2306-BBB-1H-DD-II(I)-[J]-LL-K

2600 mm 2304-BBB-1H-DD-II(I)-[J]-LL-K


3400 mm 2307-BBB-1H-DD-II(I)-[J]-LL-K



BBB	MATERIAL	117		Oak stained black
		118		Oak natural
		131		Oak stained white
F	LED	1	length 1600 mm	>90 CRI • 2920 Lm / 24 W
			length 2200 mm	>90 CRI • 5886 Lm / 36 W
			length 2600 mm	>90 CRI • 7194 Lm / 44 W
			length 3400 mm	>90 CRI • 9810 Lm / 60 W
H	COLOR TEMP.	2	2700K	
		3	3000K	
DD	SUSP. CABLE.	01	1,5 m	
		02	2,5 m	
II(I)	COLORS	02		Black
		03		White
		110		Brass
		150		Bronze Light
		151		Bronze Dark
[J] optional	UPLIGHT	1	9,6 W / m	
LL	SUSP. KIT	02		Black
		03		White
K	DRIVER	0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	


Alu-Metal-Wood






MR.BEAM 2

1600 mm 2302-BBB-1H-DD-II(I)-(J)-LL-K-T



2200 mm 2308-BBB-1H-DD-II(I)-(J)-LL-K-T  
 2600 mm 2305-BBB-1H-DD-II(I)-(J)-LL-K-T  
 3400 mm 2309-BBB-1H-DD-II(I)-(J)-LL-K-T



BBB	MATERIAL	117	Oak stained black
		118	Oak natural
		131	Oak stained white
		RAL color on request	
F	LED	1	length 1600 mm >90 CRI • 2943 Lm / 18 W
			length 2200 mm >90 CRI • 3920 Lm / 24 W
			length 2600 mm >90 CRI • 5232 Lm / 32 W
			length 3400 mm >90 CRI • 7848 Lm / 48 W
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
II(I)	COLORS	02	Black
		03	White
		110	Brass
		150	Bronze Light
		151	Bronze Dark
[J] optional	UPLIGHT	1	9,6 W / m
LL	SUSP. KIT	02	Black
		03	White
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)
TYPE 2	T	SPOTS	1 >90 CRI • 600 Lm / 350 mA / 6,4 W Reflector 54° - Incl driver - non dim



# MISS RIGHT


design dark studio

CUSTOM MADE  
your dream -our challenge







MISS RIGHT BALLZZZ 2000  
2350-BB(B)-071-DD  
2350-BB(B)-90600H-DD-K



MISS RIGHT BALLZZZ 2600  
2351-BB(B)-071-DD  
2351-BB(B)-90600H-DD-K




BB	COLOR PROFILE	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	G9 - LED 6W - 500lm
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)







MISS RIGHT PLANETZZZ 2000 **LED**  
2630-BB-90600H-DD-K




MISS RIGHT PLANETZZZ 2600 **LED**  
2631-BB-90600H-DD-K





BB	COLOR PROFILE	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)



MISS RIGHT HOODY LED  
2360-BB-90620H-00-DD-K



MISS RIGHT HOODY G9  
2361-BB-0711213-DD



BB(B)	COLORS	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6 W
GG	GLOBE	20	Ø200
H	COLOR TEMP.	0	N.A.
		1	2200K
		2	2700K
		3	3000K
II	GLOBE color	00	Transparant
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)




BB(B)	COLORS	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	LED (MAX 6 W)
GG	GLOBE	12	Ø120
II	GLOBE color	13	Glass White
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m



**NINZA**  
design dark studio


**CUSTOM MADE**  
your dream -our challenge








**NINZA S**  
1796-BB-FFGH-DD-K-NN(N)




**NINZA**  
1797-BB-FFGH-K-NN(N)




BB	COLORS	02	Black
		03	White
		RAL color on request	
FF	LED	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 2290 Lm/m / 14 W/m
		20	>90 CRI • 3270 Lm/m / 20 W/m
G	DIFFUSER	P	Plexi
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
NN(N)	LENGTH	90	900 mm
		120	1200 mm
		180	1800 mm
		240	2400 mm
		all dimensions possible up to 4000 mm on request	







**NINZA**  
 [IP65] 1800-BB-FFGH-K-NN(N) SEALED-PLEXI 30x30mm  
 [IP67] 1803-BB-FFGH-K-NN(N) SEALED 30x35mm



BB	COLORS	02	Black
		03	White
		RAL color on request	
FF	LED	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 700 Lm/m / 14,4 W/m
		28	>90 CRI • 1450 Lm/m / 28,8 W/m
G	DIFFUSER	P	Plexi
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		all dimensions possible up to 4000 mm on request	
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
NN(N)	LENGTH	90	900 mm
		120	1200 mm
		180	1800 mm
		240	2400 mm
		all dimensions possible up to 4000 mm on request	





IP20

IP20





IP65




IP20



NINZA RECESSED

IP65 1806-BB-FFGH-K-NN(N) SEALED-PLEXI  
 IP20 1807-BB-FFGH-K-NN(N)



BB	COLORS	02	Black
		03	White
FF	LED (IP65)	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 700 Lm/m / 14,4 W/m
		28	>90 CRI • 1450 Lm/m / 28,8 W/m
	LED (IP20)	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 2290 Lm/m / 14 W/m
		20	>90 CRI • 3270 Lm/m / 20 W/m
G	DIFFUSER	P	Plexi
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
NN(N)	LENGTH	90	900 mm
		120	1200 mm
		180	1800 mm
		240	2400 mm
			all dimensions possible up to 4000 mm on request

Alu-PC

# NOTAARI


design clidier françois



NOTAARI TABLE

321

NOTAARI TABLE  
2720-134-151




BB(B)	COLORS	134	Alabaster
			-90 CRI • 24V / 12W (CV)
II(I)	COLOR	151	Bronze Dark (BRD)





NOTAARI FLOOR  
2721-134-151



BB(B)	COLORS	134	Alabaster
			>90 CRI • 24V / 12W (CV)
II(I)	COLOR	151	Bronze Dark (BRD)

Alu - Glass - Alabaster



# ORGUE

design luc vincent & maxim pien






Source Luxfit - Luxemburg



ORGUE  
1363-BB(B)-866003-DD-K



BB(B)	COLORS	Color
02	Black	Black
03	White	White
101	Soft Pink	Soft Pink
103	Soft Blue	Soft Blue
104	Soft Green	Soft Green
124	Kaki	Kaki
140	Old Pink	Old Pink
141	Terracotta Red	Terracotta Red
142	Oxide Red	Oxide Red
110	Brass	Brass
150	Bronze Light	Bronze Light
151	Bronze Dark	Bronze Dark
		RAL color on request




EFF	CRI • LUMENOUTPUT	866	>90 CRI • 1x 7640 Lm / 49,6 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)

Alu-Metal



Savoyard\_Stephanie Laporte

ORGUE WALL  
1360-BB(B)-80500H-00-K



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		110	Brass
		150	Bronze Light
		151	Bronze Dark

EFF	CRI • LUMENOUTPUT	805	>90 CRI • 2x 450 Lm / 700mA / 6 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

K	DRIVER	0	Non dimmable (intern)
		1	No driver
		3	Dali (extern)
		4	Phase cut (intern)




PETI  
design dark studio








**PETI SET 1/50**  
3152--BB(B)-906GGH-K



**PETI SET 1/90**  
3153--BB(B)-906GGH-K



ACCESSORIES p. 523


	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold




BB(B)	COLORS	02	Black
		10	Alu Satinised
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		K	DRIVER
0	Non dimmable (extern)		
3	Dali (extern)		
4	Phase cut (extern)		




**PETI**  
3150-BB(B)-906GGH-K




**PETI BOX 1**  
3150-BB(B)-906GGH-K-IN



**PETI BOX 2**  
3154-BB(B)-906GGH-K




**PETI BOX 7**  
3151-BB(B)-906GGH-K





# PETU




design dark studio







BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		III	COLOR
10	Alu Satinated		
150	Bronze Light		
151	Bronze Dark		
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)




ACCESSORIES p. 523

	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold





PETUS  
3201-BB(B)-906GGH-DD-III-K



BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark

GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m

III	COLOR	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

Alu

ACCESSORIES p. 523

	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold


# PLANETZZZ

design anthony boelaert







PLANETZZZ 950  
2620-BB-90600H-DD-K



PLANETZZZ 1200  
2621-BB-90600H-DD-K



PLANETZZZ 950x1850  
2622-BB-90600H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6.4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)



# PLANETZZZZ PLUZ



design anthony boelaert









PLANETZZZ PLUZ Round  
3550-BB-906H-DD-K




PLANETZZZ PLUZ Oval  
3552-BB-906H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (pro ball)
		2	2700K
H	COLOR TEMP.	3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)



PLANETZZZ PLUZ Organic  
3551-BB-906H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (pro ball)
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)






**POPZZ**  
design dark studio





POPZZ  
 1200-BB(B)-065-00-II  
 1200-BB(B)-90700H-00-K-II



BB(B)	COLORS	02		Black
		03		White
		111		Brass Finish
CCC	TYPE GUIDO	065		QPAR5i (MAX 50 W) (230V)
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 780 Lm / 250 mA / 8,7 W (CC)	
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
K	DRIVER	1	No driver	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	
II	GLOBE color	00		Transparent
		04		Red
		49		Amber
		58		Smoke



# RBA

design ricardo bofill taller de arquitectura

**HERITAGE**  
COLLECTION


1989




BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		110	Brass
C	RBA 1	2	>90 CRI • 600-800 Lm / 15-25 W / 2700K
		3	>90 CRI • 600-800 Lm / 15-25 W / 3000K
	RBA 2	2	>90 CRI • 800 Lm / 25 W / 2700K
		3	>90 CRI • 800 Lm / 25 W / 3000K
	RBA 3	2	>90 CRI • 1600 Lm / 50 W / 2700K
		3	>90 CRI • 1600 Lm / 50 W / 3000K
K	DRIVER	1	No driver
		0	Non dimmable (intern)
		3	Dali (intern)




RBA 1  
3045-BB(B)-C-K



RBA 2  
3046-BB(B)-C-K



RBA 3  
3047-BB(B)-C-K




**SANGHA**  
design dark studio











BBB	COLORS	02	Black
		03	White
		37	Natural
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		RAL color on request	


CCC	TYPE E27	001	LED (MAX 12 W)
-----	----------	-----	----------------

EFF	CRI • LUMENOUTPUT	914	>90 CRI • 1400 Lm / 350 mA / 14 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

LL	SUSP. KIT	02	Black
		03	White

K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)



Rattan


# SATURNUZ

design jacob de baan











SATURNUZ 30  
1380-BB(B)-001-DD-EE-II



SATURNUZ 60  
1381-BB(B)-001-DD-EE-II



BBB	COLORS	116	 Multiplex Poplar
CCC	TYPE E27	001	 LED (MAX 12 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
EE	SUSP. KIT	02	 Black
		03	 White
II	COLOR DIFFUSER	13	White
		127	 Satin Red

Wood - PMMA



**SL53**  
design léon stynen

**HERITAGE**  
COLLECTION

**1953**




LEON M. J. R. STYNEN






SL 53 M WALL  
3352-BB(B)906H-K



SL 53 WALL  
3353-BB(B)914H-K



BB(B)	COLORS CONES	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		161	LS Blue
		104	Soft Green
		162	LS Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	LED >90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED >90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)





Foodstation Vogelzang - Antwerpen - 2024


LEON M.J.R. STYNEN




*Architecte,  
Leon Stynen  
Directeur  
de la chambre,  
Samedi  
2 février 1972*



SL 53 M  
3350-BB(B)906H-DD-K



SL 53  
3351-BB(B)914H-DD-K



BB(B)	COLORS CONES	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		161	LS Blue
		104	Soft Green
		162	LS Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red

EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED	>90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K	
		3	3000K	

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)






**SOYUZ**  
design dark studio





SOYUZ  
1080-BB(B)-001-DD-E



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		110	Brass
		150	Bronze Light
		151	Bronze Dark


CCC	TYPE E27	001	LED (MAX.12 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
EE	SUSP. KIT	B	Black
		W	White

Metal
CE


960°
IP20

# SPACE WALKER

design pieterjan




reddot design award  
best of the best 2009






**SPACEWALKER**

580-03-CCC-DD  
580-03-5103-DD-K  
580-03-EFF-DD-K



**SPACEWALKER FLOOR**

581-03-5103-00-K  
581-03-EFF-00-K



IP65 LED version  
available on request

BB	MATERIAL	03	White (translucent)
CCC	TYPE G5	339	T16 (39 W) Non Dim
		340	T16 (39 W) Dim 1-10 V
		341	T16 (39 W) ONE 4 ALL
EFF	CRI • LUMENOUTPUT	510	>90 CRI • 8000 Lm / 480 mA / 75 W
		H	COLOR TEMP.
DD	SUSP. CABLE	00	N.A.
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (intern)
		2	Dimmable 1-10 V (intern)
		3	Dali (intern)


BB	MATERIAL	03	White (translucent)
EFF	CRI • LUMENOUTPUT	500	RGB
		505	RGBW
DD	SUSP. CABLE	00	N.A.
		02	2,5 m
		03	5 m
K	DRIVER	0	Standalone • remote control (intern)
		3	Dali (intern)
		9	DMX (intern)




# SPINE

design pieterjan





SPINE  
530-BB-8663-K-DD



BB	COLOR BODY	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	866	>85 CRI • 7640 Lm / 49,6 W
H	COLOR TEMP.	3	3000K
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m



# SQUARE MOON

design luc vincent

**HERITAGE**  
COLLECTION


1996



BB(B)	COLORS	02		Black
		03		White
		149		Alu Brushed
		151		Bronze Dark
FF	LED	14	>80 CRI • 675 Lm/m / 9,6 W/m - 14W	
		22	>90 CRI • 1050 Lm/m / 14,4 W/m - 22W	
		43	>90 CRI • 2100 Lm/m / 28,8W/m - 43W	
H	COLOR TEMP.	2	2700K	
		3	3000K	
		4	4000K	
II	PLEXI	03		White
		04		Red
		06		Blue
		08		Orange
DD	SUSP. CABLE	00	N.A.	
		01	1,5m	
		02	2,5m	
K	DRIVER	1	No driver (CV)	
		0	Non dimmable (intern)	
		3	Dali (intern)	



SQUARE MOON  
3400-BB(B)-FFH-00-II-K



**TALORE**  
design dark studio









Z33 Design Museum \_ Architect Francesco Torzo



TALORE  
2570-BB(B)-813003-K



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish
		150	Bronze Light
151	Bronze Dark		
			RAL color on request
EFF	CRI • LUMENOUTPUT	813	>80 CRI • 1350 Lm / 550 mA / 19 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)

on request: incl. emergency unit 1h • incl. emergency battery



**TAQI**  
design dark studio



IP65






IP65



TAQI BOX 1  
2700-BB-906603-K

TAQI SET 1  
2701-BB-906603-K



BB	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 455 Lm / 700 mA / 6,5 W
GG	REFLECTOR	60	60°
H	COLOR TEMP.	3	3000K


K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)





TEEVY ROUND BOX

948-02-809-111



**TEEVY**  
design dark studio

Easy to **OPEN** and **SWITCH** between 3000K and 4000K



BB	COLORS	02	Black
EFF	CRI • LUMENOUTPUT	809	>80 CRI • 1350 Lm / 350 mA / 11,3 W
I	INSIDE COLOR	111	Brass Finish



# TERRATOI

design j'elt gregoire






**TERRATOI FIX**  
3570-BB(B)-907GGH-K  
3570-BB(B)-065

**TERRATOI SCIEF**  
3571-BB(B)-907GGH-K  
3571-BB(B)-065

**TERRATOI S**  
3572-BB(B)-907GGH-DD-K  
3572-BB(B)-065-DD



BB(B)	COLORS	141 152	Terracotta Red Terracotta White
CCC	TYPE GUIO	065	OPAR51 (MAX 50 W) 230V
EFF	CRI • LUMENOUTPUT	907	>90 CRI • lx 780 Lm / 250 mA / 8,7 W
GG	REFLECTOR	12	12°
		34	34°
		60	60°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)



BB(B)	COLORS	141 152	Terracotta Red Terracotta White
CCC	TYPE GUIO	065	OPAR51 (MAX 50 W) 230V
EFF	CRI • LUMENOUTPUT	907	>90 CRI • lx 780 Lm / 250 mA / 8,7 W
GG	REFLECTOR	12	12°
		34	34°
		60	60°
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)




**TIKI**  
design dark studio






A-Stay Hotel \_ Detail Concept









BB	COLORS	02	Black		
		03	White		
		10	Alu Satinated		
		150	Bronze Light		
		151	Bronze Dark		
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W		
		GG	REFLECTOR	22	22°
				34	34°
				54	54°
H	COLOR TEMP.	2	2700K		
		3	3000K		
		4	4000K		
		K	DRIVER	1	No driver (CC)
0	Non dimmable				
3	Dali				
4	Phase cut				

Alu



TIKI FIX  
2050-BB(B)-906GGH-K

Driver EXTERN



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)

ACCESSORIES p. 523


	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold

Alu

**TOQI**  
design dark studio



TOQI FIX  
2075-BB(B)-065



BB	COLORS	02		Black
		03		White
		10		Alu Satinated
		150		Bronze Light
		151		Bronze Dark

CCC	TYPE GU10	065		QPAR51 (MAX 50 W)
-----	-----------	-----	--	-------------------




ACCESSORIES p. 523


	HONEYCOMB	172-9005-438099		Black
		172-9003-438099		White
		172-0112-438099		Gold




TOQI S G9  
2078-BB-065-DD




TOQI BOX 1  
2070-BB-065



TOQI SET 1 / 50  
2072-BB-065



TOQI SET 1 / 90  
2073-BB-065



BB(B)	COLORS	02		Black
		03		White
		10		Alu Satinated
		150		Bronze Light
		151		Bronze Dark

CCC	TYPE GU10	065		QPAR51 (MAX 50 W) 230V
-----	-----------	-----	--	------------------------


DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

Alu


ACCESSORIES p. 523

	HONEYCOMB	172-9005-438099		Black
		172-9003-438099		White
		172-0112-438099		Gold






BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
CCC	TYPE GUIDO	065	OPAR51 (MAX 50 W)



**TOQI TRACK**  
2076-BB(B)-065



ACCESSORIES p. 523


	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold

**TORNER**  
design stephane bouchet






**TORNER GU10 DUO**  
1602-BB-065



**TORNER GU10 TRIO**  
1603-BB-065



ACCESSORIES p. 523

	HONEYCOMB	172-9005-438099		Black
		172-9003-438099		White
		172-0112-438099		Gold


BB	COLORS	02		Black
		03		White

CCC	TYPE GU10	065		OPAR51 (MAX 50 W)
-----	-----------	-----	--	-------------------


Alu




Driver INTERN **TORNER DUO**  
1600-BB-906GGH-K




Driver INTERN **TORNER DUO IP44**  
1610-BB-906GGH-K



Driver INTERN **TORNER TRIO**  
1601-BB-906GGH-K



Driver INTERN **TORNER TRIO IP44**  
1611-BB-906GGH-K



BB	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		GG	REFLECTOR
H	COLOR TEMP.	22	22°
		34	34°
		54	54°
K	DRIVER	2	2700K
		3	3000K
		4	4000K
		1	No driver (CC)
		0	Non dimmable
		3	Dali
		4	Phase cut

ACCESSORIES p. 523

	172-9005-436099	Black
	172-9003-436099	White
	172-0112-436099	Gold

Alu



TOTM  
design studio bjorn verlinde




Bar Misera - Antwerpen - Studio Bjorn Verlinde







TOTM Wall  
3265-14H-K



TOTM TABLE  
3270-14






EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)





COLOR THEMES



COL	COLOR THEME	004	
		005	
		006	

EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
----	-------------------	----	-----------------------------------

H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K


DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)


Alu




TOTM  
3261-COL-14H-DD-K




TOTM LARGE  
3262-COL-14H-DD-K



TOTM TABLE  
3270-COL-14



TOTM Wall  
3265-COL-14H-K



COL	COLOR THEME	001	
		002	
		003	
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
		2	2700K
		3	3000K
H	COLOR TEMP.	4	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)



# TRAPPED

design sem de lanverre & kris henkens




DESIGNPREIS  
2009  
NOMINIERT



USA 2007



TRAPPED  
260-BB-001-DD



BB	COLORS	00	Clear
		13	Milky
CCC	TYPE E27	001	LED / Globe (MAX 12 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m



# TUKI 40

design dark studio






Woer Waters\_3-Architects



**TUKI 40S**  
**1342-BB(B)-906GGH-DD-K**

Driver EXTERN



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
-----	-------------------	-----	-----------------------------------

GG	REFLECTOR	22	22°
		34	34°
		54	54°

H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

Alu






Savoyard\_Stephanie Laporte



Biboo\_Signature Design Concepts



BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		GG	REFLECTOR
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)

Alu



TUKI 40 FIX  
1357-BB(B)-906GGH-K



BB(B)	COLORS	02	Black		
		03	White		
		10	Alu Satinated		
		111	Brass Finish		
		150	Bronze Light		
		151	Bronze Dark		
		RAL color on request			
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W		
		GG	REFLECTOR	22	22°
				34	34°
				54	54°
H	COLOR TEMP.	2	2700K		
		3	3000K		
		4	4000K		
		K	DRIVER	1	No driver (CC)
0	Non dimmable (intern)				
3	Dali (extern)				
4	Phase cut (extern)				




ACCESSORIES p. 523

	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold



TUKI 40 TRACK  
1341-BB-906GGH-K



TRACK RAIL: to be ordered separately  
Compatible with EUTRAC, GLOBAL & POWERGEAR

BB(B)	COLORS	02	Black		
		03	White		
		10	Alu Satinated		
		150	Bronze Light		
		151	Bronze Dark		
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W		
		GG	REFLECTOR	22	22°
				34	34°
				54	54°
H	COLOR TEMP.	2	2700K		
		3	3000K		
		4	4000K		
		K	DRIVER	0	Non dimmable
3	Dali				





# TUKI 60

design dark studio



The Jane Table Photo Piet Albert Goethals





BB	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1360 Lm / 350 mA / 12 W
		GG	REFLECTOR
GG	REFLECTOR	11	11°
		20	20°
		34	34°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		I	INSIDE COLOR
B	Black		
G	Brass Finish		
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

ACCESSORIES p. 523


	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold





TUKI 60S  
1349-BB-907GGH-DD-I-K

Driver INTERN




BB	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1360 Lm / 350 mA / 12 W
GG	REFLECTOR	11	11°
		20	20°
		34	34°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		1	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
I	INSIDE COLOR	W	White
		B	Black
		G	Brass Finish
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)
		1	No driver



ACCESSORIES p. 523

	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold

TUKI 60 WALL  
2020-BB-90600H-K



BB(B)	COLORS	02	Black
		03	White
		111	Brass Finish
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 2X 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
K	DRIVER	1	No driver
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)





Alvino \_ Fugozzi




The Motel








TUKI 60 TRACK  
1346-BB-EFFGGH-I-K



TRACK RAIL: to be ordered separately  
Compatible with EUTRAC, GLOBAL & POWERGEAR



DALI - version  
TRACK RAIL: to be ordered separately  
Compatible with GLOBAL & POWERGEAR

ACCESSORIES p. 523

	HONEYCOMB	172-9005-438099		Black
		172-9003-438099		White
		172-0112-438099		Gold

BB(B)	COLORS	02		Black
		03		White
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1360 Lm / 350 mA / 12 W	
		918	>90 CRI • 1800 Lm / 500 mA / 20 W	
		930	>90 CRI • 3000 Lm / 700 mA / 30 W	
GG	REFLECTOR	11	11°	
		20	20°	
		34	34°	
H	COLOR TEMP.	2	2700K	
		3	3000K	
I	INSIDE COLOR	W		White
		B		Black
		G		Brass Finish
K	DRIVER	0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	

Alu

**TWERKIT**  
design skwon



Interior  
innovation  
award  
2015  
Selection

GOOD  
DESIGN




Barr \_ Dries Van Lerberghe







**TWERKIT 2 JR**  
 [IP20] 1092-BB(B)-071-00  
 [IP20] 1092-BB(B)-80500H-00-K  
 [IP44] 1094-BB(B)-80500H-00-K



**TWERKIT 2**  
 [IP20] 1090-BB(B)-071-00  
 [IP20] 1090-BB(B)-80500H-00-K  
 [IP44] 1095-BB(B)-80500H-00-K



**TWERKIT 3**  
 [IP20] 1091-BB(B)-071-00  
 [IP20] 1091-BB(B)-80500H-00-K  
 [IP44] 1096-BB(B)-80500H-00-K



BB(B)	COLORS
02	Black
03	White
101	Soft Pink
103	Soft Blue
104	Soft Green
124	Kaki
140	Old Pink
141	Terracotta Red
142	Oxide Red
111	Brass Finish
150	Bronze light
151	Bronze dark
RAL color on request	

CCC	TYPE G9	071	G9 - LED 6W - 500lm
-----	---------	-----	---------------------

EFF	LED	TWERKIT 2 JR	805	>85 CRI • 2x300 Lm / 350 mA / 3 W
		TWERKIT 2 TWERKIT 3	805	>85 CRI • 2x550 Lm / 700 mA / 6 W

H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K


K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (intern) / JR extern
		4	Phase cut (intern) / JR extern



# TWOCAN

design dark studio







Allvino \_ Fugazzi




**TWOCAN ML**  
2553-BB(B)-90400H-DD-II(I)-K  
2553-BB(B)-071-DD-II(I)




**TWOCAN LM**  
2557-BB(B)-90400H-DD-II(I)-K  
2557-BB(B)-071-DD-II(I)




**TWOCAN MS**  
2552-BB(B)-90400H-DD-II(I)-K  
2552-BB(B)-071-DD-II(I)




**TWOCAN SM**  
2554-BB(B)-90400H-DD-II(I)-K  
2554-BB(B)-071-DD-II(I)




**TWOCAN MM**  
2551-BB(B)-90400H-DD-II(I)-K  
2551-BB(B)-071-DD-II(I)




**TWOCAN SL**  
2556-BB(B)-90400H-DD-II(I)-K  
2556-BB(B)-071-DD-II(I)




**TWOCAN LS**  
2558-BB(B)-90400H-DD-II(I)-K  
2558-BB(B)-071-DD-II(I)



**TWOCAN SS**  
2555-BB(B)-90400H-DD-II(I)-K  
2555-BB(B)-071-DD-II(I)



**TWOCAN LL**  
2559-BB(B)-90400H-DD-II(I)-K  
2559-BB(B)-071-DD-II(I)



BB(B)	COLORS UPPER PART	02		Black	
		03		White	
		150		Bronze light	
		151		Bronze dark	
		101		Soft Pink	
		103		Soft Blue	
		104		Soft Green	
		124		Kaki	
		140		Old Pink	
		141		Terracotta Red	
		142		Oxide Red	
		110		Brass	
				RAL color on request	

CCC	TYPE G9	071		LED (MAX 6 W)
-----	---------	-----	--	---------------

EFF	CRI • LUMENOUTPUT	904	LED	>90 CRI • 2x 600 Lm / 350 mA / 6,4 W
H	COLOR TEMP.	1	2200K	
		2	2700K	
		3	3000K	
		4	4000K	

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

II(I)	COLORS LOWEST PART	02		Black	
		03		White	
		150		Bronze light	
		151		Bronze dark	
		101		Soft Pink	
		103		Soft Blue	
		104		Soft Green	
		124		Kaki	
		140		Old Pink	
		141		Terracotta Red	
		142		Oxide Red	
		110		Brass	
				RAL color on request	

K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dial (extern)
		4	Phase cut (extern)





# VASARELY

design pierre vasarely & luc vincent

**HERITAGE**  
COLLECTION

**2023**






**LIMITED EDITIONS**

Only 50 copies of each version exist, making them truly exceptional. Every lighting object in this remarkable series bears a **unique number**, granting it an individual identity

BB(B)	COLORS	151	Bronze Dark
EFF	CRI • LUMENOUTPUT	921	>90 CRI • 14,4 W/m - 21W
H	COLOR TEMP.	2	2700K
K	DRIVER	1	No driver (CV)
		0	Non dimmable (intern)
		3	Dali (intern)





**VIDRYA**  
design dark studio







VIDRYA  
3580-BB-PAT-36H-(J)-DD-K




BB(B)	COLORS	02	Black
		03	White
		151	Bronze Dark
		RAL color on request	
PAT	PATTERN	001	
		002	
		003	
FF	LED	36	>90 CRI • 3780Lm / 36 W
		H	COLOR TEMP.
4	4000K		
(J) optional	UPLIGHT	1	>90 CRI • 3780Lm / 36 W
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut




# WALLSTER

design anthony boelaert













BB(B)	COLORS	02	Black
		03	White
CCC	TYPE GU10	065	LED (MAX 7,5 W)
EFF	CRI • LUMENOUTPUT	915	LED >90 CRI • 1500 Lm / 350 mA / 11,6 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	0	Non dimmable (intern)
		3	Dial (intern)
		4	Phase cut (intern)



**WALLSTER ONE**  
1116-BB-065-00  
1116-BB-91500H-K





**WALLSTER TWO**  
1115-BB-065-00  
1115-BB-91500H-K





# WALLSTER JR








design anthony boelaert







WALLSTER JR  
1120-BB-90600H-II(I)-K

BB(B)	COLORS	02		Black
		03		White
EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 600 Lm / 180 mA / 6,4 W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
		4	4000K	
II(I)	COLORS	02		Black
		03		White
		110		Brass
		150		Bronze light
		151		Bronze dark
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (extern)	
		3	Phase cut (extern)	



ZNOW  
design anthony boelaert






GERMAN  
DESIGN  
AWARD  
SPECIAL  
2016

interior  
innovation  
award  
2015



Selection








BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	
		CCC	TYPE GUID
EFF	CRI • LUMENOUTPUT	910	>90 CRI • 1100 Lm / 250 mA / 8,3 W
		915	>90 CRI • 1500 Lm / 350 mA / 11,6 W
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
(J)	MIRROR optional	1	rotatable mirror



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	
		CCC	TYPE GUID
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 600 Lm / 250 mA / 8,7 W
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
(J)	MIRROR optional	1	rotatable mirror





ZQUARE  
design dark studio











ZQUARE 1  
922-BB(B)-906GGH-K





ZQUARE 2  
924-BB(B)-906GGH-K







ZQUARE 3  
926-BB(B)-906GGH-II(I)-K



ZQUARE 4  
927-BB(B)-906GGH-II(I)-K



ZQUARE MOVE  
928-BB(B)-906GGH-II(I)-K



BB(B)	COLORS	Code	Color
		02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish
		RAL color on request	

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K


II(I)	COLOR PLATE	Code	Color
		02	Black
		03	White
		110	Brass
		RAL color on request	


K	DRIVER	Code	Driver Type
		1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)



# CUSTOM MADE

your dream – our challenge





RAL


02 Black

RAL

143 Oyster White

Black RAL 9005 PC Struc


RAL1013




RAL

03 White

White RAL 9003 PC Struc



10 Alu Satinated



150 Bronze Light




151 Bronze Dark



DEDICATED

111 Brass Finish



NCS

109 Red


S 0580-Y90R Aalbes



NCS

101 Soft Pink


S 0515-R10B Romance



RAL

140 Old Pink

RAL3012



NCS

106 Blue

S 1060-B Trouw



NCS

103 Soft Blue


S 0510-B10G Thermo



RAL

141 Terracotta Red

RAL3016



NCS

108 Green

S 0575-G20Y Salade



NCS

104 Soft Green


S 0530-G30Y Pepermint



RAL

124 Kaki


RAL7009



RAL

142 Oxide Red

RAL3009



NCS

107 Yellow


S 0550-Y10R Rotan



NCS

102 Yellow

S 0515-Y Zaagsel



NCS

105 Cream

S 1510-Y30R couscous

# TECHNICAL

## E27 FILAMENT-LAMP



G45 - 45 x 73mm

180-7500-044527

4W, 2700K, 400lm, triac dimmable, clear



A60 - 60 x 105mm

180-7500-046027

4W, 2700K, 400lm, triac dimmable, clear

180-7500-066027

6W, 2700K, 600lm, triac dimmable, clear

180-7500-086027

8W, 2700K, 800lm, triac dimmable, clear



G95 - 95 x 135mm

180-7500-069527

6W, 2700K, 600lm, triac dimmable, clear

180-7500-069527-0


6W, 2700K, 600lm, triac dimmable, opal



G80 - 80 x 125mm

180-7500-068027

6W, 2700K, 600lm, triac dimmable, clear



G125 - 125 x 175mm

180-7500-0612527

6W, 2700K, 540lm, triac dimmable, clear



Q63 - 50 x 54mm

180-7100-042700

4.8-50W - 927 36D





G69 - 18 x 55mm



180-4200-062700

6W, 2700K, 500lm, dim 230V, CRI90, A+


## CEILING PROFILE - 3P single

Black 1895-02  
White 1895-03


## CEILING PROFILE - 3P double

Black 1896-02  
White 1896-03


CEILING BASE




Black 100-8002-225640  
White 100-8003-225640




CEILING BASE LARGE




Black 100-8002-225650  
White 100-8003-225650




CEILING S2/ SET 50




Black 100-8002-225750  
White 100-8003-225750




CEILING S2/ SET 90




Black 100-8002-225500  
White 100-8003-225500




CEILING S2/ SET 60




Black 100-8002-225760  
White 100-8003-225760




CEILING BASE - 3 POINT KIT




Ceiling base Black + 3x Cliffhanger Black 1897-02-02  
Ceiling base Black + 3x Cliffhanger Brass 1897-02-110  
Ceiling base White + 3x Cliffhanger White 1897-03-03  
Ceiling base White + 3x Cliffhanger Brass 1897-03-110




CEILING BASE - 5 POINT KIT




Ceiling base Black + 5x Cliffhanger Black 1898-02-02  
Ceiling base Black + 5x Cliffhanger Brass 1898-02-110  
Ceiling base White + 5x Cliffhanger White 1898-03-03  
Ceiling base White + 5x Cliffhanger Brass 1898-03-110




CEILING BASE CLUB 3




Black 1893-02  
White 1893-03




CEILING BASE CLUB 5



Black 1894-02  
White 1894-03




BOX 2 - DCL




Available for **TIKI - TUKI - TOQI - PETI - PETU**  
 ADD **-DCL** behind article number

BOX 7 - DCL



Available for **TIKI - TUKI - TOQI - PETI - PETU**  
 ADD **-DCL** behind article number


SET 90 - DCL



Available for **TIKI - TUKI - TOQI - PETI - PETU**  
 ADD **-DCL** behind article number


HONEYCOMB

For **TIKI - TUKI - PETI - PETU**



172-9005-436099	Black
172-9003-436099	White
172-0112-436099	Gold

For **TOQI**




172-9005-438099	Black
172-9003-438099	White
172-0112-438099	Gold



Black White Gold




E27 OUTDOOR SOCKET IP67 BLACK  
120-1100-000054



Suspension Cable + Lightbulb **Not included**

### 3D Warehouse - Sketchup library



<https://3dwarehouse.sketchup.com/by/DARK>

— 3-CIRCUIT TRACK —



1 meter track	PRO-0410-B	Black
	PRO-0410-W	White
2 meter track	PRO-0420-B	Black
	PRO-0420-W	White
3 meter track	PRO-0430-B	Black
	PRO-0430-W	White



Feed Left	PRO-0431 L-B	Black
	PRO-0431 L-W	White



Feed Right	PRO-0431 R-B	Black
	PRO-0431 R-W	White



Coupler	PRO-0433-B	Black
	PRO-0433-W	White



Feed Middle	PRO-0434-B	Black
	PRO-0434-W	White



L Feed Twisted (L and R)	PRO-M438-B	Black
	PRO-M438-W	White



End cap	PRO-0432-B	Black
	PRO-0432-W	White



Wire suspension EZCLICK 5 meter	PRO-EZ0449-B	Black
	PRO-EZ0449-W	White

— 3-CIRCUIT TRACK DALI —



1 meter track DALI	PRO-0610-B	Black
	PRO-0610-W	White
2 meter track DALI	PRO-0620-B	Black
	PRO-0620-W	White
3 meter track DALI	PRO-0630-B	Black
	PRO-0630-W	White



Feed Left DALI	PRO-D631 L-B	Black
	PRO-D631 L-W	White



Feed Right DALI	PRO-D631 R-B	Black
	PRO-D631 R-W	White



Coupler DALI	PRO-D633-B	Black
	PRO-D633-W	White



Feed Middle DALI	PRO-D634-B	Black
	PRO-D634-W	White



L Feed Left DALI	PRO-D635 L-B	Black
	PRO-D635 L-W	White



L Feed Right DALI	PRO-D635 R-B	Black
	PRO-D635 R-W	White





# IP VALUES - SAFETY ZONES

Dark lights suitable for each zone

**ZONE 0**  
MINIMUM  
**IP X7**

**ZONE I**  
MINIMUM  
**IP X5**

**ZONE II**  
MINIMUM  
**IP X4**

**NINZA** IP 67

**NINZA** IP 65  
**TAQI** IP 65

**APETITO** IP 44  
**ATSJI** IP 44  
**ATSJOEM** IP 44  
**TWERKIT** IP 44

60 cm      60 cm

225 cm

60 cm

first digit : solid particle protection

**IP XX** → second digit: liquid ingress protection

**IP X7** → immersion into water up to 1 m depth

**IP X5** → waterjet

**IP X4** → splashing water

**ZONE 0** refers to the content of the bath or shower. Here, electrical appliances are out of the question. If you still want a place in your bath or shower, it must have an IP rating of minimum IPX7 (protection against submersion) and operate on a VLSV (Very Low Safety Voltage). VLSV refers to either 12V AC or 25V DC. It is best to have the lighting in zone 0 installed by a qualified electrician

**ZONE I** refers to the zone up to 2.25 meters above the bottom of the bath or shower. Lighting in this zone should also work on a VLSV. The IP value in zone I must not be lower than IPX5 (protection against water jets).

**ZONE II** then goes up to 60 cm around the bath or shower. A VLSV is also required within this zone. 230V voltage is possible, in case it is a spot that is at least 1.60m from the ground. This spot must be connected to a differential of 30mA at the same time. In zone 2, a minimum IP value of IPX4 is required.

**CE** CE regulations

**Class I** (ground)

**Class II**

**Class III**

**230 V** 220-240 V ac power supply

**NO UV/IR** no ultraviolet or infrared light

**UGR** Unified glaring ratio optimized

**UGR <19 prismatic** Unified glaring ratio <19 using prismatic diffuser

**960°**

**850°** Glow wire testing

**650°**

**IP20**

**IP40**

**IP44**

**IP65**

**CV LED** Constant voltage driver

**CC LED** Constant current led inside

**365°** Horizontal adjustable angle

**180°** Vertical adjustable angle

**USB 5V** USB charging adapter

**Remote control**

**Battery life 8h**

**Alu** Used materials

**Downlight**

**Up & Downlight**

**Down side light**

**Up side light**

**Indoor**

**Outdoor covered**

**Outdoor**

**Surface / Suspended / Recessed installation**

**Wall installation**

**Wall or ceiling installation**

**Floor installation**

**Using sensor ready certified components**

**Cut out dimensions 0 42 mm**

# DARK<sup>®</sup>

DARK at night nv  
Vliegplein 43  
9991 Maldegem – Belgium  
+32 50 71 81 40  
info@dark.be  
www.dark.be



[www.facebook.com/wealllovetheDark](https://www.facebook.com/wealllovetheDark)



[www.pinterest.com/pindark](https://www.pinterest.com/pindark)



[www.instagram.com/dark.be](https://www.instagram.com/dark.be)

© DARK 2025 - Dark has the right to change any technical data, dimensions, colors and characteristics without prior notice. All rights reserved.  
Please check always the latest technical data sheets on [www.dark.be](http://www.dark.be).

Dark is very proud to present this collection and especially the fact that we have more than 80 international design awards.

Any reproduction of the Dark products is strictly forbidden and can seriously damage your health and endanger your bank account.

DARK | DARK