

DARK | DARK

DARK[®]

WHAT
ARE YOU
LOOKING
FOR?


WALL



AGUJA
page 10



BANGSTER
page 60



BANGSTER HOODY
page 66



BANGSTER HOODY
page 66



BENDIT
page 76



BENDIT
page 76




BOELY-T
page 85




BOELY
page 88



CHIQUE
page 104



DING
page 141




ELPEE
page 144



EMANUELLE
page 154



EQUALIZER
page 164



FRIENDZ
page 182



IJ-LAMP
page 206



KAVE00
page 210



L-HOP
page 256




L-HOP
page 256




ORGUE
page 324



RBA
page 360




SL53
page 374



SQUARE MOON
page 394



TALORE
page 396



TOTM
page 430



TUKI 60
page 452



TWERKIT
page 464



TWERKIT
page 464



VASARELY
page 478



WALLSTER
page 488



WALLSTER JR
page 496

SUSPENSION



APOLLO
page 16



BALLZZZ ONE
page 38



BALLZZZ TWO
page 38



BALLZZZ ORGANIC
page 38



BALLZZZ FDR
page 52



BANGSTER
page 60



BANGSTER HOODY
page 66



BENDIT
page 76



BOKY
page 92



CAPITANO
page 96



CAPTAIN CORK MAX
page 98



CAPTAIN CORK
page 98



CAPTAIN CORK
page 98



CHIQUE
page 104



CROSSLIGHT
page 112



CUIABA
page 116



CUPCAKE
page 126



DANDY
page 134



ELPEE
page 144



ELPEE G9
page 144



EMANUELLE
page 154



EQUALIZER
page 164



FRIENDZ
page 182



GAZTA
page 188



HIHOPE TIKI
page 198



HIHOPE TUKI
page 198



IJ-LAMP
page 206



LA CAGE
page 250



LGTM
page 260



PETU
page 336



PLANETZZZ
page 344



PLANETZZ PLUZ
page 348



SANGHA
page 362




SATURNUZ
page 370



SL53
page 374



SOYUZ
page 382



SPACEWALKER
page 386



TERRATOI
page 406



TOTM
page 430



TRAPPED
page 438



TUKI 40
page 442



TUKI 60
page 452



TWO CAN
page 470

SUSPENSION



KITN SPOTS
page 220

KITN SPOTS+PENDANT
page 226

KITN SPOTS+LED-LINE
page 232

KITN SPOTS+LED-LINE+PENDANT
page 238

KITN L SPOTS
page 244

METROLINE
page 284



MR BEAM
page 290

MISS RIGHT
page 298

NINZA
page 306

ORGUE
page 324

SPINE
page 390

VIDRYA
page 482

LED LINE



FLEX CONTOURO
page 178

FLEX CABINETO
page 180

TRACK



KFORTY-8 TRACK
page 214

TOQI TRACK
page 418

TUKI 40 TRACK
page 442

TABLE



BENDIT
page 76

CUIABA
page 116

NOTAARI
page 320

TOTM
page 430

FLOOR



CUIABA
page 116

NOTAARI
page 320

SPACEWALKER
page 386

CEILING



CUPCAKE JENNY
page 126

CUPCAKE KATHY
page 126

CUPCAKE LUCY
page 126

GAZTA WALL
page 194

MAGNIFIQUE COUCOU
page 264

MAGNIFIQUE DEEP
page 264



PETU
page 336

POPZZ
page 356

TALORE
page 396

TAQI SET 1
page 400

IP65 TAQI BOX 1
page 400

IP65 TEEVY
page 404



TOQI BOX 7
page 418

TOQI FIX
page 418

TORNER
page 425

TORNER
page 425

TORNER GU10
page 425

TUKI 40
page 442



APETITO
page 26

ATJSJI
page 28

ATJSJI BOX 1
page 28

ATJSJOEM
page 34

BOELY
page 88

CUPCAKE SUZY
page 126



MAGNIFIQUE MOVE
page 264

MAGNIFIQUE KIKI
page 264

MAGNIFIQUE BULB
page 264

NINZA
page 306

NINZA
page 306

IP65 IP67 PETI
page 330



TERRATOI FIX
page 406

TERRATOI SKIEF
page 406

TIKI
page 410

TIKI BOX 1
page 410

TIKI FIX
page 410

TOQI BOX 1
page 418



TUKI 40 SET 1/90
page 442

TUKI 40 FIX
page 442

TUKI 60 MOVE
page 452

ZNOW
page 502

ZQUARE
page 508

ZQUARE
page 508


AGUJA

design ricardo bofill taller de arquitectura

HERITAGE
COLLECTION

2014







BB(B)	COLORS	02	Black	
		03	White	
		111	Brass Finish	
E	CRI • LUMENOUTPUT	3	AGUJA 115	>90CRI • 3150 Lm / 19,4W / 3000K
			AGUJA 170	>90CRI • 5250 Lm / 32,6W / 3000K
		2	AGUJA 115	>90CRI • 2900 Lm / 19,4W / 2700K
			AGUJA 170	>90CRI • 4900 Lm / 32,6W / 2700K
K	DRIVER	1	No driver	
		0	Non dimmable (intern)	
		3	Dali (extern)	

Aluminium

AGUJA 115
1279-BB(B)-3-K







AGUJA 170
1275-BB(B)-3-K





AGUJA 300
1276-BB(B)-3-K



BB(B)	COLORS	02		Black
		03		White
		111		Brass Finish
E	CRI • LUMENOUTPUT	3	AGUJA 300	>90CRI • 8175 Lm / 50W / 3000K
		2	AGUJA 300	>90CRI • 7700 Lm / 50W / 2700K
K	DRIVER	1	No driver	
		0	Non dimmable (intern)	
		3	Dali (extern)	

Aluminium    



APOLLO

design romy kühne





Marmelade HQ _ Detail Concept




Watt the firms _Kras architecten





Miras _ Buro Project

APOLLO
740-BB-001-DD-II(I)
740-BB-930002-DD-II(I)-K




BB(B)	COLOR OUTSIDE	02	Black
		03	White
CCC	TYPE E27	001	LED / Globe (MAX 15 W)
EFF	CRI • LUMENOUTPUT	930	>90 CRI • 1400 Lm / 350 mA / 14 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE	02	2,5 m
		03	5 m
II(I)	COLOR INSIDE	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)



APETITO

design dark studio




APETITO
IP20 3040-BB-90538H-K
IP44 3041-BB-90538H-K


APETITO BOX 1
IP20 3043-BB-90538H-K
IP44 3042-BB-90538H-K


BB(B)	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	905	>90 CRI • 1 x 550 Lm / 180 mA / 6,4 W
GG	REFLECTOR	38	38°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver
		0	Non dimmable (extern) - fits in opening made in ceiling
		3	Dali (extern)
		4	Phase cut (extern)



ATSJI
design skwon







ATSJI
 IP20 1335-BB(B)-EFFGGH-K
 IP44 1336-BB(B)-EFFGGH-K


ATSJI MOVE
 IP20 1337-BB(B)-EFFGGH-K
 IP44 1338-BB(B)-EFFGGH-K

ATSJI BOX 1
 IP20 1339-BB(B)-EFFGGH-II(I)-K
 IP44 1330-BB(B)-EFFGGH-II(I)-K

BB(B)	COLOR OUTSIDE	02	Black	
		03	White	
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1 x 750 Lm / 180 mA / 7W	
		910	>90 CRI • 1 x 1000 Lm / 250 mA / 9W	
		914	>90 CRI • 1 x 1400 Lm / 350 mA / 14W	
		GG	REFLECTOR	12 12°
				34 34°
H	COLOR TEMP.	60	60°	
		2	2700K	
		3	3000K	
II(I)	COLOR INSIDE only ATSJI BOX 1	02	Black	
		03	White	
K	DRIVER	111	Brass Finish	
		150	Bronze Light	
		151	Bronze Dark	
			RAL color on request	
			RAL color on request	
		1	No driver	
		0	Non dimmable (extern) / except for ATSJI BOX1 (intern)	
		3	Dali (extern)	
		4	Phase cut (extern) / except for ATSJI BOX1 (intern)	




ATSJOEM
design dark studio







ATSJOEM
 IP20 2121-BB-909GGH-K
 IP44 2122-BB-909GGH-K



ATSJOEM MOVE
 IP20 2123-BB-909GGH-K



ATSJOEM BOX
 IP20 2124-BB-909GGH-K
 IP44 2125-BB-909GGH-K



BB	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	909	>90 CRI • 1 x 780 Lm / 180 mA / 7W
		12	12°
		34	34°
		60	60°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase-cut (extern)



BALLZZZ

design anthony boelaert





CM HO _ Retail Office



Flanders Insurance _ Anthony Boelaert



Hotel Chateau de Vignee _ WWM



BALLZZZ ONE 950
1913-BB-90600H-DD-K

BALLZZZ ONE 1200
1915-BB-90600H-DD-K

BALLZZZ ONE 1500
1916-BB-90600H-DD-K

















BALLZZZ ONE 1800
1917-BB-90600H-DD-K

BALLZZZ TWO 1200
2003-BB-90600H-DD-K

BALLZZZ TWO 1500
2005-BB-90600H-DD-K

BALLZZZ TWO 1800
2006-BB-90600H-DD-K

BALLZZZ TWO 2200
2007-BB-90600H-DD-K



950

1200

1500


1800

950
1200

1200
1500

1500
1800

1800
2200



Led
Opal glass

BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)






BALLZZZ ORGANIC 1
2325-BB-90600-H-DD-K

BALLZZZ ORGANIC 2
2326-BB-90600-H-DD-K

BALLZZZ ORGANIC 3
2327-BB-90600-H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (intern)



BALLZZZ G9

design anthony boelaert




BALLZZZ ONE G9 950
1920-BB-071-DD

BALLZZZ ONE G9 1200
1921-BB-071-DD

BALLZZZ ONE G9 1500 G9
1922-BB-071-DD

BALLZZZ ONE G9 1800
1923-BB-071-DD




BB	COLOR RING	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	G9 - LED 6W - 500lm
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m

Alu - Glass

BALLZZZ G9 ORGANIC 1
2330-BB-071-DD

BALLZZZ G9 ORGANIC 2
2331-BB-071-DD

BALLZZZ G9 ORGANIC 3
2332-BB-071-DD



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	G9 - LED 6W - 500lm
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m


Alu - Glass



BALLZZZ FDR


design anthony boelaert







Possibilities




E27 fitting
order lamps
see page 518

BALLZZZ FDR 950
1913-BB-001-DD-J

BALLZZZ FDR 1200
1915-BB-001-DD-J

BALLZZZ FDR 1500
1916-BB-001-DD-J

BALLZZZ FDR 1800
1917-BB-001-DD-J



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
CCC	TYPE E27	001	LED (MAX.10 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
J	UP DOWN TYPE	0	down outside
		2	up outside
		4	double down






BALLZZZ FDR ORGANIC 1
2335-BB-001-DD-J

BALLZZZ FDR ORGANIC 2
2336-BB-001-DD-J

BALLZZZ FDR ORGANIC 3
2337-BB-001-DD-J



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
CCC	TYPE E27	001	LED (MAX 10 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
J	UP DOWN TYPE	0	down outside
		2	up outside
		4	double down



Die lichtgestalter archicult photo@becker-medien




BANGSTER


design dark studio & christoph adlfinger-pullmann



Flanders Insurance _ Anthony Boelaert




BANGSTER S
2140-BB(B)-071GG0-DD-00
2140-BB(B)-904GGH-DD-00-K




BB(B)	COLORS	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	LED (MAX 6 W)
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6 W
GG	GLOBE SINGLE	20	Ø200
		30	Ø300
H	COLOR TEMP.	0	N.A.
		1	2200K
		2	2700K
		3	3000K
DD	SUPS. CABLE	01	1,5 m
		02	2,5 m
II	GLOBE color	00	Transparent
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)



BANGSTER WALL 1
2141-BB-071200-00
2141-BB-90420H-00-K



BANGSTER WALL 2
2197-BB-071200-00-JJ(J)
2197-BB-90420H-00-JJ(J)-K



BB	COLORS	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	LED (MAX 6 W)
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6 W
GG	GLOBE	20	Ø200
H	COLOR TEMP.	0	N.A.
		1	2200K
		2	2700K
		3	3000K
II	GLOBE color	00	Transparent
JJ(J)	COLORS	02	Black
		03	White
		110	Brass
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)



BANGSTER HOODY

design jeroen debruyne










The Horse Shop - Bossuyt Shop Interiors

BANGSTER HOODY S
 2145-BB(B)-071GG0-DD-00
 2145-BB(B)-904GGH-DD-00-K




BB(B)	COLORS	02	Black
		03	White
		110	Brass
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	
CCC	TYPE G9	071	LED (MAX 6 W)
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6 W
GG	GLOBE dimension	SINGLE	20 0200 30 0300
H	COLOR TEMP.	0	N.A.
		1	2200K
		2	2700K
		3	3000K
DD	SUPS. CABLE	01	1,5 m
		02	2,5 m
II	GLOBE color	00	Transparent
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)





BANGSTER HOODY WALL 1

2147-BB(B)-071200-00
2147-BB(B)-90420H-00-K



BB(B)	COLORS	02		Black
		03		White
		110		Brass
		150		Bronze Light
		151		Bronze Dark

CCC	TYPE G9	071		LED (MAX 6 W)
-----	---------	-----	--	---------------

EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6 W	
-----	-------------------	-----	---------------------------------	--

GG	GLOBE	20	Ø200	
----	-------	----	------	--

H	COLOR TEMP.	0	N.A.		
		1	2200K		
		2	2700K		
		3	3000K		


II	GLOBE color	00	Transparent	
----	-------------	----	-------------	--

JJ(J)	COLORS	02		Black
		03		White
		110		Brass
		150		Bronze Light
		151		Bronze Dark

K	DRIVER	1	No driver (CC)		
		0	Non dimmable (extern)		
		3	Dali (extern)		
		4	Phase cut (extern)		

BANGSTER HOODY WALL 2


2199-BB(B)-071200-00-JJ(J)
2199-BB(B)-90420H-00-JJ(J)-K



Alu - Glass - Brass

BENDIT TABLE

3453-BB(B)-H-II(I)-K



BENDIT

design anthony boelaert



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated

FF	LED	26	>90 CRI • 620 Lm / 26 W/m
		2	2700K

H	COLOR TEMP.	3	3000K
		4	4000K

II(I)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		RAL color on request	

K	DRIVER	1	No driver (24V)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)


Metal-Alu





BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
FF	LED	26	>90 CRI • 620 Lm / 26 W/m (WALL M) >90 CRI • 820 Lm / 26 W/m (WALL)
		H	COLOR TEMP.
		2	2700K
		3	3000K
		4	4000K
II(I)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
JJ(J)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
K	DRIVER	1	No driver (24V)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

BENDIT WALL M
3450-BB(B)-H-II(I)-JJ(J)-K




Metal-Alu




BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated

FF	LED	26	>90 CRI • 620 Lm / 26 W/m (WALL M) >90 CRI • 820 Lm / 26 W/m (WALL)
----	-----	----	--


H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

II(I)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		 RAL color on request	

JJ(J)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
142	Oxide Red		
 RAL color on request			

K	DRIVER	1	No driver (24V)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

BENDIT WALL
3455-BB(B)-H-II(I)-JJ(J)-K



Metal-Alu











BENDIT S
3454-BB(B)-H-ii(i)-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
FF	LED	26	>90 CRI • 2X 620 Lm / 26 W/m
		2	2700K
H	COLOR TEMP.	3	3000K
		4	4000K
ii(i)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		111	Brass Finish
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
	RAL color on request		
K	DRIVER	1	No driver (24V)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)




BOELY-T

design tim de taeye & tine vanparijs




BOELY-T G9
2642-BB-071



BB(B)	COLORS	02	Black
		03	White
		10	Alu
CCC	TYPE G9	071	G9 - LED 6W - 500lm






BOELY


design dark studio





BOELY
2641-BB(B)-071-D(D)






BOELY S2/SET 60
2640-BB(B)-071-D(D)



BOELY MIRROR
2644-BB(B)-071-D(D)



BB(B)	COLORS	02	 Black
		03	 White
CCC	TYPE G9	071	 G9 - LED 6W - 500lm
DD	DIAMETER	8	8 cm (MAX 4W)
		10	10 cm (MAX 6W)
		12	12 cm (MAX 6W)
		15	15 cm (MAX 9W)






BOKY

design frank janssens





BOKY
820-BB-001-DD-I




BB	COLOR INSIDE	03	White (translucent)
		04	Red
		08	Orange
CCC	TYPE E27	001	LED / Globe (MAX 12 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
I	COLOR OUTSIDE	B	Black
		W	White
		RAL color on request	

Alu - PE

CAPITANO

design dark studio




BB	COLORS	67	Cork
CCC	TYPE E27	001	LED / Globe (MAX 15 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

Cork

CAPTAIN CORK

design miguel arruda






Groepspraktijk Tille _ Cobras Archi







CAPTAIN CORK S
1020-67-001-DD




CAPTAIN CORK 45S
1021-67-001-DD



CAPTAIN CORK MAX S
1022-67-001-DD




CAPTAIN CORK CLUB3
1023-67-001-DD



ceiling base standard matt black
on request other colors possible

CAPTAIN CORK CLUB5
1024-67-001-DD



ceiling base standard matt black
on request other colors possible

BB	COLORS	67	Cork
CCC	TYPE E27	001	LED / Globe (MAX 10 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m




CHIQUÉ

design dark studio



WINNER








CHIQUES

2600-BB(B)-904H-DD-II(I)-JJ(J)-K



BB(B)	COLORS	13	Glass White
		134	Alabaster
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 400 Lm / 250 mA / 4,2 W
H	COLOR TEMP.	1	2200K
		2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
II(I)	COLOR	02	Black
		10	Alu
		150	Bronze Light
		151	Bronze Dark
JJ(J)	COLOR	02	Black
		10	Alu
		150	Bronze Light
		151	Bronze Dark
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dial (intern)
		4	Phase cut (intern)

DISCLAIMER – Nature decides the look of alabaster!






BB(B)	COLORS	13	Glass White
		134	Alabaster
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 400 Lm / 250 mA / 4,2 W
		1	2200K
		2	2700K
H	COLOR TEMP.	3	3000K
		02	Black
		10	Alu
II(I)	COLOR	150	Bronze Light
		151	Bronze Dark
		02	Black
JJ(J)	COLOR	10	Alu
		150	Bronze Light
		151	Bronze Dark
		1	No driver (CC)
K	DRIVER	0	Non dimmable (extern)
		3	Dial (extern)
		4	Phase cut (extern)




DISCLAIMER – Nature decides the look of alabaster!


CHIQUÉ 30.5 WALL
2606-BB(B)-904H-II(I)-JJ(J)-K




CHIQUÉ 30.4 WALL
2605-BB(B)-904H-II(I)-JJ(J)-K



CHIQUÉ 30.5 WALL DOUBLE
2608-BB(B)-904H-II(I)-JJ(J)-K



CHIQUÉ 30.4 WALL DOUBLE
2607-BB(B)-904H-II(I)-JJ(J)-K




CROSSLIGHT

design jan melis & ben oostrum




reddot design award
winner





CROSSLIGHT S
130-BB-001-DD



BB(B)	COLORS	03	White (translucent)
		04	Red
		08	Orange
CCC	TYPE E27		LED (MAX 8 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

PE - Alu

CUIABA

design clidier françois






⚠️ DISCLAIMER – Nature decides the look of alabaster!




CUIABA S
3103-134-90454H-DD-151-K



BB(B)	COLORS	134	Alabaster
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6,4 W (CC) >90 CRI • 24V / 6,6 W (CV)
	ALABASTER		
GG	REFLECTOR	54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
II(I)	COLOR	151	Bronze Dark (BRD)
K	DRIVER	1	No driver (2 drivers extern)
		0	Non dimmable (2 drivers intern)
		3	Dali (2 drivers extern)
		4	Phase cut (2 drivers intern)

Alu - Glass - Alabaster



DISCLAIMER – Nature decides the look of alabaster!

3101

BB(B)	COLORS	134	Alabaster
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6,4 W (CC)
	ALABASTER		>90 CRI • 24V / 6,6 W (CV)
GG	REFLECTOR	54	54°
H	COLOR TEMP.	2	2700K
		3	3000K

II(I) COLOR 151 Bronze Dark (BRD)

3100


BB(B)	COLORS	134	Alabaster
	ALABASTER		>90 CRI • 24V / 6,6 W (CV)

II(I) COLOR 151 Bronze Dark (BRD)


Alu - Glass - Alabaster



CUIABA FLOOR 180
3101-134-90454(H)-151



CUIABA FLOOR 135
3100-134-151






DISCLAIMER – Nature decides the look of alabaster!



CUIABA TABLE
3102-134-151



BB(B)	COLORS	134	Alabaster
	ALABASTER	>90 CRI • 24V / 6,6 W (CV)	
II(I)	COLOR	151	Bronze Dark (BRD)

Alu - Glass - Alabaster

CUPCAKE

design susanne uerlings









CUPCAKE SUZY S

1065-BB(B)-804002-DD
1065-BB(B)-80600H-DD-K
1065-BB(B)-071-DD-K




CUPCAKE JENNY S

1066-BB(B)-804002-DD
1066-BB(B)-80600H-DD-K
1066-BB(B)-071-DD-K




CUPCAKE KATHY S

1067-BB(B)-804002-DD
1067-BB(B)-80600H-DD-K
1067-BB(B)-071-DD-K




CUPCAKE CLUB 3

1070-BB(B)-804002-DD
1070-BB(B)-80600H-DD-K
1070-BB(B)-071-DD-K



CUPCAKE CLUB 5

1071-BB(B)-804002-DD
1071-BB(B)-80600H-DD-K
1071-BB(B)-071-DD-K



BB(B)	COLORS	02		Black
		03		White
		110		Brass

EFF	CRI • LUMENOUTPUT	804		>80 CRI • 400 Lm / 6W
		806		>90 CRI • 600 Lm / 350mA / 6.4W
		071		G9 LED (MAX 6 W)

GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K


DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

Glass-Alu


CUPCAKE SUZY

1060-BB(B)-804002-00
1060-BB(B)-80600H-00-K
1060-BB(B)-071-K




CUPCAKE JENNY

1061-BB(B)-804002-00
1061-BB(B)-80600H-00-K
1061-BB(B)-071-K



CUPCAKE KATHY

1062-BB(B)-804002-00
1062-BB(B)-80600H-00-K
1062-BB(B)-071-K





BB	COLORS	02		Black	
		03		White	
		110		Brass	
					RAL color on request
EFF	CRI • LUMENOUTPUT	804		>80 CRI • 400 Lm / 6W	
		806		>90 CRI • 600 Lm / 350mA / 6.4W	
		071		G9 LED (MAX 6 W)	
GG	REFLECTOR	00	N.A.		
H	COLOR TEMP.	2	2700K		
		3	3000K		
K	DRIVER	1	No driver		
		0	Non dimmable (extern)		
		3	Dali (extern)		
		4	Phase cut (extern)		



CUPCAKE LUCY

1072-BB(B)-804003-K



MOTION DETECTION optional


BB	COLORS	02		Black	
		03		White	
		110		Brass	
					RAL color on request
EFF	CRI • LUMENOUTPUT	804	CC	>80 CRI • 1350 Lm / 15W	
GG	REFLECTOR	00	N.A.		
H	COLOR TEMP.	3	3000K		
K	DRIVER	1	No driver		
		3	Dali (extern)		
		9	Motion Detection		



DANDY


design anthony boelaert









DANDY M
2171-BB(B)-001-DD







DANDY L
2172-BB(B)-001-DD



DANDY XL
2173-BB(B)-001-DD




BB	COLORS	02		Black
		111		Brass Finish
		 RAL color on request		
CCC	TYPE E27	001		LED T45 Globe (MAX 10W)
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	

Alu




DING
design nuuv





DING
851-BB(B)-071-00
851-BB(B)-80500H-00-K




BB(B)	COLORS	02		Black
		03		White
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		150		Bronze Light
		151		Bronze Dark
111		Brass Finish		
			RAL color on request	
CCC	TYPE G9	071		G9 - LED 6W - 500lm
EFF	CRI • LUMENOUTPUT	805	CC LED	>90 CRI • 1x 400 Lm / 700 mA / 4 W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
K	DRIVER	1	No driver	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	




ELPEE
design dark studio







ELPEE
2595-BB(B)-90654H-DD-III-K




BB(B)	COLORS	02	Black
		10	Alu Saturated
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		GG	REFLECTOR
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		DD	SUSP. CABLE
		02	2,5 m
III	MATERIALS	00	Naked*
		118	Oak natural
		117	Oak stained black
		134	Alabaster
		139	Terracotta Red
		148	Terracotta Green
		215	Marron Napoleon
		216	Vert De Rajasthan
		218	Rosso Verona
		217	Travertino Romano Striato
		*Material provided by client	
III	ACOUSTIC	02	Black
		155	Green
		156	Beige
		157	Grey
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

ACCESSORIES p. 523


	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold



ACOUSTIC COLORS



ELPEE WALL G9
2597-BB(B)-071-II(I)



BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark

CCC	TYPE G9	071	G9 - LED 6W - 500lm
-----	---------	-----	---------------------


III	MATERIALS	00	Naked*
		118	Oak natural
		117	Oak stained black
		134	Alabaster
		139	Terracotta Red
		148	Terracotta Green
		215	Marron Napoleon
		216	Vert De Rajasthan
		218	Rosso Verona
		217	Travertino Romano Striato

III	ACOUSTIC	02	Black
		155	Green
		156	Beige
		157	Grey





ELPEE G9
2598-BB(B)-071-DD-II(I)




BB(B)	COLORS	02		Black
		10		Alu Satinated
		150		Bronze Light
		151		Bronze Dark
CCC	TYPE G9	071		G9 - LED 6W - 500lm
DD	SUSP. CABLE	01		1,5 m
		02		2,5 m
III	MATERIALS	00		Naked*
		118		Oak natural
		117		Oak stained black
		134		Alabaster
		139		Terracotta Red
		148		Terracotta Green
		215		Marron Napoleon
		216		Vert De Rajasthan
		218		Rosso Verona
		217		Travertino Romano Striato
*Material provided by client				
III	ACOUSTIC	02		Black
		155		Green
		156		Beige
		157		Grey



EMANUELLE

design gregoire maison dieu




DESIGN
AWARD
2024




BIG SEE
Product Design
Award 2024
Winner




EMANUELLE 400 H
3305-14-2-DD-K



EMANUELLE 600 H
3306-14-2-DD-K




EMANUELLE 800 H
3307-14-2-DD-K



FF	LED	14	>90 CRI • 800 Lm / 14 W/m >90 CRI • 1200 Lm / 14 W/m >90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE.	01 02	1,5 m 2,5 m
K	DRIVER	0 3 4	Non dimmable (intern) Dali (extern) Phase cut (intern)

Alu-PC






EMANUELLE 400 V
3300-14-2-DD-K


EMANUELLE 600 V
3301-14-2-DD-K

EMANUELLE 800 V
3302-14-2-DD-K




FF	LED	14	>90 CRI • 800 Lm / 14 W/m
			>90 CRI • 1200 Lm / 14 W/m
			>90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)





EMANUELLE 400 W
3310-14-2-K



FF	LED	14	>90 CRI • 800 Lm / 14 W/m >90 CRI • 1200 Lm / 14 W/m >90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

Alu-PC




EQUALIZER

design lbrand




DESIGN
AWARD
2025








EQUALIZER 1600
3501-BB(B)-903H-DD-K-L-MM



BB(B)	COLORS	02	Black
		03	White
		10	Alu
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	903	>90 CRI • 350 mA / 3,5 W
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali / Push Dim (extern)
L	LIGHTING	1	down (1 driver extern) 9x 280 Lm
		2	up/down (2 drivers extern) 18x 280 Lm
MM	TYPE	01	1600 Concrete ceiling - driver remote - down
		02	1600 Concrete ceiling - driver remote - up/down
		03	1600 Concrete ceiling - driver in ceiling base - down
		04	1600 Concrete ceiling - driver in ceiling base - up/down
		05	1600 Plaster board - driver recessed in base - down
		06	1600 Plaster board - driver recessed in base - up/down
		07	1600 Plaster board - driver remote - down
		08	1600 Plaster board - driver remote - up/down





EQUALIZER 2500
3500-BB(B)-906H-DD-K-L-MM





BB(B)	COLORS	02	Black
		03	White
		10	Alu
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 350 mA / 6,4 W
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali / Push Dim (extern)
L	LIGHTING	1	down (1 driver extern) 10x 420 Lm
		2	up/down (2 drivers extern) 20x 420 Lm
MM	TYPE	01	2500 Concrete ceiling - driver remote - down
		02	2500 Concrete ceiling - driver remote - up/down
		03	2500 Concrete ceiling - driver in ceiling base - down
		04	2500 Concrete ceiling - driver in ceiling base - up/down
		05	2500 Plaster board - driver recessed in base - down
		06	2500 Plaster board - driver recessed in base - up/down
		07	2500 Plaster board - driver remote - down
		08	2500 Plaster board - driver remote - up/down




CONCRETE CEILING
DRIVER REMOTE



CONCRETE CEILING
DRIVER IN CEILING BASE




PLASTERBOARD – BA13
DRIVER RECESSED IN BASE



EQUALIZER 1600 / 05 NON-DIM or DALI/PUSH-DIM
3501-BB(B)-903H-DD-K-1-05


EQUALIZER 2500 / 05 NON-DIM or DALI/PUSH-DIM
3500-BB(B)-903H-DD-K-1-05



DOWN

EQUALIZER 1600 / 06 NON-DIM or DALI/PUSH-DIM
3501-BB(B)-903H-DD-K-2-06

EQUALIZER 2500 / 06 NON-DIM or DALI/PUSH-DIM
3500-BB(B)-903H-DD-K-2-06




UP / DOWN

PLASTERBOARD – BA13
DRIVER REMOTE

EQUALIZER 1600 / 07 NON-DIM or DALI/PUSH-DIM
3501-BB(B)-903H-DD-K-1-07


EQUALIZER 2500 / 07 NON-DIM or DALI/PUSH-DIM
3500-BB(B)-903H-DD-K-1-07



DOWN

EQUALIZER 1600 / 08 NON-DIM or DALI/PUSH-DIM
3501-BB(B)-903H-DD-K-2-08


EQUALIZER 2500 / 08 NON-DIM or DALI/PUSH-DIM
3500-BB(B)-903H-DD-K-2-08



UP / DOWN



EQUALIZER WALL
3502-BB(B)-903H-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	903	>90 CRI • 350 Lm / 350 mA / 3,5 W
		2	2700K
		3	3000K
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)




Metal-Alu

FLEX CONTOURO

design dark studio



FLEX CONTOURO 654lm/m / 7.2W / 24v/5m / 2700K
130-9000-000174




FLEX CABINETO

design dark studio



FLEX CABINETO 432lm/m / 7.2W / 24v/5m / 2700K
130-9000-000175




FRIENDZ

design cliéier françois



FRIENDZ Wall
3530-BB-904H-II(I)-JJ-K



BB	COLORS	02	Black
		03	White
		37	Natural
		RAL color on request	
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6,4 W (CC) >90 CRI • 24V / 6,6 W (CV)
	ALABASTER		
H	COLOR TEMP.	2	2700K
		3	3000K
II(I)	COLOR	02	Black
		03	White
		151	Bronze Dark
JJ	COLOR	02	Black
		03	White
K	DRIVER	1	No driver (CC)
		0	Non dimmable (2 drivers extern)
		3	Dali (2 drivers extern)
		4	Phase cut (2 drivers extern)

DISCLAIMER – Nature decides the look of alabaster!


Metal-Rattan-Alabaster       





⚠️ DISCLAIMER – Nature decides the look of alabaster!

FRIENDZ S
3531-02-904H-II(I)DD-K



BB	COLORS	02	Black
		03	White
		37	Natural
		RAL color on request	
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 600 Lm / 350 mA / 6,4 W
		ALABASTER	>90 CRI • 24V / 6,6 W (CV)
H	COLOR TEMP.	2	2700K
		3	3000K
II(I)	COLORS	02	Black
		03	White
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (2 drivers extern)
		3	Dali (2 drivers extern)
		4	Phase cut (2 drivers extern)




GAZTA
design vincent van laere







GAZTA 50S
 3020-BB(B)-001-DD
 3020-BB(B)-90600H-DD-K
 3020-BB(B)-071-DD



E27 FILAMENT-LAMP:
 to be ordered separately

BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		110	Brass
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		RAL color on request	
CCC	TYPE E27	001	LED Globe (MAX 10W) (230V)
CCC	TYPE G9	071	LED (MAX 6 W) (230V)
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6 W (CC)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)



GAZTA WALL


design vincent van laere






GAZTA WALL G9
3024-BB(B)-071

GAZTA WALL E27
3025-BB(B)-001



G9-LAMP:
to be ordered separately



E27 FILAMENT-LAMP:
to be ordered separately


BB(B)	COLORS	02		Black	
		03		White	
		10		Alu Satinated	
		150		Bronze Light	
		151		Bronze Dark	
		110		Brass	
		101		Soft Pink	
		103		Soft Blue	
		104		Soft Green	
		124		Kaki	
		140		Old Pink	
		141		Terracotta Red	
		142		Oxide Red	
				RAL color on request	

CCC	TYPE G9	071		LED (MAX 6 W) (230V)
CCC	TYPE E27	001		LED Globe (MAX 10W) (230V)



Alu-Brass

HIHOPE
design dark studio







HIHOPE TIKI 950
1941-BB-90600H-DD-II(I)-K





950

HIHOPE TIKI 1200
1942-BB-90600H-DD-II(I)-K





1200

HIHOPE TIKI 1500
1943-BB-90600H-DD-II(I)-K





1500

HIHOPE TIKI 1800
1944-BB-90600H-DD-II(I)-K



1800


HIHOPE TIKI ORGANIC 1
1955-BB-90600H-DD-II(I)-K



1193

729



HIHOPE TIKI ORGANIC 2
1956-BB-90600H-DD-II(I)-K



1725

924


HIHOPE TIKI ORGANIC 3
1957-BB-90600H-DD-II(I)-K



1850




950

BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per spot)
		GG	REFLECTOR
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
II(I)	COLOR TIKI	02	Black
		03	White
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
RAL color on request			
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)





HIHOPE MOVE
AAAA-BB(B)-DD-M-II-H-(J)-K



AAAA	MODEL DIAMETER	1931	Ø 8500 mm - 20 spots	
		1932	Ø 6000 mm - 15 spots	
		1933	Ø 4500 mm - 12 spots	
		1934	Ø 3000 mm - 10 spots	
BB(B)	COLOR RING	02	Black	
		03	White	
		111	Brass Finish	
		RAL color on request		
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
		03	5 m	
M	SPOT	TUKI 60	2	>90CRI • 895 Lm / 350mA / 15W / 34° (per spot)
II	COLOR SPOT	02	Black	
		03	White	
H	COLOR TEMP.	2	2700K	
		3	3000K	
		4	4000K	
(J)	INLIGHT (optional)	1	Ledline 14 W / m	
K	DRIVER	0	Non dimmable (extern)	
		3	Dali (extern)	




IJ-LAMP

design jacob de baan






IJ-LAMP METAL S
815-BB(B)-042-DD



IJ-LAMP METAL WALL
817-BB(B)-042-00



BB(B)	COLORS	02	Black
		03	White
		10	Alu Sotinated
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		110	Brass
		150	Bronze Light
		151	Bronze Dark
			RAL color on request
CCC	TYPE E27	042	LED Globe (MAX 12W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m


Alu-Metal-Brass

KAVEOO
design dark studio







KAVEOO
1375-BB-90600H-K



KAVEOO MAX
1376-BB-91500H-K



BB(B)	COLORS	02	Black	
		03	White	
		111	Brass Finish	
		150	Bronze Light	
		151	Bronze Dark	
		 RAL color on request		
EFF	TYPE	KAVEOO	906	>90 CRI • 2x 600 Lm / 350 mA / 6,4 W
		KAVEOO MAX	915	>80 CRI • 2x 1500 Lm / 350 mA / 11,6 W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP	2	2700K	
		3	3000K	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (intern) Except KAVEOO (extern)	
		4	Phase cut (intern)	



48V




KFORTY-8


design dark studio

CUSTOM MADE
your dream -our challenge

KFORTY-8 SPOTS/LINE
3691-BB-S-H-K




KFORTY-8 SPOTS
3690-BB-S-H-K



PROFILE
2000 mm 3651-BB

Only in BLACK and WHITE



SPOTS
3662-BB-S-H-K



TIKI

TUKI

PETI

PETU

MODULE LED SPOT 300
3663-H



MODULE LED SPOT 600
3664-H



for accessories and drivers,
check datasheet

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
H	COLOR TEMP	2	2700K
		3	3000K
		4	4000K
K	DRIVER	0	Non dimmable
		3	Dali



— KITN TYPES —

SPOTS

p. 220 / p. 244



SPOTS + PENDANT

p. 226



SPOTS + LED-LINE

p. 232



SPOTS LED-LINE+ PENDANT

p. 238



— KITN SPOTS —




1 TOQI

GU10



2 TIKI



3 TUKI 40



4 PETI



5 PETU

LED


If you haven't found what you are looking for, **contact us**, we make it happen!

KITN
design dark studio

CUSTOM MADE
your dream -our challenge




— KITN **PENDANTS** LED —



If you haven't found what you are looking for, **contact us**, we make it happen!

— KITN **PENDANTS** 230V / G9-E27 —









KITN SPOTS

KITN

225

Composition following your choice


KITN CUSTOM MADE

2662-BB-S-H-K-length

2662-BB-1-065-length

KITN 1
2400 mm 2660-BB-S-H-K
2400 mm 2660-BB-1-065

KITN 2
3000 mm 2661-BB-S-H-K
3000 mm 2661-BB-1-065



GUIDO

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	1	TOOI
CCC	CCC	065	OPAR51 (MAX 50 W)
HONEYCOMB		ACCESSORIES p. 523	

LED

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
		H	COLOR TEMP
3	3000K		
4	4000K		
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
HONEYCOMB		ACCESSORIES p. 523	









KITN SPOTS + PENDANT

KITN


231

Composition following your choice

KITN CUSTOM MADE

2662-BB-S-H-K-M-length

2662-BB-1-065-M-length




KITN 9

2400 mm 2687-BB-S-H-K-M

2400 mm 2687-BB-1-065-M

3000 mm 2688-BB-S-H-K-M

3000 mm 2688-BB-1-065-M



GUIDO

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	1	TOQI
CCC	CCC	065	OPARS1 (MAX 50 W)
HONEYCOMB		ACCESSORIES p. 523	

LED

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
		H	COLOR TEMP
3	3000K		
4	4000K		
K	DRIVER		
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
M	PENDANT	X	Make your choice p.218
HONEYCOMB		ACCESSORIES p. 523	











KITN SPOTS + LED-LINE


Composition following your choice
KITN CUSTOM MADE
 2662-BB-20PH-K-length




KITN 3
 2400 mm 2665-BB-20PH-K
 3000 mm 2666-BB-20PH-K
 3600 mm 2667-BB-20PH-K



KITN 4
 2400 mm 2670-BB-S-20PH-K
 3000 mm 2671-BB-S-20PH-K
 3600 mm 2672-BB-S-20PH-K



KITN 5
 2400 mm 2675-BB-S-20PH-K
 3000 mm 2676-BB-S-20PH-K
 3600 mm 2677-BB-S-20PH-K



BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
FF	LED	20	>90 CRI • 3270Lm/m / 20 WM / 24 Vdc
G	DIFFUSER	P	Plexi
H	COLOR TEMP	2	2700K
		3	3000K
		4	4000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
HONEYCOMB		ACCESSORIES p. 523	










KITN SPOTS + LED-LINE + PENDANT

Composition following your choice
KITN CUSTOM MADE
 2662-BB-S-20PH-K-M-length

KITN 6
 2400 mm 2680-BB-S-20PH-K-M
 3000 mm 2681-BB-S-20PH-K-M
 3600 mm 2682-BB-S-20PH-K-M



LED		02	Black
		03	White
BB	COLORS	10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
		S	
		2	TIKI
		3	TUKI
		4	PETI
		5	PETU
FF	LED	20	>90 CRI • 3270Lm/m / 20 W/M / 24 Vdc
G	DIFFUSER	P	Plexi
H		COLOR TEMP	
		2	2700K
		3	3000K
		4	4000K
K		DRIVER	
		1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
M	PENDANT	X	Make your choice p.218
HONEYCOMB		ACCESSORIES p. 523	










KITN L SPOTS

Composition following your choice
KITN CUSTOM MADE
 2662-BB-S-H-K-length




GUIDE

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	1	TOOI
CCC	CCC	065	OPAR51 (MAX 50 W)
HONEYCOMB		ACCESSORIES p. 523	



KITN 7
 2000 mm 2684-BB-S-H-K
 2684-BB-1-065

KITN 8
 2400 mm 2685-BB-S-H-K
 2685-BB-1-065



LED

BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
		H	COLOR TEMP
3	3000K		
4	4000K		
K	DRIVER		
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
HONEYCOMB		ACCESSORIES p. 523	



LA CAGE

design stefan schöning




Elise had a wonderful day







LA CAGE
600-BB(B)-005-DD-EE



LA CAGE DIVA
602-BB(B)-001-DD-EE



LA CAGE GROSSA
603-BB(B)-001-DD-EE



BB(B)	COLORS	02		Black
		03		White
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red

CCC	TYPE	LA CAGE	005		E14	1x LED (MAX 7W)
		LA CAGE DIVA/GROSSA	001		E27	1x LED (MAX 12W)

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

EE	SUSP. KIT	02		Black
		03		White
		04		Pink

Metal


L-HOP

design danny venlet






L-HOP 1
1310-BB(B)-300000-WW



L-HOP 2
1311-BB(B)-300000-WW



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish

CCCCC	TYPE	300000	3000K / 3 W incl. non-dim driver
-------	------	--------	----------------------------------

HH	COLOR TEMP.	WW	Warm white 3000K
----	-------------	----	------------------

Alu - PMMA


LGTM
design carl hagerling



Hansa _ Buro Project



LGTM
750-BB-001-DD
750-BB-91500H-DD-K



BB(B)	COLORS	02	Black (inside gold)
		03	White (inside gold)
		150	Bronze Light (inside gold)
		151	Bronze Dark (inside gold)
CCC	TYPE E27	001	LED Globe (MAX 11W)
EFF	CRI • LUMENOUTPUT	915	>90 CRI • 1500 Lm / 350 mA / 11,6 W
GG	REFLECTOR	00	N.A.
		2	2700K
		3	3000K
		4	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

Alu

MAGNIFIQUE





design dark studio











ONE RING / ONE DIAMETER (86mm)
MAGNETIC CLICK
 MULTIPLE SOLUTIONS

— PLUG TRIM —

TRIM



<p>PLUG TRIM black</p>  <p>p. 270</p> 	<p>PLUG TRIM white</p>  <p>p. 270</p> 
--	--

— MODULE —









<p>MAGNIFIQUE DEEP</p>  <p>p. 273</p> 	<p>MAGNIFIQUE MOVE</p>  <p>p. 273</p> 	<p>MAGNIFIQUE COUCOU</p>  <p>p. 277</p> 	<p>MAGNIFIQUE KIKI</p>  <p>p. 281</p> 
--	--	--	--

— PLUG TRIMLESS —

TRIMLESS

<p>PLUG TRIMLESS</p>  <p>p. 270</p> 
--

— MODULE —

<p>MAGNIFIQUE DEEP</p>  <p>p. 273</p> 	<p>MAGNIFIQUE MOVE</p>  <p>p. 273</p> 	<p>MAGNIFIQUE COUCOU</p>  <p>p. 277</p> 	<p>MAGNIFIQUE KIKI</p>  <p>p. 281</p> 
--	--	--	--

— PLUG + TRIM —




— PLUG + TRIM —



— BULB —

MAGNIQUE BULB




p. 283



— PENDANT —

MAGNIQUE PULL




Add your Dark darling (max 3 lg)

p. 283




MAGNIQUE LOFTR




p. 282








MAGNIFIQUE DEEP
3001-BB(B)-907GGH-K




MAGNIFIQUE MOVE
3002-BB(B)-907GGH-K




BB(B)	COLORS	02	Black
		03	White
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1x 780 Lm / 250 mA / 8,7 W
		12	12°
		34	34°
		60	60°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)







MAGNIFIQUE COUCOU
3003-BB-907GGH-K




BB(B)	COLORS	02	Black
		03	White
		110	Brass
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1x 780 Lm / 250 mA / 8,7 W
		GG	REFLECTOR
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)







MAGNIFIQUE KIKI
3007-BB-907GGH-II(I)-K




BB(B)	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1x 600 Lm / 350 mA / 6,4 W
		22	22°
		34	34°
GG	REFLECTOR	54	54°
		2	2700K
		3	3000K
II(I)	INSIDE COLOR	02	Black
		03	White
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)





MAGNIFIQUE LOFTR
3005-BB-90747H-01-K




BB(B)	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	907	>90 CRI • lx 780 Lm / 250 mA / 8,7 W
GG	REFLECTOR	47	47°
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)



MAGNIFIQUE PULL
3006-BB

MAGNIFIQUE BULB
3004-BB-001



BB(B)	COLORS	02	Black
		03	White
CCC	TYPE E27	001	LED Globe (MAX 10W)



METROLINE


design dark studio

CUSTOM MADE
your dream -our challenge





CM HO - Retail Office




METROLINE S

AAAA-BB-13-DD-K-J



METROLINE

AAAA-BB-13-00-K-J



1200 mm	METROLINE 1	1200
1700 mm	METROLINE 5	1700
2250 mm	METROLINE 7	2250
2545 mm	METROLINE 8	2545
2820 mm	METROLINE 9	2820
3100 mm	METROLINE 10	3100
3380 mm	METROLINE 11	3380
3660 mm	METROLINE 12	3660
3940 mm	METROLINE 13	3940

AAAA	MODEL LENGTH	1850	METROLINE 1	1200 mm
		1851	METROLINE 5	1700 mm
		1852	METROLINE 7	2250 mm
		1853	METROLINE 8	2545 mm
		1854	METROLINE 9	2820 mm
		1855	METROLINE 10	3100 mm
		1856	METROLINE 11	3380 mm
		1857	METROLINE 12	3660 mm
		1858	METROLINE 13	3940 mm
BB	COLORS	02	Black	
		03	White	
		RAL color on request		
CC	LED	13	METROLINE 1	>90CRI • 3910 Lm / 25,9 W / 3000K
			METROLINE 5	>90CRI • 5866 Lm / 38,9 W / 3000K
			METROLINE 7	>90CRI • 7821 Lm / 51,8 W / 3000K
			METROLINE 8	>90CRI • 8798 Lm / 58,3 W / 3000K
			METROLINE 9	>90CRI • 9776 Lm / 64,8 W / 3000K
			METROLINE 10	>90CRI • 10754 Lm / 71,3 W / 3000K
			METROLINE 11	>90CRI • 11731 Lm / 78 W / 3000K
			METROLINE 12	>90CRI • 12709 Lm / 84,2 W / 3000K
			METROLINE 13	>90CRI • 14664 Lm / 90,7 W / 3000K
DD	CEILING	00	N.A.	
		01	1,5 m	
	SUSP. CABLE	02	2,5 m	
		03	5 m	
K	DRIVER	0	Non dimmable (intern)	
		3	Dali (intern)	
J	DIFFUSER	0	Opal	
		1	Prismatic	



MR BEAM

design detail concept




reddot design award
winner 2017





MR.BEAM 1


1600 mm 2301-BBB-1H-DD-II(I)-[J]-LL-K













2200 mm 2306-BBB-1H-DD-II(I)-[J]-LL-K


2600 mm 2304-BBB-1H-DD-II(I)-[J]-LL-K

3400 mm 2307-BBB-1H-DD-II(I)-[J]-LL-K




BBB	MATERIAL	117		Oak stained black
		118		Oak natural
		131		Oak stained white
F	LED	1	length 1600 mm	>90 CRI • 2920 Lm / 24 W
			length 2200 mm	>90 CRI • 5886 Lm / 36 W
			length 2600 mm	>90 CRI • 7194 Lm / 44 W
			length 3400 mm	>90 CRI • 9810 Lm / 60 W
H	COLOR TEMP.	2	2700K	
		3	3000K	
DD	SUSP. CABLE.	01	1,5 m	
		02	2,5 m	
II(I)	COLORS	02		Black
		03		White
		110		Brass
		150		Bronze Light
		151		Bronze Dark
[J] optional	UPLIGHT	1	9,6 W / m	
LL	SUSP. KIT	02		Black
		03		White
K	DRIVER	0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	






MR.BEAM 2

1600 mm 2302-BBB-1H-DD-II(I)-(J)-LL-K-T



2200 mm 2308-BBB-1H-DD-II(I)-(J)-LL-K-T
 2600 mm 2305-BBB-1H-DD-II(I)-(J)-LL-K-T
 3400 mm 2309-BBB-1H-DD-II(I)-(J)-LL-K-T



BBB	MATERIAL	117	Oak stained black
		118	Oak natural
		131	Oak stained white
		RAL color on request	
F	LED	1	length 1600 mm >90 CRI • 2943 Lm / 18 W length 2200 mm >90 CRI • 3920 Lm / 24 W length 2600 mm >90 CRI • 5232 Lm / 32 W length 3400 mm >90 CRI • 7848 Lm / 48 W
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
II(I)	COLORS	02	Black
		03	White
		110	Brass
		150	Bronze Light
		151	Bronze Dark
[J] optional	UPLIGHT	1	9,6 W / m
LL	SUSP. KIT	02	Black
		03	White
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)
TYPE 2	T	SPOTS	1 >90 CRI • 600 Lm / 350 mA / 6,4 W Reflector 54° - Incl driver - non dim



MISS RIGHT

design dark studio


CUSTOM MADE
your dream -our challenge







MISS RIGHT BALLZZZ 2000

2350-BB(B)-071-DD
2350-BB(B)-90600H-DD-K



MISS RIGHT BALLZZZ 2600


2351-BB(B)-071-DD
2351-BB(B)-90600H-DD-K




BB	COLOR PROFILE	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	G9 - LED 6W - 500lm
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)




MISS RIGHT PLANETZZZ 2000 **LED**
2630-BB-90600H-DD-K




MISS RIGHT PLANETZZZ 2600 **LED**
2631-BB-90600H-DD-K





BB	COLOR PROFILE	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)



MISS RIGHT HOODY LED
2360-BB-90620H-00-DD-K



MISS RIGHT HOODY G9
2361-BB-0711213-DD



BB(B)	COLORS	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6 W
GG	GLOBE	20	Ø200
H	COLOR TEMP.	0	N.A.
		1	2200K
		2	2700K
		3	3000K
II	GLOBE color	00	Transparant
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)




BB(B)	COLORS	02	Black
		03	White
		RAL color on request	
CCC	TYPE G9	071	LED (MAX 6 W)
GG	GLOBE	12	Ø120
II	GLOBE color	13	Glass White
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m



NINZA
design dark studio

CUSTOM MADE
your dream -our challenge







Tille Cobras archi



NINZA S
1796-BB-FFGH-DD-K-NN(N)




NINZA
1797-BB-FFGH-K-NN(N)




BB	COLORS	02	Black
		03	White
		RAL color on request	
FF	LED	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 2290 Lm/m / 14 W/m
		20	>90 CRI • 3270 Lm/m / 20 W/m
G	DIFFUSER	P	Plexi
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
NN(N)	LENGTH	90	900 mm
		120	1200 mm
		180	1800 mm
		240	2400 mm
		all dimensions possible up to 4000 mm on request	







NINZA
 [IP65] 1800-BB-FFGH-K-NN(N) SEALED-PLEXI 30x30mm
 [IP67] 1803-BB-FFGH-K-NN(N) SEALED 30x35mm



BB	COLORS	02	Black
		03	White
		RAL color on request	
FF	LED	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 700 Lm/m / 14,4 W/m
		28	>90 CRI • 1450 Lm/m / 28,8 W/m
G	DIFFUSER	P	Plexi
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		all dimensions possible up to 4000 mm on request	
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
NN(N)	LENGTH	90	900 mm
		120	1200 mm
		180	1800 mm
		240	2400 mm
		all dimensions possible up to 4000 mm on request	





IP20

IP20



IP65




IP20



NINZA RECESSED

IP65 1806-BB-FFGH-K-NN(N) SEALED-PLEXI
 IP20 1807-BB-FFGH-K-NN(N)



BB	COLORS	02	Black
		03	White
FF	LED (IP65)	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 700 Lm/m / 14,4 W/m
		28	>90 CRI • 1450 Lm/m / 28,8 W/m
	LED (IP20)	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 2290 Lm/m / 14 W/m
		20	>90 CRI • 3270 Lm/m / 20 W/m
G	DIFFUSER	P	Plexi
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
NN(N)	LENGTH	90	900 mm
		120	1200 mm
		180	1800 mm
		240	2400 mm
			all dimensions possible up to 4000 mm on request

Alu-PC

NOTAARI


design cliéier françois



NOTAARI TABLE

321

NOTAARI TABLE
2720-134-151




BB(B)	COLORS	134	Alabaster
			-90 CRI • 24V / 12W (CV)
II(I)	COLOR	151	Bronze Dark (BRD)





NOTAARI FLOOR
2721-134-151



BB(B)	COLORS	134	Alabaster
			>90 CRI • 24V / 12W (CV)
II(I)	COLOR	151	Bronze Dark (BRD)

Alu - Glass - Alabaster

ORGUE

design luc vincent & maxim pien






Source Luxfit - Luxemburg



ORGUE
1363-BB(B)-866003-DD-K



BB(B)	COLORS	Color
	02	Black
	03	White
	101	Soft Pink
	103	Soft Blue
	104	Soft Green
	124	Kaki
	140	Old Pink
	141	Terracotta Red
	142	Oxide Red
	110	Brass
	150	Bronze Light
	151	Bronze Dark
		RAL color on request



EFF	CRI • LUMENOUTPUT	866	>90 CRI • 1x 7640 Lm / 49,6 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)

Alu-Metal



Savoyard_Stephanie Laporte

ORGUE WALL
1360-BB(B)-80500H-00-K



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		110	Brass
		150	Bronze Light
		151	Bronze Dark

EFF	CRI • LUMENOUTPUT	805	>90 CRI • 2x 450 Lm / 700mA / 6 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

K	DRIVER	0	Non dimmable (intern)
		1	No driver
		3	Dali (extern)
		4	Phase cut (intern)




PETI
design dark studio






PETI SET 1/50
3152--BB(B)-906GGH-K



PETI SET 1/90
3153--BB(B)-906GGH-K



ACCESSORIES p. 523


	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold




BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		K	DRIVER
0	Non dimmable (extern)		
3	Dali (extern)		
4	Phase cut (extern)		




PETI
3150-BB(B)-906GGH-K




PETI BOX 1
3150-BB(B)-906GGH-K-IN



PETI BOX 2
3154-BB(B)-906GGH-K




PETI BOX 7
3151-BB(B)-906GGH-K





PETU

design dark studio










ACCESSORIES p. 523

	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold




BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
		III	COLOR
10	Alu Satinated		
150	Bronze Light		
151	Bronze Dark		
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)





PETUS
3201-BB(B)-906GGH-DD-III-K



BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark

GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m

III	COLOR	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)



ACCESSORIES p. 523

	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold


PLANETZZZ

design anthony boelaert







PLANETZZZ 950
2620-BB-90600H-DD-K



PLANETZZZ 1200
2621-BB-90600H-DD-K



PLANETZZZ 950x1850
2622-BB-90600H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6.4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)





PLANETZZZZ PLUZ

design anthony boelaert







PLANETZZZ PLUZ Round
3550-BB-906H-DD-K




PLANETZZZ PLUZ Oval
3552-BB-906H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (pro ball)
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)



PLANETZZZ PLUZ Organic
3551-BB-906H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (pro ball)
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)






POPZZ
design dark studio





POPZZ
1200-BB(B)-065-00-II
1200-BB(B)-90700H-00-K-II



BB(B)	COLORS	02		Black
		03		White
		111		Brass Finish
CCC	TYPE GUIDO	065		QPAR5i (MAX 50 W) (230V)
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 780 Lm / 250 mA / 8,7 W (CC)	
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
K	DRIVER	1	No driver	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	
II	GLOBE color	00		Transparent
		04		Red
		49		Amber
		58		Smoke

Alu-Glass

RBA

design ricardo bofill taller de arquitectura

HERITAGE
COLLECTION


1989




BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		110	Brass
C	RBA 1	2	>90 CRI • 600-800 Lm / 15-25 W / 2700K
		3	>90 CRI • 600-800 Lm / 15-25 W / 3000K
	RBA 2	2	>90 CRI • 800 Lm / 25 W / 2700K
		3	>90 CRI • 800 Lm / 25 W / 3000K
	RBA 3	2	>90 CRI • 1600 Lm / 50 W / 2700K
		3	>90 CRI • 1600 Lm / 50 W / 3000K
K	DRIVER	1	No driver
		0	Non dimmable (intern)
		3	Dali (intern)




RBA 1
3045-BB(B)-C-K



RBA 2
3046-BB(B)-C-K



RBA 3
3047-BB(B)-C-K




SANGHA
design dark studio









BBB	COLORS	02	Black
		03	White
		37	Natural
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		RAL color on request	


CCC	TYPE E27	001	LED (MAX 12 W)
-----	----------	-----	----------------

EFF	CRI • LUMENOUTPUT	914	>90 CRI • 1400 Lm / 350 mA / 14 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

LL	SUSP. KIT	02	Black
		03	White

K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)



Rattan


SATURNUZ

design jacob de baan











SATURNUZ 30
1380-BB(B)-001-DD-EE-II



SATURNUZ 60
1381-BB(B)-001-DD-EE-II



BBB	COLORS	116	 Multiplex Poplar
CCC	TYPE E27	001	 LED (MAX 12 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
EE	SUSP. KIT	02	 Black
		03	 White
II	COLOR DIFFUSER	13	White
		127	 Satin Red

Wood - PMMA       

SL53
design léon stynen

HERITAGE
COLLECTION

1953




LEON M. J. R. STYNEN






SL 53 M WALL
3352-BB(B)906H-K



SL 53 WALL
3353-BB(B)914H-K



BB(B)	COLORS CONES	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		161	LS Blue
		104	Soft Green
		162	LS Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	LED >90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED >90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)





Foodstation Vogelzang - Antwerpen - 2024


LEON M.J.R. STYNEN




*Architecte,
Leon Stynen
Directeur
de la chambre,
Samedi
2 février 1972*



SL 53 M
3350-BB(B)906H-DD-K



SL 53
3351-BB(B)914H-DD-K



BB(B)	COLORS CONES	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		161	LS Blue
		104	Soft Green
		162	LS Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		RAL color on request	

EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED	>90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K	
		3	3000K	

DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	


K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	

SOYUZ
design dark studio





SOYUZ
1080-BB(B)-001-DD-E



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		110	Brass
		150	Bronze Light
		151	Bronze Dark


CCC	TYPE E27	001	LED (MAX.12 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
EE	SUSP. KIT	B	Black
		W	White

Metal
CE

230V
960°
IP20

SPACE WALKER

design pieterjan




reddot design award
best of the best 2009






SPACEWALKER
 580-03-CCC-DD
 580-03-5103-DD-K
 580-03-EFF-DD-K



SPACEWALKER FLOOR
 581-03-5103-00-K
 581-03-EFF-00-K



IP65 LED version
 available on request

BB	MATERIAL	03	White (translucent)
CCC	TYPE G5	339	T16 (39 W) Non Dim
		340	T16 (39 W) Dim 1-10 V
		341	T16 (39 W) ONE 4 ALL
EFF	CRI • LUMENOUTPUT	510	>90 CRI • 8000 Lm / 480 mA / 75 W
		H	COLOR TEMP.
DD	SUSP. CABLE	00	N.A.
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (intern)
		2	Dimmable 1-10 V (intern)
		3	Dali (intern)


BB	MATERIAL	03	White (translucent)
EFF	CRI • LUMENOUTPUT	500	RGB
		505	RGBW
DD	SUSP. CABLE	00	N.A.
		02	2,5 m
		03	5 m
K	DRIVER	0	Standalone • remote control (intern)
		3	Dali (intern)
		9	DMX (intern)



SPINE


design pieterjan





Bacardi - Martini HQ

SPINE
530-BB-8663-K-DD



BB	COLOR BODY	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	866	>85 CRI • 7640 Lm / 49,6 W
H	COLOR TEMP.	3	3000K
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m



SQUARE MOON

design luc vincent

HERITAGE
COLLECTION


1996




BB(B)	COLORS	02		Black
		03		White
		149		Alu Brushed
		151		Bronze Dark
FF	LED	14	>80 CRI • 675 Lm/m / 9,6 W/m - 14W	
		22	>90 CRI • 1050 Lm/m / 14,4 W/m - 22W	
		43	>90 CRI • 2100 Lm/m / 28,8W/m - 43W	
H	COLOR TEMP.	2	2700K	
		3	3000K	
		4	4000K	
II	PLEXI	03		White
		04		Red
		06		Blue
		08		Orange
DD	SUSP. CABLE	00	N.A.	
		01	1,5m	
		02	2,5m	
K	DRIVER	1	No driver (CV)	
		0	Non dimmable (intern)	
		3	Dali (intern)	



SQUARE MOON
3400-BB(B)-FFH-00-II-K



TALORE
design dark studio






Z33 Design Museum _ Architect Francesco Torzo



TALORE
2570-BB(B)-813003-K



BB(B)	COLORS	02	Black
		03	White
		101	Soft Pink
		103	Soft Blue
		104	Soft Green
		124	Kaki
		140	Old Pink
		141	Terracotta Red
		142	Oxide Red
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	813	>80 CRI • 1350 Lm / 550 mA / 19 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)

on request: incl. emergency unit 1h • incl. emergency battery



TAQI
design dark studio



IP65






IP65



TAQI BOX 1
2700-BB-906603-K

TAQI SET 1
2701-BB-906603-K



BB	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 455 Lm / 700 mA / 6,5 W
GG	REFLECTOR	60	60°
H	COLOR TEMP.	3	3000K


K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)





TEEVY ROUND BOX

948-02-809-111



TEEVY
design dark studio

Easy to **OPEN** and **SWITCH** between 3000K and 4000K



BB	COLORS	02	Black
EFF	CRI • LUMENOUTPUT	809	>80 CRI • 1350 Lm / 350 mA / 11,3 W
I	INSIDE COLOR	111	Brass Finish



TERRATOI

design j'elt gregoire






TERRATOI FIX
3570-BB(B)-907GGH-K
3570-BB(B)-065

TERRATOI SCIEF
3571-BB(B)-907GGH-K
3571-BB(B)-065

TERRATOI S
3572-BB(B)-907GGH-DD-K
3572-BB(B)-065-DD



BB(B)	COLORS	141 152	Terracotta Red Terracotta White
CCC	TYPE GUIO	065	OPAR51 (MAX 50 W) 230V
EFF	CRI • LUMENOUTPUT	907	>90 CRI • lx 780 Lm / 250 mA / 8,7 W
GG	REFLECTOR	12	12°
		34	34°
		60	60°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)



BB(B)	COLORS	141 152	Terracotta Red Terracotta White
CCC	TYPE GUIO	065	OPAR51 (MAX 50 W) 230V
EFF	CRI • LUMENOUTPUT	907	>90 CRI • lx 780 Lm / 250 mA / 8,7 W
GG	REFLECTOR	12	12°
		34	34°
		60	60°
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)





TIKI
design dark studio






A-Stay Hotel _ Detail Concept






BB	COLORS	02	Black		
		03	White		
		10	Alu Satinated		
		150	Bronze Light		
		151	Bronze Dark		
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W		
		GG	REFLECTOR	22	22°
				34	34°
				54	54°
H	COLOR TEMP.	2	2700K		
		3	3000K		
		4	4000K		
		K	DRIVER	1	No driver (CC)
0	Non dimmable				
3	Dali				
4	Phase cut				





TIKI FIX
2050-BB(B)-906GGH-K

Driver EXTERN



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark
		RAL color on request	

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)

ACCESSORIES p. 523


	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold

Alu

TOQI
design dark studio



TOQI FIX
2075-BB(B)-065



BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		112	Brass Finish
		150	Bronze Light
		151	Bronze Dark

CCC	TYPE GU10	065	QPAR51 (MAX 50 W)
-----	-----------	-----	-------------------




ACCESSORIES p. 523


	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold




TOQI S G9
2078-BB-065




TOQI BOX 1
2070-BB-065



TOQI SET 1 / 50
2072-BB-065



TOQI SET 1 / 90
2073-BB-065




BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		112	Brass Finish
		150	Bronze Light
		151	Bronze Dark


CCC	TYPE GUIDO	065	OPAR51 (MAX 50 W)
-----	------------	-----	-------------------



ACCESSORIES p. 523

HONEYCOMB	172-9005-438099	Black
	172-9003-438099	White
	172-0112-438099	Gold







BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		112	Brass Finish
		150	Bronze Light
		151	Bronze Dark

CCC	TYPE GUIDO	065	OPAR51 (MAX 50 W)
-----	------------	-----	-------------------

Alu



TOQI TRACK
2076-BB(B)-065




ACCESSORIES p. 523


	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold

TORNER
design stephane bouchet






TORNER GU10 DUO
1602-BB-065



TORNER GU10 TRIO
1603-BB-065



ACCESSORIES p. 523


	HONEYCOMB	172-9005-438099		Black
		172-9003-438099		White
		172-0112-438099		Gold

BB	COLORS	02		Black
		03		White
CCC	TYPE GU10	065		OPAR51 (MAX 50 W)


Alu




Driver INTERN **TORNER DUO**
1600-BB-906GGH-K




Driver INTERN **TORNER DUO IP44**
1610-BB-906GGH-K



Driver INTERN **TORNER TRIO**
1601-BB-906GGH-K



Driver INTERN **TORNER TRIO IP44**
1611-BB-906GGH-K



BB	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		22	22°
GG	REFLECTOR	34	34°
		54	54°
		2	2700K
H	COLOR TEMP.	3	3000K
		4	4000K
		1	No driver (CC)
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut

ACCESSORIES p. 523

	HONEYCOMB	172-9005-436099	Black
		172-9003-436099	White
		172-0112-436099	Gold

Alu

TOTM
design studio bjorn verlinde




Bar Misera - Antwerpen - Studio Bjorn Verlinde







TOTM Wall
3265-14H-K



TOTM TABLE
3270-14



TOTM
3261-14H-DD-K




TOTM LARGE
3262-14H-DD-K

EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)





COLOR THEMES



COL	COLOR THEME	004	
		005	
		006	

EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K


DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)


Alu




TOTM
3261-COL-14H-DD-K




TOTM LARGE
3262-COL-14H-DD-K



TOTM TABLE
3270-COL-14



TOTM Wall
3265-COL-14H-K



COL	COLOR THEME	001	
		002	
		003	
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
		2	2700K
		3	3000K
H	COLOR TEMP.	4	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)



TRAPPED

design sem de lanverre & kris henkens




DESIGNPREIS
2009
NOMINIERT



USA 2007



TRAPPED
260-BB-001-DD



BB	COLORS	00	Clear
		13	Milky
CCC	TYPE E27	001	LED / Globe (MAX 12 W)
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m



TUKI 40

design dark studio






Waer Waters_3-Architects



TUKI 40S
1342-BB(B)-906GGH-DD-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		111	Brass Finish
		150	Bronze Light
		151	Bronze Dark

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
-----	-------------------	-----	-----------------------------------

GG	REFLECTOR	22	22°
		34	34°
		54	54°


H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)

Alu






BB	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		GG	REFLECTOR
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (extern)

Alu



TUKI 40 FIX
1357-BB(B)-906GGH-K



BB(B)	COLORS	02	Black		
		03	White		
		10	Alu Satinated		
		111	Brass Finish		
		150	Bronze Light		
		151	Bronze Dark		
		RAL color on request			
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W		
		GG	REFLECTOR	22	22°
				34	34°
				54	54°
H	COLOR TEMP.	2	2700K		
		3	3000K		
		4	4000K		
		K	DRIVER	1	No driver (CC)
0	Non dimmable (intern)				
3	Dali (extern)				
4	Phase cut (extern)				




ACCESSORIES p. 523

	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold



TUKI 40 TRACK
1341-BB-906GGH-K



TRACK RAIL: to be ordered separately
Compatible with EUTRAC, GLOBAL & POWERGEAR

BB(B)	COLORS	02	Black		
		03	White		
		10	Alu Satinated		
		150	Bronze Light		
		151	Bronze Dark		
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W		
		GG	REFLECTOR	22	22°
				34	34°
				54	54°
H	COLOR TEMP.	2	2700K		
		3	3000K		
		4	4000K		
		K	DRIVER	0	Non dimmable
3	Dali				





TUKI 60

design dark studio



The Jane Table Photo Piet Albert Goethals





BB	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1360 Lm / 350 mA / 12 W
		11	11°
		20	20°
		34	34°
GG	REFLECTOR	2	2700K
		3	3000K
		4	4000K
		W	White
I	INSIDE COLOR	B	Black
		G	Brass Finish
		0	Non dimmable (intern)
K	DRIVER	3	Dali (extern)
		4	Phase cut (intern)

ACCESSORIES p. 523


	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold

Alu



TUKI 60S
1349-BB-907GGH-DD-I-K

Driver INTERN




BB	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1360 Lm / 350 mA / 12 W
GG	REFLECTOR	11	11°
		20	20°
		34	34°
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
I	INSIDE COLOR	W	White
		B	Black
		G	Brass Finish
K	DRIVER	0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)



ACCESSORIES p. 523

	HONEYCOMB	172-9005-438099	Black
		172-9003-438099	White
		172-0112-438099	Gold

TUKI 60 WALL
2020-BB-90600H-K



BB(B)	COLORS	02	Black
		03	White
		111	Brass Finish
			RAL color on request
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 2X 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K
K	DRIVER	1	No driver
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)





Alvino _ Fugozzi




The Motel






TUKI 60 TRACK
1346-BB-EFFGGH-I-K



TRACK RAIL: to be ordered separately
Compatible with EUTRAC, GLOBAL & POWERGEAR



DALI - version
TRACK RAIL: to be ordered separately
Compatible with GLOBAL & POWERGEAR

ACCESSORIES p. 523

	HONEYCOMB	172-9005-438099		Black
		172-9003-438099		White
		172-0112-438099		Gold

BB(B)	COLORS	02		Black
		03		White
EFF	CRI • LUMENOUTPUT	907	>90 CRI • 1360 Lm / 350 mA / 12 W	
		918	>90 CRI • 1800 Lm / 500 mA / 20 W	
		930	>90 CRI • 3000 Lm / 700 mA / 30 W	
GG	REFLECTOR	11	11°	
		20	20°	
		34	34°	
H	COLOR TEMP.	2	2700K	
		3	3000K	
I	INSIDE COLOR	W		White
		B		Black
		G		Brass Finish
K	DRIVER	0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	

Alu

TWERKIT
design skwon



Interior
innovation
award
2015
Selection






Barr _ Dries Van Lerberghe







TWERKIT 2 JR
 IP20 1092-BB(B)-071-00
 IP20 1092-BB(B)-80500H-00-K
 IP44 1094-BB(B)-80500H-00-K



TWERKIT 2
 IP20 1090-BB(B)-071-00
 IP20 1090-BB(B)-80500H-00-K
 IP44 1095-BB(B)-80500H-00-K



TWERKIT 3
 IP20 1091-BB(B)-071-00
 IP20 1091-BB(B)-80500H-00-K
 IP44 1096-BB(B)-80500H-00-K



BB(B)	COLORS
02	Black
03	White
101	Soft Pink
103	Soft Blue
104	Soft Green
124	Kaki
140	Old Pink
141	Terracotta Red
142	Oxide Red
111	Brass Finish
150	Bronze light
151	Bronze dark
RAL color on request	

CCC	TYPE G9	071	G9 - LED 6W - 500lm
-----	---------	-----	---------------------

EFF	LED	TWERKIT 2 JR	805	>85 CRI • 2x300 Lm / 350 mA / 3 W
		TWERKIT 2 TWERKIT 3	805	>85 CRI • 2x550 Lm / 700 mA / 6 W

H	COLOR TEMP.	2	2700K
		3	3000K
		4	4000K


K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (intern) / JR extern
		4	Phase cut (intern) / JR extern



TWOCAN

design dark studio







Allvino _ Fugazzi




TWOCAN ML
2553-BB(B)-90400H-DD-II(I)-K
2553-BB(B)-071-DD-II(I)




TWOCAN LM
2557-BB(B)-90400H-DD-II(I)-K
2557-BB(B)-071-DD-II(I)




TWOCAN MS
2552-BB(B)-90400H-DD-II(I)-K
2552-BB(B)-071-DD-II(I)




TWOCAN SM
2554-BB(B)-90400H-DD-II(I)-K
2554-BB(B)-071-DD-II(I)




TWOCAN MM
2551-BB(B)-90400H-DD-II(I)-K
2551-BB(B)-071-DD-II(I)




TWOCAN SL
2556-BB(B)-90400H-DD-II(I)-K
2556-BB(B)-071-DD-II(I)




TWOCAN LS
2558-BB(B)-90400H-DD-II(I)-K
2558-BB(B)-071-DD-II(I)



TWOCAN SS
2555-BB(B)-90400H-DD-II(I)-K
2555-BB(B)-071-DD-II(I)



TWOCAN LL
2559-BB(B)-90400H-DD-II(I)-K
2559-BB(B)-071-DD-II(I)



BB(B)	COLORS UPPER PART	02		Black	
		03		White	
		150		Bronze light	
		151		Bronze dark	
		101		Soft Pink	
		103		Soft Blue	
		104		Soft Green	
		124		Kaki	
		140		Old Pink	
		141		Terracotta Red	
		142		Oxide Red	
		110		Brass	
				RAL color on request	

CCC	TYPE G9	071		LED (MAX 6 W)
-----	---------	-----	--	---------------

EFF	CRI • LUMENOUTPUT	904	LED	>90 CRI • 2x 600 Lm / 350 mA / 6,4 W
-----	-------------------	-----	-----	--------------------------------------

H	COLOR TEMP.	1	2200K
		2	2700K
		3	3000K
		4	4000K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

II(I)	COLORS LOWEST PART	02		Black	
		03		White	
		150		Bronze light	
		151		Bronze dark	
		101		Soft Pink	
		103		Soft Blue	
		104		Soft Green	
		124		Kaki	
		140		Old Pink	
		141		Terracotta Red	
		142		Oxide Red	
		110		Brass	
				RAL color on request	

K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dial (extern)
		4	Phase cut (extern)



VASARELY

design pierre vasarely & luc vincent


HERITAGE
COLLECTION

2023







VASARELY 1
3425-151-9212-K




VASARELY 4
3428-151-9212-K




VASARELY 2
3426-151-9212-K




VASARELY 5
3429-151-9212-K



VASARELY 3
3427-151-9212-K



VASARELY 6
3430-151-9212-K



LIMITED EDITIONS

Only 50 copies of each version exist, making them truly exceptional. Every lighting object in this remarkable series bears a **unique number**, granting it an individual identity

BB(B)	COLORS	151	Bronze Dark
EFF	CRI • LUMENOUTPUT	921	>90 CRI • 14,4 W/m - 21W
H	COLOR TEMP.	2	2700K
K	DRIVER	1	No driver (CV)
		0	Non dimmable (intern)
		3	Dali (intern)





VIDRYA
design dark studio







VIDRYA
3580-BB-PAT-36H-(J)-DD-K



BB(B)	COLORS	02	Black
		03	White
		151	Bronze Dark
		RAL color on request	
PAT	PATTERN	001	
		002	
		003	
FF	LED	36	>90 CRI • 3780Lm / 36 W
H	COLOR TEMP.	3	3000K
		4	4000K
(J) optional	UPLIGHT	1	>90 CRI • 3780Lm / 36 W
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut



WALLSTER

design anthony boelaert











BB(B)	COLORS	02	Black
		03	White
CCC	TYPE GUID	065	LED (MAX 7,5 W)
EFF	CRI • LUMENOUTPUT	915	LED >90 CRI • 1500 Lm / 350 mA / 11,6 W
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
II(I)	COLORS	02	Black
		03	White
		110	Brass
		150	Bronze light
		151	Bronze dark
K	DRIVER	0	Non dimmable (intern)
		3	Dial (intern)
		4	Phase cut (intern)



WALLSTER ONE
1116-BB-065-00
1116-BB-91500H-K




WALLSTER TWO
1115-BB-065-00
1115-BB-91500H-K



WALLSTER JR


design anthony boelaert







Van der Valk Hotel _ Anthony Boelaert



WALLSTER JR
1120-BB-90600H-II(I)-K

BB(B)	COLORS	02		Black
		03		White
		150		Bronze light
		151		Bronze dark
EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 600 Lm / 180 mA / 6,4 W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
		4	4000K	
II(I)	COLORS	02		Black
		03		White
		110		Brass
		150		Bronze light
		151		Bronze dark
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (extern)	
		3	Phase cut (extern)	



ZNOW
design anthony boelaert






GERMAN
DESIGN
AWARD
SPECIAL
2016

interior
innovation
award
2015



Selection







BB(B)	COLORS	02	Black		
		03	White		
		101	Soft Pink		
		103	Soft Blue		
		104	Soft Green		
		124	Kaki		
		140	Old Pink		
		141	Terracotta Red		
		142	Oxide Red		
		111	Brass Finish		
		150	Bronze Light		
		151	Bronze Dark		
		RAL color on request			
		CCC	TYPE GUID	065	LED (MAX 7,5 W)
		EFF	CRI • LUMENOUTPUT	910	>90 CRI • 1100 Lm / 250 mA / 8,3 W
915	>90 CRI • 1500 Lm / 350 mA / 11,6 W				
H	COLOR TEMP.	2	2700K		
		3	3000K		
K	DRIVER	1	No driver (CC)		
		0	Non dimmable (intern)		
		3	Dali (extern)		
(J)	MIRROR optional	1	rotatable mirror		



BB(B)	COLORS	02	Black		
		03	White		
		101	Soft Pink		
		103	Soft Blue		
		104	Soft Green		
		124	Kaki		
		140	Old Pink		
		141	Terracotta Red		
		142	Oxide Red		
		111	Brass Finish		
		150	Bronze Light		
		151	Bronze Dark		
		RAL color on request			
		CCC	TYPE GUID	065	LED (MAX 7,5 W)
		EFF	CRI • LUMENOUTPUT	907	>90 CRI • 600 Lm / 250 mA / 8,7 W
H	COLOR TEMP.	2	2700K		
		3	3000K		
K	DRIVER	1	No driver (CC)		
		0	Non dimmable (intern)		
		3	Dali (extern)		
(J)	MIRROR optional	1	rotatable mirror		





ZQUARE
design dark studio









ZQUARE 1
922-BB(B)-906GGH-K





ZQUARE 2
924-BB(B)-906GGH-K





ZQUARE 3
926-BB(B)-906GGH-II(I)-K



ZQUARE 4
927-BB(B)-906GGH-II(I)-K



ZQUARE MOVE
928-BB(B)-906GGH-II(I)-K



BB(B)	COLORS	Color	Code
		Black	02
		White	03
		Soft Pink	101
		Soft Blue	103
		Soft Green	104
		Kaki	124
		Old Pink	140
		Terracotta Red	141
		Oxide Red	142
		Brass Finish	111
		RAL color on request	

EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K


II(I)	COLOR PLATE	Color	Code
		Black	02
		White	03
		Brass	110
		RAL color on request	



K	DRIVER	Code	Description
		1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)



CUSTOM MADE

your dream – our challenge





TECHNICAL

E27 FILAMENT-LAMP



G45 - 45 x 73mm

180-7500-044527

4W, 2700K, 400lm, triac dimmable, clear



G95 - 95 x 135mm

180-7500-069527

6W, 2700K, 600lm, triac dimmable, clear

180-7500-069527-0

6W, 2700K, 600lm, triac dimmable, opal



A60 - 60 x 105mm

180-7500-046027

4W, 2700K, 400lm, triac dimmable, clear

180-7500-066027

6W, 2700K, 600lm, triac dimmable, clear

180-7500-086027

8W, 2700K, 800lm, triac dimmable, clear



G80 - 80 x 125mm

180-7500-068027

6W, 2700K, 600lm, triac dimmable, clear



G125 - 125 x 175mm

180-7500-0612527

6W, 2700K, 540lm, triac dimmable, clear



Q63 - 50 x 54mm

180-7100-042700

4.8-50W - 927 36D




G69 - 18 x 55mm


180-4200-062700

6W, 2700K, 500 lm, dim 230V, CRI90, A+


CEILING PROFILE - 3P single




Black 1895-02
White 1895-03



CEILING PROFILE - 3P double




Black 1896-02
White 1896-03



CEILING BASE




Black 100-8002-225640
White 100-8003-225640



CEILING BASE LARGE




Black 100-8002-225650
White 100-8003-225650



CEILING S2/ SET 50




Black 100-8002-225750
White 100-8003-225750



CEILING S2/ SET 90




Black 100-8002-225500
White 100-8003-225500




CEILING S2/ SET 60




Black 100-8002-225760
White 100-8003-225760




CEILING BASE - 3 POINT KIT




Ceiling base Black + 3x Cliffhanger Black 1897-02-02
Ceiling base Black + 3x Cliffhanger Brass 1897-02-110
Ceiling base White + 3x Cliffhanger White 1897-03-03
Ceiling base White + 3x Cliffhanger Brass 1897-03-110




CEILING BASE - 5 POINT KIT




Ceiling base Black + 5x Cliffhanger Black 1898-02-02
Ceiling base Black + 5x Cliffhanger Brass 1898-02-110
Ceiling base White + 5x Cliffhanger White 1898-03-03
Ceiling base White + 5x Cliffhanger Brass 1898-03-110




CEILING BASE CLUB 3




Black 1893-02
White 1893-03




CEILING BASE CLUB 5



Black 1894-02
White 1894-03




BOX 2 - DCL




Available for **TIKI - TUKI - TOQI - PETI - PETU**
 ADD **-DCL** behind article number

BOX 7 - DCL



Available for **TIKI - TUKI - TOQI - PETI - PETU**
 ADD **-DCL** behind article number


SET 90 - DCL



Available for **TIKI - TUKI - TOQI - PETI - PETU**
 ADD **-DCL** behind article number


HONEYCOMB

For **TIKI - TUKI - PETI - PETU**



172-9005-436099	Black
172-9003-436099	White
172-0112-436099	Gold

For **TOQI**




172-9005-438099	Black
172-9003-438099	White
172-0112-438099	Gold



Black White Gold




E27 OUTDOOR SOCKET IP67 BLACK
120-1100-000054



Suspension Cable + Lightbulb **Not included**

3D Warehouse - Sketchup library



<https://3dwarehouse.sketchup.com/by/DARK>

— 3-CIRCUIT TRACK —



1 meter track	PRO-0410-B	Black
	PRO-0410-W	White
2 meter track	PRO-0420-B	Black
	PRO-0420-W	White
3 meter track	PRO-0430-B	Black
	PRO-0430-W	White



Feed Left	PRO-0431 L-B	Black
	PRO-0431 L-W	White



Feed Right	PRO-0431 R-B	Black
	PRO-0431 R-W	White



Coupler	PRO-0433-B	Black
	PRO-0433-W	White



Feed Middle	PRO-0434-B	Black
	PRO-0434-W	White



L Feed Twisted (L and R)	PRO-M438-B	Black
	PRO-M438-W	White



End cap	PRO-0432-B	Black
	PRO-0432-W	White



Wire suspension EZCLICK 5 meter	PRO-EZ0449-B	Black
	PRO-EZ0449-W	White

— 3-CIRCUIT TRACK DALI —



1 meter track DALI	PRO-0610-B	Black
	PRO-0610-W	White
2 meter track DALI	PRO-0620-B	Black
	PRO-0620-W	White
3 meter track DALI	PRO-0630-B	Black
	PRO-0630-W	White



Feed Left DALI	PRO-D631 L-B	Black
	PRO-D631 L-W	White



Feed Right DALI	PRO-D631 R-B	Black
	PRO-D631 R-W	White



Coupler DALI	PRO-D633-B	Black
	PRO-D633-W	White



Feed Middle DALI	PRO-D634-B	Black
	PRO-D634-W	White



L Feed Left DALI	PRO-D635 L-B	Black
	PRO-D635 L-W	White



L Feed Right DALI	PRO-D635 R-B	Black
	PRO-D635 R-W	White



IP VALUES - SAFETY ZONES

Dark lights suitable for each zone

ZONE 0
MINIMUM
IP X7


NINZA **IP 67**

ZONE I
MINIMUM
IP X5

NINZA **IP 65**
TAQI **IP 65**

ZONE II
MINIMUM
IP X4

APETITO **IP 44**
ATSJI **IP 44**
ATSJOEM **IP 44**
TWERKIT **IP 44**



ZONE 0 refers to the content of the bath or shower. Here, electrical appliances are out of the question. If you still want a place in your bath or shower, it must have an IP rating of minimum IPX7 (protection against submersion) and operate on a VLSV (Very Low Safety Voltage). VLSV refers to either 12V AC or 25V DC. It is best to have the lighting in zone 0 installed by a qualified electrician

ZONE I refers to the zone up to 2.25 meters above the bottom of the bath or shower. Lighting in this zone should also work on a VLSV. The IP value in zone I must not be lower than IPX5 (protection against water jets).

ZONE II then goes up to 60 cm around the bath or shower. A VLSV is also required within this zone. 230V voltage is possible, in case it is a spot that is at least 1.60m from the ground. This spot must be connected to a differential of 30mA at the same time. In zone 2, a minimum IP value of IPX4 is required.

first digit : solid particle protection

second digit: liquid ingress protection

- IP X7** → immersion into water up to 1 m depth
- IP X5** → waterjet
- IP X4** → splashing water

- CE** CE regulations
- Class I (ground)**
- Class II**
- Class III**
- 230 V** 220-240 V ac power supply
- NO UV/IR** no ultraviolet or infrared light
- UGR** Unified glaring ratio optimized
- UGR <19 prismatic** Unified glaring ratio <19 using prismatic diffuser
- 960°**
- 850°** Glow wire testing
- 650°**

- IP20**
- IP40**
- IP44**
- IP65**
- CV LED** Constant voltage driver
- CC LED** Constant current led inside
- 365°** Horizontal adjustable angle
- 180°** Vertical adjustable angle
- USB 5V** USB charging adapter
- Remote control**
- Battery life 8h**

Alu Used materials

- Downlight**
- Up & Downlight**
- Down side light**
- Up side light**
- Indoor**
- Outdoor covered**
- Outdoor**
- Surface / Suspended / Recessed installation**
- Wall installation**
- Wall or ceiling installation**
- Floor installation**
- Using sensor ready certified components**
- Cut out dimensions 0 42 mm**

DARK[®]

DARK at night nv
Vliegplein 43
9991 Maldegem – Belgium
+32 50 71 81 40
info@dark.be
www.dark.be



www.facebook.com/wealllovetheDark



www.pinterest.com/pindark



www.instagram.com/dark.be

© DARK 2025 - Dark has the right to change any technical data, dimensions, colors and characteristics without prior notice. All rights reserved.
Please check always the latest technical data sheets on www.dark.be.

Dark is very proud to present this collection and especially the fact that we have more than 80 international design awards.

Any reproduction of the Dark products is strictly forbidden and can seriously damage your health and endanger your bank account.

DARK | DARK