



DARK[®]

NEW DARLINGS 2026



DARK®



Marnick Smessaert
Founder

THE ART OF LIGHTING

DARK was founded in 2000 by Marnick Smessaert, driven by a passion for design, innovation and lighting. From the very beginning, DARK has never been about ordinary lighting. It has been about ideas, and the belief that a luminaire can be much more than a source of light. It can be a sculpture, a statement, a mood, an object that defines a space.

In 2001, that vision received its first international recognition. Our first design award marked the beginning of an extraordinary journey. Today DARK has won 120 international design awards — a true milestone.

For DARK, lighting is architecture, emotion and personality combined. By working with designers from Belgium and abroad, and by bringing together form, material, technology and craftsmanship, DARK creates lighting that is unexpected, refined and unmistakably original. Every piece is developed with attention to detail, precious materials, elegant finishes and a healthy dose of mischief.

Our think tank, offices and production facilities are based in Belgium, but our impact reaches far beyond. Over the years, DARK has grown into an international reference in contemporary lighting, with projects, products and concepts that continue to challenge convention. DARK is anything but grey.

We do not follow design in lighting. We claim it.
You love it or you hate it!



CHIQUE WALL DOUBLE 6



FUTAKO 36



TOTM 66



CROSSLIGHT DOPPIO 10



ELPEE 14



EMANUELLE PURE 20



EQUALIZER 24



KITN MIGLIA 40



NO FRUIT 48



RENAISSANCE 54



SL53 58



TSJUTA 1 76



TSJUTA 2 78




TWO CAN 80



VIDRYA 86

CHIQUÉ WALL DOUBLE

design dark studio






A DISCLAIMER – Nature decides the look of alabaster!





CHIQUÉ 30.5 WALL DOUBLE
2608-BB(B)-904H-II(I)-JJ(J)-K



CHIQUÉ 30.6 WALL DOUBLE
2609-BB(B)-904H-II(I)-JJ(J)-K

CHIQUÉ 30.4 WALL DOUBLE
2607-BB(B)-904H-II(I)-JJ(J)-K

BB(B)	COLORS	13	Glass White
		134	Alabaster
EFF	CRI • LUMENOUTPUT	904	>90 CRI • 400 Lm / 250 mA / 4,2 W
H	COLOR TEMP.	1	2200K
		2	2700K
		3	3000K
II(I)	COLOR	02	Black
		10	Alu
		150	Bronze Light
		151	Bronze Dark
JJ(J)	COLOR	02	Black
		10	Alu
		150	Bronze Light
		151	Bronze Dark
K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)




CROSSLIGHT DOPPIO

design dark studio





CROSSLIGHT DOPPIO
130-03-001-151-DD



BB(B)	COLORS	03	White (translucent)
CCC	TYPE E27	001	LED / Globe (MAX 8 W)
I(I)	COLOR CAPS	150 151	Bronze Light Bronze Dark RAL color on request
DD	SUSP. CABLE	01 02	1,5 m 2,5 m

ELPEE
design dark studio







218 Rosso Verona



216 Vert De Rajasthan



215 Marron Napoleon




217 Travertino Romano Striato



148 Terracotta Green




139 Terracotta Red



Acoustic

ACOUSTIC COLORS





ELPEE

2595-BB(B)-90654H-DD-III-K

ELPEE G9

2598-BB(B)-071-DD-II(I)



BB(B)	COLORS	02	Black
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
CCC	TYPE G9	071	G9 - LED 6W - 500lm (Excl. Lamp)
GG	REFLECTOR	54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
III	MATERIALS	00	Naked*
		118	Oak natural
		117	Oak stained black
		134	Alabaster
		139	Terracotta Red
		148	Terracotta Green
		215	Marron Napoleon
		216	Vert De Rajasthan
		218	Rosso Verona
		217	Travertino Romano Striato
		*Material provided by client	
III	ACOUSTIC	02	Black
		155	Green
		156	Beige
		157	Grey
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)



HONEYCOMB

172-9005-436099

172-9003-436099

172-0112-436099

Black

White

Gold

Alu



EMANUELLE PURE

design gregoire maisondieu






EMANUELLE PURE 400 H
3335-BB(B)-14-2-DD-K

EMANUELLE PURE 600 H
3336-BB(B)-14-2-DD-K

EMANUELLE PURE 800 H
3337-BB(B)-14-2-DD-K



BB(B)	COLORS	10	Alu
		151	Bronze Dark
FF	LED	14	>90 CRI • 800 Lm / 14 W/m
			>90 CRI • 1200 Lm / 14 W/m
			>90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

Alu-PC

CE

960°

IP20




EQUALIZER


design lbrand












BB(B)	COLORS	02	Black
		03	White
		10	Alu
		150	Bronze Light
		151	Bronze Dark
		 RAL color on request	
EFF	CRI • LUMENOUTPUT	903	>90 CRI • 350 Lm / 350 mA / 3,5 W
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	0	Non dimmable (extern/intern)*
		3	Dali (extern/intern)
		4	Phase cut (extern/intern)*
*To be confirmed by Order			
Metal-Alu			
       			

EQUALIZER WALL

35


EQUALIZER WALL

3502-BB(B)-903H-K



EQUALIZER WALL

3502-BB(B)-903H-K-IN




FUTAKO

design dark studio





FUTAKO WALL G9
2645-BB(B)-071-II(I)-12



BB(B)	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
II(I)	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
CCC	TYPE G9	071		G9 - LED 6W - 500lm (Excl. Lamp)
D(D)	DIAMETER	12	12 cm (MAX 6W)	

Alu - Glass





G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+



KITN MIGLIA
design dark studio

CUSTOM MADE
your dream -our challenge







— SPOTS —




— CORNER —



2662-BB-S-H-K-length
2662-BB-1-065-length



2662-BB-S-H-K-M-length
2662-BB-1-065-M-length



BB	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
S	SPOTS	1	TOQI	
CCC	CCC	065		QPAR51 (MAX 50 W)
HONEYCOMB			ACCESSORIES p. 91	


BB	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
S	SPOTS	2	TIKI	
		3	TUKI	
		4	PETI	
		5	PETU	
H	COLOR TEMP	2	2700K	

K	DRIVER	1	No driver(CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)


M	PENDANT	X	Make your choice p.46
---	---------	---	-----------------------

HONEYCOMB ACCESSORIES p. 91

2662-BB-20PH-K-length



2662-BB-S-20PH-K-M-length



BB	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
S	SPOTS	2		TIKI
		3		TUKI
		4		PETI
		5		PETU
FF	LED	20	>90 CRI • 3270Lm/m / 20 W/M / 24 Vdc	

H	COLOR TEMP	2	2700K
		3	3000K
		1	No driver (CC)


K	DRIVER	3	Dali (extern)
---	--------	---	---------------

Phase 2 (extensive)

2662-BB-H90



2662-BB-V90



OTHER ANGLES AVAILABLE UPON REQUEST




— KITN **PENDANTS** LED —

 PETU 1 Black / Bronze Dark 2 Bronze Dark / Bronze Light 3 Bronze Dark / Bronze Dark			 TUKI 40 4 Black		
 CHIQUE 5 Bronze Dark / Bronze Light 6 Bronze Dark / Bronze Dark			 TOTM 7 Black		
 CUIABA 8 Cuiaba					
 ELPEE 9 Travertino Romano Striato 10 Rosso Verona 11 Vert De Rajasthan 12 Marron Napoleon					


If you haven't found what you are looking for, **contact us**, we make it happen!

— KITN **PENDANTS** 230V / G9-E27 —


 TWOCAN 13 Black / Brass 14 Brass / Brass 15 Black / Black 16 Black / Brass Big					
 GAZTA 17 Black 18 Terracotta		 LGTM 19 Black 20 White			
 FOREVER 27 21 Forever 27 disk		 CAPTAIN CORK 22 Black		 BANGSTER HOODY 23 Black 24 Brass	
		 SANGHA 25 30 Black 26 30 Natural 27 40 Black 28 40 Natural			

NO FRUIT

design anthony duffeleer







BB	MATERIAL	03	White (translucent)
EFF	CRI • LUMENOUTPUT	510	>90 CRI • 6200 Lm / 130W
H	COLOR TEMP.	2	2700 K
		3	3000 K
DD	SUSP. CABLE	02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (intern)
		2	Dimmable 1-10 V (intern)
		3	Dali (intern)
		4	Phase cut (intern)



BB	MATERIAL	03	White (translucent)
EFF	CRI • LUMENOUTPUT	500	RGB
		505	RGBW
DD	SUSP. CABLE	02	2,5 m
		03	5 m
K	DRIVER	0	Standalone • remote control (intern)
		3	Dali (intern)
		9	DMX (intern)

PE-Metal

CE

850°

IP20


RENAISSANCE

design true agency





RENAISSANCE 3S
2740-BB(B)-E-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
E	CRI • LUMENOUTPUT	2	>90CRI • 2900 Lm / 19,4W / 2700K
		3	>90CRI • 3150 Lm / 19,4W / 3000K
K	DRIVER	1	No driver
		0	Non dimmable
		3	Dali

Aluminium

CE

SL53

design leon stynen


HERITAGE
COLLECTION

1953






SL 53 M
3350-BB(B)906H-DD-K



SL 53
3351-BB(B)914H-DD-K



BB(B)	COLORS CONES	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
				RAL color on request
II(I)	COLORS RING	02		Black
		03		White
		10		Alu Satinated
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
				RAL color on request
EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED	>90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K	
		3	3000K	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	



LEON M. J. R. STYNEN



Kursaal - Oostende

Constructed 1953 / Redesigned 2025



BB(B)	COLORS CONES	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		RAL color on request		

II(I)	COLORS RING	02		Black
		03		White
		10		Alu Satinated
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		RAL color on request		

EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED	>90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K	
		3	3000K	

K	DRIVER	1	No driver (CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)

Alu

CE


CC
LED

230 V


960°

IP20

SL 53 M WALL
3352-BB(B)906H-K




SL 53 WALL
3353-BB(B)914H-K




TOTM
design studio bjorn verlinde





TOTM WALL
3265-14H-K
3265-COL-14H-K




COL	COLOR THEME	001					
		002					
		003					
		004					
		005					
		006					
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V				
H	COLOR TEMP.	2	2700K				
		3	3000K				
DD	SUSP. CABLE	01	1,5 m				
		02	2,5 m				
K	DRIVER	1	No driver (CC)				
		0	Non dimmable (intern)				
		3	Dali (extern)				
		4	Phase cut (intern)				

Alu


CE




TOTM TABLE
3270-14
3270-COL-14




TOTM TABLE LARGE
3270-14-L
3270-COL-14-L






TOTM
3261-14H-DD-K
3261-COL-14H-DD-K



TOTM LARGE
3262-14H-DD-K
3262-COL-14H-DD-K




COL	COLOR THEME	001				
		002				
		003				
		004				
		005				
		006				
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V			
		2	2700K			
		3	3000K			
DD	SUSP. CABLE	01	1,5 m			
		02	2,5 m			
K	DRIVER	1	No driver (CC)			
		0	Non dimmable (intern)			
		3	Dali (extern)			
		4	Phase cut (intern)			

TSJUTA

design yves grillet





G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
CCC	TYPE G9	071	G9 - LED 6W - 500lm (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable
		3	Dali
		4	Phase cut





TSJUTA 2 G9
2730-2-BB(B)-071

TSJUTA 2
2730-2-BB(B)-906GGH-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
CCC	TYPE G9	071	G9 - LED 6W - 500lm (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable
		3	Dali
		4	Phase cut

Alu - Glass




TWOCAN
design dark studio






TWOCAN ML

2553-BB(B)-90400H-DD-II(I)-K
2553-BB(B)-071-DD-II(I)




TWOCAN LM

2557-BB(B)-90400H-DD-II(I)-K
2557-BB(B)-071-DD-II(I)




TWOCAN MS

2552-BB(B)-90400H-DD-II(I)-K
2552-BB(B)-071-DD-II(I)




TWOCAN SM

2554-BB(B)-90400H-DD-II(I)-K
2554-BB(B)-071-DD-II(I)




TWOCAN MM

2551-BB(B)-90400H-DD-II(I)-K
2551-BB(B)-071-DD-II(I)




TWOCAN SL

2556-BB(B)-90400H-DD-II(I)-K
2556-BB(B)-071-DD-II(I)




TWOCAN LS

2558-BB(B)-90400H-DD-II(I)-K
2558-BB(B)-071-DD-II(I)




TWOCAN SS

2555-BB(B)-90400H-DD-II(I)-K
2555-BB(B)-071-DD-II(I)



TWOCAN LL

2559-BB(B)-90400H-DD-II(I)-K
2559-BB(B)-071-DD-II(I)





G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+




BB(B)	COLORS UPPER PART	02		Black
		03		White
		150		Bronze light
		151		Bronze dark
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		110		Brass
		 RAL color on request		
CCC	TYPE G9	071		LED (MAX 6 W) (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	904	LED	>90 CRI • 2x 600 Lm / 350 mA / 6,4 W
H	COLOR TEMP.	1	2200K	
		2	2700K	
		3	3000K	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
II(I)	COLORS LOWEST PART	02		Black
		03		White
		150		Bronze light
		151		Bronze dark
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		110		Brass
		 RAL color on request		
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	

VIDRYA
design dark studio






VIDRYA
3580-BB-PAT-363-(J)-DD-K




BB(B)	COLORS	02	Black
		03	White
		151	Bronze Dark
		RAL color on request	
PAT	PATTERN	001	
		002	
		003	
FF	LED	36	>90 CRI • 3780Lm / 36 W
H	COLOR TEMP.	3	3000K
(J) optional	UPLIGHT	1	>90 CRI • 3780Lm / 36 W
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut





VIDRYA WALL
3581-BB-PAT-223-K




BB(B)	COLORS	02		Black
		03		White
		151		Bronze Dark
		 RAL color on request		
PAT	PATTERN	001		
		002		
		003		
FF	LED	22	>90 CRI • 1050 Lm/m / 14,4 W/m - 22W	
H	COLOR TEMP.	3	3000K	
K	DRIVER	0	Non dimmable	
		3	Dali	
		4	Phase cut	

Alu-PC


ACCESSORIES

3D Warehouse - Sketchup library




<https://3dwarehouse.sketchup.com/by/DARK>

For TIKI - TUKI - PETI - PETU



172-9005-436099		Black
172-9003-436099		White
172-0112-436099		Gold

For TOQI




172-9005-438099		Black
172-9003-438099		White
172-0112-438099		Gold

HONEYCOMB



Black



White



Gold

DARK®

DARK at night nv
Vliegplein 43
9991 Maldegem – Belgium
+32 50 71 81 40
info@dark.be
www.dark.be



© DARK 2026 - Dark has the right to change any technical data, dimensions, colors and characteristics without prior notice. All rights reserved.
Please check always the latest technical data sheets on www.dark.be.

Dark is very proud to present this collection and especially the fact that we have more than 100 international design awards.

Any reproduction of the Dark products is strictly forbidden and can seriously damage your health and endanger your bank account.

