




DARK[®]

NEW DARLINGS 2026



DARK®



Marnick Smessaert
Founder

THE ART OF LIGHTING

DARK was founded in 2000 by Marnick Smessaert, driven by a passion for design, innovation and lighting. From the very beginning, DARK has never been about ordinary lighting. It has been about ideas, and the belief that a luminaire can be much more than a source of light. It can be a sculpture, a statement, a mood, an object that defines a space.

In 2001, that vision received its first international recognition. Our first design award marked the beginning of an extraordinary journey. Today DARK has won 120 international design awards — a true milestone.

For DARK, lighting is architecture, emotion and personality combined. By working with designers from Belgium and abroad, and by bringing together form, material, technology and craftsmanship, DARK creates lighting that is unexpected, refined and unmistakably original. Every piece is developed with attention to detail, precious materials, elegant finishes and a healthy dose of mischief.

Our think tank, offices and production facilities are based in Belgium, but our impact reaches far beyond. Over the years, DARK has grown into an international reference in contemporary lighting, with projects, products and concepts that continue to challenge convention. DARK is anything but grey.

We do not follow design in lighting. We claim it.
You love it or you hate it!



CHIQUE WALL DOUBLE 6



FUTAKO 36



TOTM 66



CROSSLIGHT DOPPIO 10



ELPEE 14



EMANUELLE PURE 20



EQUALIZER 24



KITN MIGLIA 40



NO FRUIT 48



RENAISSANCE 54



SL53 58



TSJUTA 1 76



TSJUTA 2 78



TWO CAN 80



VIDRYA 86

CHIQUÉ WALL DOUBLE

design dark studio






A DISCLAIMER – Nature decides the look of alabaster!





CHIQUÉ 30.5 WALL DOUBLE
2608-BB(B)-904H-II(I)-JJ(J)-K



CHIQUÉ 30.6 WALL DOUBLE
2609-BB(B)-904H-II(I)-JJ(J)-K

CHIQUÉ 30.4 WALL DOUBLE
2607-BB(B)-904H-II(I)-JJ(J)-K


BB(B)	COLORS	13		Glass White
		134		
EFF	CRI • LUMENOUTPUT	904		Alabaster
H	COLOR TEMP.	1		
		2		
		3		
II(I)	COLOR	02		Black
		10		Alu
		150		Bronze Light
		151		Bronze Dark
JJ(J)	COLOR	02		Black
		10		Alu
		150		Bronze Light
		151		Bronze Dark
K	DRIVER	1		No driver (CC)
		0		Non dimmable (extern)
		3		Dali (extern)
		4		Phase cut (extern)




CROSSLIGHT DOPPIO

design dark studio





CROSSLIGHT DOPPIO
130-03-001-151-DD



BB(B)	COLORS	03		White (translucent)
CCC	TYPE E27	001		LED / Globe (MAX 8 W)
I(I)	COLOR CAPS	150		Bronze Light
		151		Bronze Dark
				RAL color on request
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	

ELPEE
design dark studio







218 Rosso Verona



216 Vert De Rajasthan



215 Marron Napoleon




217 Travertino Romano Striato



148 Terracotta Green





139 Terracotta Red



Acoustic

ACOUSTIC COLORS





BB(B)	COLORS	02		Black
		10		Alu Saturated
		150		Bronze Light
		151		Bronze Dark
CCC	TYPE G9	071		G9 - LED 6W - 500lm
		071		G9 - LED 6W - 500lm (Excl. Lamp)
GG	REFLECTOR	54	54°	
H	COLOR TEMP.	2	2700K	
		3	3000K	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
III	MATERIALS	00		Naked*
		118		Oak natural
		117		Oak stained black
		134		Alabaster
		139		Terracotta Red
		148		Terracotta Green
		215		Marron Napoleon
		216		Vert De Rajasthan
		218		Rosso Verona
		217		Travertino Romano Striato
				*Material provided by client
III	ACOUSTIC	02		Black
		155		Green
		156		Beige
		157		Grey
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	

	HONEYCOMB	172-9005-436099		Black
		172-9003-436099		White
		172-0112-436099		Gold

Alu



EMANUELLE PURE

design gregoire maisondieu






EMANUELLE PURE 400 H
3335-BB(B)-14-2-DD-K

EMANUELLE PURE 600 H
3336-BB(B)-14-2-DD-K

EMANUELLE PURE 800 H
3337-BB(B)-14-2-DD-K



BB(B)	COLORS	10	Alu
		151	Bronze Dark
FF	LED	14	>90 CRI • 800 Lm / 14 W/m
			>90 CRI • 1200 Lm / 14 W/m
			>90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

Alu-PC

CE

960°

IP20



EQUALIZER

design lbrand



DESIGN
AWARD
2025

2025 WINNER
EUROPEAN
PRODUCT
DESIGN
AWARD








EQUALIZER 1600

3501-BB(B)-903H-DD-K-L-MM



BB(B)	COLORS	02		Black
		03		White
		10		Alu
		150		Bronze Light
		151		Bronze Dark
				

EFF	CRI • LUMEN OUTPUT	903	>90 CRI • 350 mA / 3,5 W
H	COLOR TEMP.	2	2700K
		3	3000K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	0	Non dimmable (extern)
		3	Dali / Push Dim (extern)

L	LIGHTING	1	down (1 driver extern) 9x 280 Lm
		2	up/down (2 drivers extern) 18x 280 Lm


MM	TYPE	01	1600 Concrete ceiling - driver remote - down
		02	1600 Concrete ceiling - driver remote - up/down
		03	1600 Concrete ceiling - driver in ceiling base - down
		04	1600 Concrete ceiling - driver in ceiling base - up/down
		05	1600 Plaster board - driver recessed in base - down
		06	1600 Plaster board - driver recessed in base - up/down
		07	1600 Plaster board - driver remote - down
		08	1600 Plaster board - driver remote - up/ down

Technical mounting data: see big catalog 2025 p.172 or www.dark.be



2500

3500-BB(B)-903H-DD-K-L-MM



BB(B)	COLORS	02		Black
		03		White
		10		Alu
		150		Bronze Light
		151		Bronze Dark
				

EFF	CRI • LUMENOUTPUT	903	>90 CRI • 350 mA / 6,4 W
H	COLOR TEMP.	2	2700K
		3	3000K

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m


K	DRIVER	0	Non dimmable (extern)
		3	Dali / Push Dim (extern)

L	LIGHTING	1	down (1 driver extern) 10x 420 Lm
		2	up/down (2 drivers extern) 20x 420 Lm

MM	TYPE	01	2500 Concrete ceiling - driver remote - down
		02	2500 Concrete ceiling - driver remote - up/down
		03	2500 Concrete ceiling - driver in ceiling base - down
		04	2500 Concrete ceiling - driver in ceiling base - up/down
		05	2500 Plaster board - driver recessed in base - down
		06	2500 Plaster board - driver recessed in base - up/down
		07	2500 Plaster board - driver remote - down
		08	2500 Plaster board - driver remote - up/down

Technical mounting data: see big catalog 2025 p.172 or www.dark.be






BB(B)	COLORS	02	Black
		03	White
		10	Alu
		150	Bronze Light
		151	Bronze Dark
		 RAL color on request	
EFF	CRI • LUMENOUTPUT	903	>90 CRI • 350 Lm / 350 mA / 3,5 W
		2	2700K
		3	3000K
K	DRIVER	0	Non dimmable (extern/intern)*
		3	Dali (extern/intern)
		4	Phase cut (extern/intern)*
*To be confirmed by Order			
Metal-Alu			
       			

EQUALIZER WALL


EQUALIZER WALL

3502-BB(B)-903H-K



EQUALIZER WALL

3502-BB(B)-903H-K-IN




FUTAKO

design dark studio





FUTAKO WALL G9
2645-BB(B)-071-II(I)-12



BB(B)	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
II(I)	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
CCC	TYPE G9	071		G9 - LED 6W - 500lm (Excl. Lamp)
D(D)	DIAMETER	12	12 cm (MAX 6W)	

Alu - Glass



G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+

KITN MIGLIA


design dark studio

CUSTOM MADE
your dream -our challenge







— SPOTS —




— CORNER —



2662-BB-S-H-K-length
2662-BB-1-065-length



2662-BB-S-H-K-M-length
2662-BB-1-065-M-length




BB	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
S	SPOTS	1	TOQI	
CCC	CCC	065		QPAR51 (MAX 50 W)
HONEYCOMB			ACCESSORIES p. 91	

BB	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
S	SPOTS	2	TIKI	
		3	TUKI	
		4	PETI	
		5	PETU	
H	COLOR TEMP	2	2700K	


K	DRIVER	1	No driver(CC)
		0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)

M	PENDANT	X	Make your choice p.46
---	---------	---	------------------------------

2662-BB-20PH-K-length



2662-BB-S-20PH-K-M-length



BB	COLORS	02	Black
		03	White
		150	Bronze Light
		151	Bronze Dark
S	SPOTS	2	TIKI
		3	TUKI
		4	PETI
		5	PETU
FF	LED	20	>90 CRI • 3270Lm/m / 20 W/M / 24 Vdc

H	COLOR TEMP	2	2700K
		3	3000K
		1	No driver (CC)


K	DRIVER	3	Dali (extern)
---	--------	---	---------------

HONEYCOMB	ACCESSORIES p. 91
-----------	-------------------

2662-BB-H90




2662-BB-V90





OTHER ANGLES AVAILABLE UPON REQUEST

— KITN **PENDANTS** **LED** —

 PETU 1 Black / Bronze Dark 2 Bronze Dark / Bronze Light 3 Bronze Dark / Bronze Dark			 TUKI 40 4 Black	
 CHIQUE 5 Bronze Dark / Bronze Light 6 Bronze Dark / Bronze Dark		 TOTM 7 Black		
 CUIABA 8 Cuiaba				
 ELPEE 9 Travertino Romano Striato 10 Rosso Verona 11 Vert De Rajasthan 12 Marron Napoleon				

If you haven't found what you are looking for, **contact us**, we make it happen!

— KITN **PENDANTS** **230V / G9-E27** —


 TWOCAN 13 Black / Brass 14 Brass / Brass 15 Black / Black 16 Black / Brass Big				 GAZTA 17 Black 18 Terracotta	
 LGTM 19 Black 20 White		 FOREVER 27 21 Forever 27 disk			
 CAPTAIN CORK 22 Black		 BANGSTER HOODY 23 Black 24 Brass			
 SANGHA 25 30 Black 26 30 Natural		 27 40 Black 28 40 Natural			

NO FRUIT

design anthony duffeleer







BB	MATERIAL	03	White (translucent)
EFF	CRI • LUMENOUTPUT	500 505	RGB RGBW
DD	SUSP. CABLE	02 03	2,5 m 5 m
K	DRIVER	0 3 9	Standalone • remote control (intern) Dali (intern) DMX (intern)

PE-Metal

CE

850°

IP20


RENAISSANCE

design true agency





RENAISSANCE 3S
2740-BB(B)-E-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
E	CRI • LUMENOUTPUT	2	>90CRI • 2900 Lm / 19,4W / 2700K
		3	>90CRI • 3150 Lm / 19,4W / 3000K
K	DRIVER	1	No driver
		0	Non dimmable
		3	Dali

Aluminium

CE

IP20

SL53

design leon stynen


HERITAGE
COLLECTION

1953






SL 53 M
3350-BB(B)906H-DD-K



SL 53
3351-BB(B)914H-DD-K



BB(B)	COLORS CONES	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
				RAL color on request

II(I)	COLORS RING	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
				RAL color on request

EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED	>90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K	
		3	3000K	

DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)



LEON M. J. R. STYNEN



Kursaal - Oostende
Constructed 1953 / Redesigned 2025




BB(B)	COLORS CONES	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED	>90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K	
		3	3000K	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	


Alu



SL 53 M WALL
3352-BB(B)906H-K




SL 53 WALL
3353-BB(B)914H-K




TOTM
design studio bjorn verlinde





TOTM WALL
3265-14H-K
3265-COL-14H-K




COL	COLOR THEME	001					
		002					
		003					
		004					
		005					
		006					
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V				
H	COLOR TEMP.	2	2700K				
		3	3000K				
DD	SUSP. CABLE	01	1,5 m				
		02	2,5 m				
K	DRIVER	1	No driver (CC)				
		0	Non dimmable (intern)				
		3	Dali (extern)				
		4	Phase cut (intern)				

Alu



CE




TOTM TABLE
3270-14
3270-COL-14




TOTM TABLE LARGE
3270-14-L
3270-COL-14-L






TOTM
3261-14H-DD-K
3261-COL-14H-DD-K




TOTM LARGE
3262-14H-DD-K
3262-COL-14H-DD-K



COL	COLOR THEME	001				
		002				
		003				
		004				
		005				
		006				
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V			
		2	2700K			
		3	3000K			
DD	SUSP. CABLE	01	1,5 m			
		02	2,5 m			
K	DRIVER	1	No driver (CC)			
		0	Non dimmable (intern)			
		3	Dali (extern)			
		4	Phase cut (intern)			





G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+


BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
CCC	TYPE G9	071	G9 - LED 6W - 500lm (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable
		3	Dali
		4	Phase cut





TSJUTA 2 G9
2730-2-BB(B)-071

TSJUTA 2
2730-2-BB(B)-906GGH-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
CCC	TYPE G9	071	G9 - LED 6W - 500lm (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable
		3	Dali
		4	Phase cut

Alu - Glass




TWOCAN
design dark studio






TWOCAN ML

2553-BB(B)-90400H-DD-II(I)-K
2553-BB(B)-071-DD-II(I)




TWOCAN LM

2557-BB(B)-90400H-DD-II(I)-K
2557-BB(B)-071-DD-II(I)




TWOCAN MS

2552-BB(B)-90400H-DD-II(I)-K
2552-BB(B)-071-DD-II(I)




TWOCAN SM

2554-BB(B)-90400H-DD-II(I)-K
2554-BB(B)-071-DD-II(I)




TWOCAN MM

2551-BB(B)-90400H-DD-II(I)-K
2551-BB(B)-071-DD-II(I)




TWOCAN SL

2556-BB(B)-90400H-DD-II(I)-K
2556-BB(B)-071-DD-II(I)




TWOCAN LS

2558-BB(B)-90400H-DD-II(I)-K
2558-BB(B)-071-DD-II(I)




TWOCAN SS

2555-BB(B)-90400H-DD-II(I)-K
2555-BB(B)-071-DD-II(I)



TWOCAN LL

2559-BB(B)-90400H-DD-II(I)-K
2559-BB(B)-071-DD-II(I)





G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+




BB(B)	COLORS UPPER PART	02		Black
		03		White
		150		Bronze light
		151		Bronze dark
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		110		Brass
		 RAL color on request		
CCC	TYPE G9	071		LED (MAX 6 W) (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	904	LED	>90 CRI • 2x 600 Lm / 350 mA / 6,4 W
H	COLOR TEMP.	1	2200K	
		2	2700K	
		3	3000K	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
II(I)	COLORS LOWEST PART	02		Black
		03		White
		150		Bronze light
		151		Bronze dark
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		110		Brass
		 RAL color on request		
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	

VIDRYA
design dark studio






VIDRYA
3580-BB-PAT-363-[J]-DD-K




BB(B)	COLORS	02	Black
		03	White
		151	Bronze Dark
		RAL color on request	
PAT	PATTERN	001	
		002	
		003	
FF	LED	36	>90 CRI • 3780Lm / 36 W
H	COLOR TEMP.	3	3000K
[J] optional	UPLIGHT	1	>90 CRI • 3780Lm / 36 W
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut





VIDRYA WALL
3581-BB-PAT-223-K




BB(B)	COLORS	02		Black
		03		White
		151		Bronze Dark
		 RAL color on request		
PAT	PATTERN	001		
		002		
		003		
FF	LED	22	>90 CRI • 1050 Lm/m / 14,4 W/m - 22W	
H	COLOR TEMP.	3	3000K	
K	DRIVER	0	Non dimmable	
		3	Dali	
		4	Phase cut	

Alu-PC




ACCESSORIES

3D Warehouse - Sketchup library




<https://3dwarehouse.sketchup.com/by/DARK>

For TIKI - TUKI - PETI - PETU




172-9005-436099		Black
172-9003-436099		White
172-0112-436099		Gold

For TOQI



172-9005-438099		Black
172-9003-438099		White
172-0112-438099		Gold

HONEYCOMB



DARK®

DARK at night nv
Vliegplein 43
9991 Maldegem – Belgium
+32 50 71 81 40
info@dark.be
www.dark.be

 www.facebook.com/wealllovethedark

 www.pinterest.com/pindark

 www.instagram.com/dark.be

© DARK 2026 - Dark has the right to change any technical data, dimensions, colors and characteristics without prior notice. All rights reserved.
Please check always the latest technical data sheets on www.dark.be.

Dark is very proud to present this collection and especially the fact that we have more than 100 international design awards.

Any reproduction of the Dark products is strictly forbidden and can seriously damage your health and endanger your bank account.

