



DARK[®]

NEW DARLINGS 2026



DARK®



Marnick Smessaert
Founder

THE ART OF LIGHTING

DARK was founded in 2000 by Marnick Smessaert, driven by a passion for design, innovation and lighting. From the very beginning, DARK has never been about ordinary lighting. It has been about ideas, and the belief that a luminaire can be much more than a source of light. It can be a sculpture, a statement, a mood, an object that defines a space.

In 2001, that vision received its first international recognition. Our first design award marked the beginning of an extraordinary journey. Today DARK has won 120 international design awards — a true milestone.

For DARK, lighting is architecture, emotion and personality combined. By working with designers from Belgium and abroad, and by bringing together form, material, technology and craftsmanship, DARK creates lighting that is unexpected, refined and unmistakably original. Every piece is developed with attention to detail, precious materials, elegant finishes and a healthy dose of mischief.

Our think tank, offices and production facilities are based in Belgium, but our impact reaches far beyond. Over the years, DARK has grown into an international reference in contemporary lighting, with projects, products and concepts that continue to challenge convention. DARK is anything but grey.

We do not follow design in lighting. We claim it.
You love it or you hate it!



CHIQUE WALL DOUBLE 6



FUTAKO 36



TOTM 66



CROSSLIGHT DOPPIO 10



ELPEE 14



EMANUELLE PURE 20



EQUALIZER 24



KITNIGLIA 40



NO FRUIT 48



RENAISSANCE 54



SL53 58



TSJUTA 1 76



TSJUTA 2 78



TWO CAN 80



VIDRYA 86

CHIQUÉ WALL DOUBLE

design dark studio






DISCLAIMER – Nature decides the look of alabaster!





CHIQUÉ 30.5 WALL DOUBLE
2608-BB(B)-904H-II(I)-JJ(J)-K



CHIQUÉ 30.6 WALL DOUBLE
2609-BB(B)-904H-II(I)-JJ(J)-K

CHIQUÉ 30.4 WALL DOUBLE
2607-BB(B)-904H-II(I)-JJ(J)-K


BB(B)	COLORS	13		Glass White
		134		
EFF	CRI • LUMENOUTPUT	904		>90 CRI • 400 Lm / 250 mA / 4,2 W
		1		
H	COLOR TEMP.	2		2200K
		2		
		3		
II(I)	COLOR	02		Black
		10		
		150		
		151		
JJ(J)	COLOR	02		Black
		10		
		150		
		151		
K	DRIVER	1		No driver (CC)
		0		
		3		
		4		




CROSSLIGHT DOPPIO

design dark studio





CROSSLIGHT DOPPIO
130-03-001-151-DD




BB(B)	COLORS	03	White (translucent)
CCC	TYPE E27	001	LED / Globe (MAX 8 W)
I(I)	COLOR CAPS	150	Bronze Light
		151	Bronze Dark
			RAL color on request
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m


ELPEE
design dark studio







218 Rosso Verona



216 Vert De Rajasthan



215 Marron Napoleon



217 Travertino Romano Striato



148 Terracotta Green





139 Terracotta Red



Acoustic

ACOUSTIC COLORS



	HONEYCOMB	172-9005-436099		Black
		172-9003-436099		White
		172-0112-436099		Gold

BB(B)	COLORS	02		Black
		10		Alu Saturated
		150		Bronze Light
		151		Bronze Dark

CCC	TYPE G9	071		G9 - LED 6W - 500lm
-----	---------	-----	--	---------------------

CCC	TYPE G9	071		G9 - LED 6W - 500lm (Excl. Lamp)
GG	REFLECTOR	54	54°	
H	COLOR TEMP.	2	2700K	
		3	3000K	

DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	

III	MATERIALS	00		Naked*
		118		Oak natural
		117		Oak stained black
		134		Alabaster
		139		Terracotta Red
		148		Terracotta Green
		215		Marron Napoleon
		216		Vert De Rajasthan
		218		Rosso Verona
		217		Travertino Romano Striato
		*Material provided by client		

III	ACOUSTIC	02		Black
		155		Green
		156		Beige
		157		Grey

K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	

Alu

EMANUELLE PURE

design gregoire maisondieu







EMANUELLE PURE 400 H
3335-BB(B)-14-2-DD-K

EMANUELLE PURE 600 H
3336-BB(B)-14-2-DD-K

EMANUELLE PURE 800 H
3337-BB(B)-14-2-DD-K




BB(B)	COLORS	10	Alu
		151	Bronze Dark
FF	LED	14	>90 CRI • 800 Lm / 14 W/m
		14	>90 CRI • 1200 Lm / 14 W/m
		14	>90 CRI • 1500 Lm / 14 W/m
H	COLOR TEMP.	2	2700K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)




EQUALIZER

design lbrand












BB(B)	COLORS	02		Black
		03		White
		10		Alu
		150		Bronze Light
		151		Bronze Dark
				RAL color on request
EFF	CRI • LUMENOUTPUT	903	>90 CRI • 350 Lm / 350 mA / 3,5 W	
H	COLOR TEMP.	2	2700K	
		3	3000K	
K	DRIVER	0	Non dimmable (extern/intern)*	
		3	Dali (extern/intern)	
		4	Phase cut (extern/intern)*	
*To be confirmed by Order				
Metal-Alu				
				

EQUALIZER WALL

35


EQUALIZER WALL

3502-BB(B)-903H-K



EQUALIZER WALL

3502-BB(B)-903H-K-IN



FUTAKO

design dark studio






BB(B)	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
II(I)	COLORS	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
CCC	TYPE G9	071		G9 - LED 6W - 500lm (Excl. Lamp)
D(D)	DIAMETER	12	12 cm (MAX 6W)	

Alu - Glass



FUTAKO WALL G9
2645-BB(B)-071-II(I)-12



G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+



KITN MIGLIA
design dark studio

CUSTOM MADE
your dream -our challenge







— SPOTS —



— CORNER —



— KITN **PENDANTS** **LED** —

 PETU 1 Black / Bronze Dark			 PETU 2 Bronze Dark / Bronze Light			 PETU 3 Bronze Dark / Bronze Dark						 TUKI 40 4 Black							
 CHIQUE 5 Bronze Dark / Bronze Light			 CHIQUE 6 Bronze Dark / Bronze Dark						 TOTM 7 Black			 CUIABA 8 Cuiaba							
 ELPEE 9 Travertino Romano Striato				 ELPEE 10 Rosso Verona				 ELPEE 11 Vert De Rajasthan				 ELPEE 12 Marron Napoleon							

If you haven't found what you are looking for, **contact us**, we make it happen!

— KITN **PENDANTS** **230V / G9-E27** —

 TWOCAN 13 Black / Brass		 TWOCAN 14 Brass / Brass		 TWOCAN 15 Black / Black		 TWOCAN 16 Black / Brass Big			
 GAZTA 17 Black		 GAZTA 18 Terracotta				 LGTM 19 Black		 LGTM 20 White	
 FOREVER 27 21 Forever 27 disk				 CAPTAIN CORK 22 Black		 BANGSTER HOODY 23 Black		 BANGSTER HOODY 24 Brass	
		 SANGHA 25 30 Black		 SANGHA 26 30 Natural		 SANGHA 27 40 Black		 SANGHA 28 40 Natural	

NO FRUIT

design anthony duffeleer







NO FRUIT
150-03-510H-DD-K
150-03-EFF-DD-K

BB	MATERIAL	03	White (translucent)
EFF	CRI • LUMENOUTPUT	510	>90 CRI • 6200 Lm / 130W
H	COLOR TEMP.	2	2700 K
		3	3000 K
DD	SUSP. CABLE	02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (intern)
		2	Dimmable 1-10 V (intern)
		3	Dali (intern)
		4	Phase cut (intern)



BB	MATERIAL	03	White (translucent)
EFF	CRI • LUMENOUTPUT	500	RGB
		505	RGBW
DD	SUSP. CABLE	02	2,5 m
		03	5 m
K	DRIVER	0	Standalone • remote control (intern)
		3	Dali (intern)
		9	DMX (intern)

PE-Metal

CE

850°

IP20


RENAISSANCE

design true agency





RENAISSANCE 3S
2740-BB(B)-E-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
E	CRI • LUMENOUTPUT	2	>90CRI • 2900 Lm / 19,4W / 2700K
		3	>90CRI • 3150 Lm / 19,4W / 3000K
K	DRIVER	1	No driver
		0	Non dimmable
		3	Dali

Aluminium

CE

SL53

design leon stynen


HERITAGE
COLLECTION

1953







SL 53 M
3350-BB(B)906H-DD-K



SL 53
3351-BB(B)914H-DD-K



BB(B)	COLORS CONES	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		RAL color on request		
II(I)	COLORS RING	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		RAL color on request		
EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED	>90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
H	COLOR TEMP	2	2700K	
		3	3000K	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	



LEON M. J. R. STYNEN



Kursaal - Oostende

Constructed 1953 / Redesigned 2025



BB(B)	COLORS CONES	02		Black
		03		White
		150		Bronze Light
		151		Bronze Dark
		101		Soft Pink
		103		Soft Blue
		161		LS Blue
		104		Soft Green
		162		LS Green
		124		Kaki
EFF	CRI • LUMENOUTPUT	906	LED	>90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W
		914	LED	>90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W
	H	2	2700K	
		3	3000K	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	

Alu

CE

CC LED





960°


IP20








SL 53 M WALL
3352-BB(B)906H-K




SL 53 WALL
3353-BB(B)914H-K




TOTM
design studio bjorn verlinde





TOTM WALL
3265-14H-K
3265-COL-14H-K




COL	COLOR THEME	001					
		002					
		003					
		004					
		005					
		006					
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V				
H	COLOR TEMP.	2	2700K				
		3	3000K				
DD	SUSP. CABLE	01	1,5 m				
		02	2,5 m				
K	DRIVER	1	No driver (CC)				
		0	Non dimmable (intern)				
		3	Dali (extern)				
		4	Phase cut (intern)				

Alu







TOTM TABLE
3270-14
3270-COL-14




TOTM TABLE LARGE
3270-14-L
3270-COL-14-L






TOTM
3261-14H-DD-K
3261-COL-14H-DD-K



TOTM LARGE
3262-14H-DD-K
3262-COL-14H-DD-K




COL	COLOR THEME	001	
		002	
		003	
		004	
		005	
		006	
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

TSJUTA

design yves grillet





G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+


BB(B)	COLORS	02		Black
		03		White
		10		Alu Satinated
		150		Bronze Light
		151		Bronze Dark
CCC	TYPE G9	071		G9 - LED 6W - 500lm (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W	
GG	REFLECTOR	22	22°	
		34	34°	
		54	54°	
H	COLOR TEMP.	2	2700K	
		3	3000K	
K	DRIVER	1	No driver (CC)	
		0	Non dimmable	
		3	Dali	
		4	Phase cut	

Alu - Glass



TSJUTA 2 G9
2730-2-BB(B)-071

TSJUTA 2
2730-2-BB(B)-906GGH-K



BB(B)	COLORS	02	Black
		03	White
		10	Alu Satinated
		150	Bronze Light
		151	Bronze Dark
CCC	TYPE G9	071	G9 - LED 6W - 500lm (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
GG	REFLECTOR	22	22°
		34	34°
		54	54°
H	COLOR TEMP.	2	2700K
		3	3000K
K	DRIVER	1	No driver (CC)
		0	Non dimmable
		3	Dali
		4	Phase cut

Alu - Glass

CE

CC LED

230V

850°

IP20


TWOCAN
design dark studio






TWOCAN ML

2553-BB(B)-90400H-DD-II(I)-K
2553-BB(B)-071-DD-II(I)




TWOCAN LM

2557-BB(B)-90400H-DD-II(I)-K
2557-BB(B)-071-DD-II(I)




TWOCAN MS

2552-BB(B)-90400H-DD-II(I)-K
2552-BB(B)-071-DD-II(I)




TWOCAN SM

2554-BB(B)-90400H-DD-II(I)-K
2554-BB(B)-071-DD-II(I)




TWOCAN MM

2551-BB(B)-90400H-DD-II(I)-K
2551-BB(B)-071-DD-II(I)




TWOCAN SL

2556-BB(B)-90400H-DD-II(I)-K
2556-BB(B)-071-DD-II(I)




TWOCAN LS

2558-BB(B)-90400H-DD-II(I)-K
2558-BB(B)-071-DD-II(I)




TWOCAN SS

2555-BB(B)-90400H-DD-II(I)-K
2555-BB(B)-071-DD-II(I)



TWOCAN LL

2559-BB(B)-90400H-DD-II(I)-K
2559-BB(B)-071-DD-II(I)





G9 - 18 x 55mm
180-4200-062700
6W, 2700K, 500 lm, dim 230V, CRI90, A+





BB(B)	COLORS UPPER PART	02		Black
		03		White
		150		Bronze light
		151		Bronze dark
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		110		Brass
		 RAL color on request		
CCC	TYPE G9	071		LED (MAX 6 W) (Excl. Lamp)
EFF	CRI • LUMENOUTPUT	904	LED	>90 CRI • 2x 600 Lm / 350 mA / 6,4 W
H	COLOR TEMP.	1	2200K	
		2	2700K	
		3	3000K	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
II(I)	COLORS LOWEST PART	02		Black
		03		White
		150		Bronze light
		151		Bronze dark
		101		Soft Pink
		103		Soft Blue
		104		Soft Green
		124		Kaki
		140		Old Pink
		141		Terracotta Red
		142		Oxide Red
		110		Brass
		 RAL color on request		
K	DRIVER	1	No driver (CC)	
		0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	

VIDRYA
design dark studio





VIDRYA
3580-BB-PAT-363-(J)-DD-K




BB(B)	COLORS	02		Black
		03		White
		151		Bronze Dark
		RAL color on request		
PAT	PATTERN	001		
		002		
		003		
FF	LED	36	>90 CRI • 3780Lm / 36 W	
H	COLOR TEMP.	3	3000K	
(J) optional	UPLIGHT	1	>90 CRI • 3780Lm / 36 W	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
K	DRIVER	0	Non dimmable	
		3	Dali	
		4	Phase cut	





VIDRYA WALL
3581-BB-PAT-223-K



BB(B)	COLORS	02		Black
		03		White
		151		Bronze Dark
		 RAL color on request		
PAT	PATTERN	001		
		002		
		003		
FF	LED	22	>90 CRI • 1050 Lm/m / 14,4 W/m - 22W	
H	COLOR TEMP.	3	3000K	
K	DRIVER	0	Non dimmable	
		3	Dali	
		4	Phase cut	

Alu-PC




ACCESSORIES

3D Warehouse - Sketchup library






<https://3dwarehouse.sketchup.com/by/DARK>

For TIKI - TUKI - PETI - PETU



172-9005-436099		Black
172-9003-436099		White
172-0112-436099		Gold

For TOQI



172-9005-438099		Black
172-9003-438099		White
172-0112-438099		Gold

HONEYCOMB



Black

White

Gold

DARK®

DARK at night nv
Vliegplein 43
9991 Maldegem – Belgium
+32 50 71 81 40
info@dark.be
www.dark.be

 www.facebook.com/wealllovethedark

 www.pinterest.com/pindark

 www.instagram.com/dark.be

© DARK 2026 - Dark has the right to change any technical data, dimensions, colors and characteristics without prior notice. All rights reserved.
Please check always the latest technical data sheets on www.dark.be.

Dark is very proud to present this collection and especially the fact that we have more than 100 international design awards.

Any reproduction of the Dark products is strictly forbidden and can seriously damage your health and endanger your bank account.

