






NINZA C - IP20



1797-BB-FFGH-DD-K-NN(N)

Alu | PC



IP20




230 V




CV DRIVER

960°




BB	EFF	G	H	K	NN(N)
COLORS	CRI • LUMENOUTPUT	DOWN TYPE	COLOR TEMP.	DRIVER	LENGTH
02 Black	LED	P plexi	2 2700 K	0 incl./non dim	90 900 mm
03 White			3 3000 K	2 Dim 1-10 V (extern)	120 1200 mm
On request			4 4000 K	3 Dali (extern)	180 1800 mm
				4 Phase cut (extern)	240 2400 mm
					On request


NINZA C - IP65/IP67



1800-BB-FFGH-K-NN(N)



1803-BB-FFGH-K-NN(N)



BB	EFF	G	H	K	NN(N)
COLORS	CRI • LUMENOUTPUT	DOWN TYPE	COLOR TEMP.	DRIVER (extern)	LENGTH
02 Black	LED	P plexi	2 2700 K	0 incl./non dim	90 900 mm
03 White			3 3000 K	2 Dim 1-10 V (extern)	120 1200 mm
On request			4 4000 K	3 Dali (extern)	180 1800 mm
				4 Phase cut (extern)	240 2400 mm
					On request