

SPAZE

design pieterjan for dark


1/7




reddot design award
winner 2017



SPAZE 1 S
1286-BB-13-01-K-J-234H-II(I)



SPAZE 1
1285-BB-13-K-J-234H-II(I)



TYPE 1	BB	COLORS	02	Black
			03	White
	CC	LED	13	>90 CRI • 3910 Lm / 25,9 W / 3000K
	DD	SUSP. CABLE	01	1,5 m
	K	DRIVER	0	Non dimmable (intern)
		2	Dimmable 1-10 V (intern)	
		3	Dali (intern)	
J	DIFFUSER	0	Opal	
		1	Prismatic	
TYPE 2	E	LED	2	>90 CRI • 2x1000 Lm / 350 mA / 9W
	GG	REFLECTOR	34	34°
	H	COLOR. TEMP.	2	2700 K
			3	3000 K
	II(I)	COLORS	02	Black
			03	White
			101	Soft Pink
			103	Soft Blue
			104	Soft Green
			124	Kaki
			140	Old Pink
			141	Terracotta Red
			142	Oxide Red
111			Brass Finish	
112			Gold Finish	
137	Bronze Finish			
			RAL color on request	



PC-Alu



DARK®

© DARK 2021 - Dark has the right to change any technical data, dimensions, colors and characteristics without prior notice. All rights reserved.
Please check always the latest technical data sheets on www.dark.be. Any reproduction of the Dark products is strictly forbidden and can seriously damage your health and endanger your bank account.


DARK at night nv
Vliegplein 43
9991 Maldegem - Belgium
+32 50 71 81 40
info@dark.be
www.dark.be




TYPE 1	BB	COLORS	02	Black
			03	White
	CC	LED	13	>90 CRI • 3910 Lm / 25,9 W / 3000 K
	DD	SUSP. CABLE.	01	1,5 m
K	DRIVER	0	Non dimmable (intern)	
		2	Dimmable 1-10 V (intern)	
		3	Dali (intern)	
J	DIFFUSER	0	Opal	
		1	Prismatic	
E	LED	2	>90 CRI • 4x 1000 Lm / 350 mA / 9 W	
GG	REFLECTOR	34	34°	
H	COLOR. TEMP.	2	2700 K	
		3	3000 K	
TYPE 2	II(I)	COLORS	02	Black
			03	White
			101	Soft Pink
			103	Soft Blue
			104	Soft Green
			124	Kaki
			140	Old Pink
			141	Terracotta Red
			142	Oxide Red
			111	Brass Finish
			112	Gold Finish
137	Bronze Finish			
				RAL color on request



SPAZE 5 S
1297-BB-13-01-K-J-234H-II(I)




SPAZE 5
1294-BB-13-K-J-234H-II(I)




TYPE 1	BB	COLORS	02	Black
			03	White
	CC	LED	13	>90 CRI • 7821 Lm / 51,8 W / 3000 K
	DD	SUSP. CABLE.	01	1,5 m
K	DRIVER	0	Non dimmable (intern)	
		2	Dimmable 1-10 V (intern)	
		3	Dali (intern)	
J	DIFFUSER	0	Opal	
		1	Prismatic	
E	LED	2	>90 CRI • 4x 1000 Lm / 350 mA / 9 W	
GG	REFLECTOR	34	34°	
H	COLOR. TEMP.	2	2700 K	
		3	3000 K	
TYPE 2	II(I)	COLORS	02	Black
			03	White
			101	Soft Pink
			103	Soft Blue
			104	Soft Green
			124	Kaki
			140	Old Pink
			141	Terracotta Red
			142	Oxide Red
			111	Brass Finish
			112	Gold Finish
			137	Bronze Finish
RAL color on request				



SPAZE 7 S
1298-BB-13-01-K-J-234H-II(I)






SPAZE 7
1295-BB-13-K-J-234H-II(I)



BB	COLORS	02	Black	
		03	White	
	CC	LED	13	>90 CRI • 2x 3910 Lm / 25,9 W / 3000 K
TYPE 1	DD	SUSP. CABLE.	01 1,5 m	
	K	DRIVER	0 Non dimmable (intern)	
			2 Dimmable 1-10 V (intern)	
3 Dali (intern)				
J	DIFFUSER	0	Opal	
		1	Prismatic	
E	LED	2	>90 CRI • 6x 1000 Lm / 350 mA / 9 W	
GG	REFLECTOR	34	34°	
H	COLOR. TEMP.	2	2700 K	
		3	3000 K	
TYPE 2	II(I)	COLORS	02	Black
			03	White
			101	Soft Pink
			103	Soft Blue
			104	Soft Green
			124	Kaki
			140	Old Pink
			141	Terracotta Red
			142	Oxide Red
			111	Brass Finish
112	Gold Finish			
137	Bronze Finish			
			RAL color on request	



SPAZE 9
1509-BB-13-K-J-234H-II(I)-N





TYPE 1	BB	COLORS	02	Black
			03	White
	CC	LED	13	>90 CRI • 3910 Lm / 25,9 W / 3000 K
K	DRIVER	0	Non dimmable (intern)	
		2	Dimmable 1-10 V (intern)	
		3	Dali (intern)	
J	DIFFUSER	0	Opal	
		1	Prismatic	
E	LED	2	>90 CRI • 2x1000 Lm / 350 mA / 9 W	
GG	REFLECTOR	34	34°	
H	COLOR TEMP.	2	2700 K	
		3	3000 K	
TYPE 2	II(I)	COLORS	02	Black
			03	White
			101	Soft Pink
			103	Soft Blue
			104	Soft Green
			124	Kaki
			140	Old Pink
			141	Terracotta Red
			142	Oxide Red
			111	Brass Finish
			112	Gold Finish
137	Bronze Finish			
				RAL color on request
TYPE 3	N	MODULE TUKI	1	2x TUKI 60 S / Black 36° / 900 Lm
		MODULE COOLFIN	2	2x COOLFIN S / Black 40° / 1300 Lm
		MODULE BANGSTER	3	2x BANGSTER HOODY S - Ø200mm / Black / 600 Lm
		4	2x BANGSTER HOODY S - Ø200mm / Brass / 600 Lm	





SPAZE 12
1512-BB-13-K-J-234H-II(I)-N(N)




TYPE 1	BB	COLORS	02	Black	
			03	White	
	CC	LED	13	>90 CRI • 5866 Lm / 38,9 W / 3000 K	
TYPE 1	K	DRIVER	0	Non dimmable (intern)	
			2	Dimmable 1-10 V (intern)	
			3	Dali (intern)	
TYPE 1	J	DIFFUSER	0	Opal	
			1	Prismatic	
TYPE 2	E	LED	2	>90 CRI • 2x 1000 Lm / 350 mA / 9 W	
	GG	REFLECTOR	34	34°	
	TYPE 2	H	COLOR. TEMP.	2	2700 K
				3	3000 K
	TYPE 2	II(I)	COLORS	02	Black
03				White	
101				Soft Pink	
103				Soft Blue	
104				Soft Green	
124				Kaki	
140				Old Pink	
141				Terracotta Red	
142				Oxide Red	
111				Brass Finish	
112				Gold Finish	
137				Bronze Finish	
				RAL color on request	
TYPE 3	N(N)	MODULE TWOCAN	5	2x TWOCAN ML / Black-Brass / 900 Lm	
			6	2x TWOCAN ML / White-White / 900 Lm	
		MODULE LJ-LAMP	7	2x LJ-LAMP / Brass / E27	
			8	2x LJ-LAMP / White / E27	
		MODULE BANGSTER	9	2x BANGSTER HOODY S - Ø300mm / White / 600 Lm	
			10	2x BANGSTER HOODY S - Ø300mm / Brass / 600 Lm	
		11	2x BANGSTER HOODY S - Ø300mm / Black / 600 Lm		





SPAZE II
1511-BB-13-K-J-234H-II(I)-N



TYPE 1	BB	COLORS	02	Black
			03	White
	CC	LED	13	>90 CRI • 5866 Lm / 38,9 W / 3000 K
K	DRIVER	0	Non dimmable (intern)	
		2	Dimmable 1-10 V (intern)	
		3	Dali (intern)	
J	DIFFUSER	0	Opal	
		1	Prismatic	
TYPE 2	II(I)	COLORS	02	Black
			03	White
			101	Soft Pink
			103	Soft Blue
			104	Soft Green
			124	Kaki
			140	Old Pink
			141	Terracotta Red
			142	Oxide Red
			111	Brass Finish
			112	Gold Finish
			137	Bronze Finish
TYPE 3	N	MODULE TUKI	1	2x TUKI 60 S / Black 36° / 900 Lm
		MODULE COOLFIN	2	2x COOLFIN S / Black 40° / 1300 Lm
		MODULE BANGSTER	3	2x BANGSTER HOODY S Ø200mm / Black / 600 Lm
			4	2x BANGSTER HOODY S Ø200mm / Brass / 600 Lm

