


CUP CAKE

design susanne uerlings for dark

1/4


CUP CAKE SUZY S

1065-BB(B)-804002-DD
1065-BB(B)-80600H-DD-K




CUP CAKE JENNY S

1066-BB(B)-804002-DD
1066-BB(B)-80600H-DD-K



CUP CAKE KATHY S

1067-BB(B)-804002-DD
1067-BB(B)-80600H-DD-K



BB(B)	COLORS	02		Black
		03		White
		110		Brass
EFF	CRI • LUMENOUTPUT	804		>80 CRI • 400 Lm / 6W
		806		>80 CRI • 600 Lm / 350mA / 6,4W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
K	DRIVER	1	No driver	
		0	Non dimmable (intern)	
		2	Dimmable 1-10 V (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	

Glass-Alu




DARK®

© DARK 2021 - Dark has the right to change any technical data, dimensions, colors and characteristics without prior notice. All rights reserved. Please check always the latest technical data sheets on www.dark.be. Any reproduction of the Dark products is strictly forbidden and can seriously damage your health and endanger your bank account.

DARK at night nv
Vliegplein 43
9991 Maldegem – Belgium
+32 50 71 81 40
info@dark.be
www.dark.be

CUP CAKE CLUB 3
 1070-BB(B)-804002-DD
 1070-BB(B)-80600H-DD-K



CUP CAKE CLUB 5
 1071-BB(B)-804002-DD
 1071-BB(B)-80600H-DD-K




BB(B)	COLORS	02		Black
		03		White
		110		Brass
				RAL color on request
EFF	CRI • LUMENOUTPUT	804		>80 CRI • 400 Lm / 6W
		806		>80 CRI • 600 Lm / 350mA / 6,4W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
DD	SUSP. CABLE	01	1,5 m	
		02	2,5 m	
K	DRIVER	1	No driver	
		0	Non dimmable (intern)	
		2	Dimmable 1-10 V (intern)	
		3	Dali (intern)	
		4	Phase cut (intern)	




CUP CAKE SUZY

1060-BB(B)-804002-00
1060-BB(B)-80600H-00-K




CUP CAKE JENNY

1061-BB(B)-804002-00
1061-BB(B)-80600H-00-K



CUP CAKE KATHY

1062-BB(B)-804002-00
1062-BB(B)-80600H-00-K



BB	COLORS	02		Black
		03		White
		110		Brass
EFF	CRI • LUMENOUTPUT	804		>80 CRI • 400 Lm / 6W
		806		>80 CRI • 600 Lm / 350mA / 6,4W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	2	2700K	
		3	3000K	
K	DRIVER	1	No driver	
		0	Non dimmable (extern)	
		2	Dimmable 1-10 V (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	







CUP CAKE LUCY

1072-BB(B)-804003-00-(I)-0






1072-BB(B)-804003-00-K



Ø242



 MOTION DETECTION optional

BB	COLORS	02		Black
		03		White
		110		Brass
		 RAL color on request		
EFF	CRI • LUMENOUTPUT	804		>80 CRI • 1350 Lm / 15W
GG	REFLECTOR	00	N.A.	
H	COLOR TEMP.	3	3000K	
(I)	MOTION DETECTION optional	1	Only incl. - Non dimmable	
K	DRIVER	1	No driver	
		2	Dimmable 1-10 V (extern)	
		3	Dali (extern)	

Glass-Alu

