

design anthony boelaert for dark





		02	Black
BB	COLOR RING	03	White
			RAL color on request
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (pro ball)
Н	COLOR TEMP.	2	2700 K
		3	3000 K
		01	1,5 m
DD	SUSP. CABLE	02	2,5 m
		03	5 m
К	DRIVER	0	Non dimmable
K	DKIVEK	3	Dali
Alu	- Glass	<u>(</u>	230V 850° [IP20] [10 [








PLANETZZZ PLUZ

design anthony boelaert for dark






	02	Black
COLOR RING	03	White
		RAL color on request
CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (pro boll)
COLOR TEMP.	2	2700 K
	3	3000 K
	01	1,5 m
SUSP. CABLE	02	2,5 m
	03	5 m
DRIVER	0	Non dimmable
	3	Dali
	3	Vall
- Glass	E	850° [P20]
	CRI • LUMENOUTPUT COLOR TEMP. SUSP. CABLE DRIVER	CRI • LUMENOUTPUT 906 COLOR TEMP. 2 3 SUSP. CABLE 02 03 DRIVER 0 3



design anthony boelaert for dark







		02	Black
BB	COLOR RING	03	White
			RAL color on request
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (pro ball)
L11	OKI EDMENOOTI OT	700	70 OKT OOO ENT GOO HINT O, T IT (pro bail)
Н	COLOR TEMP.	2	2700 K
		3	3000 K
	SUSP. CABLE	01	1,5 m
DD		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable
		3	Dali

