


NINZA
design dark studio







Tille _ Cobros archi



NINZA S
1796-BB-FFGH-DD-K-NN(N)




NINZA
1797-BB-FFGH-K-NN(N)



BB	COLORS	02	Black
		03	White
		RAL color on request	
FF	LED	09	>80 CRI • 450 Lm/m / 9,6 W/m
		14	>90 CRI • 2290 Lm/m / 14 W/m
		20	>90 CRI • 3270 Lm/m / 20 W/m
G	DIFFUSER	P	Plexi
H	COLOR TEMP.	2	2700 K
		3	3000 K
		4	4000 K
DD	SUSP. CABLE.	01	1,5 m
		02	2,5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)
		4	Phase cut (extern)
NN(N)	LENGTH	90	900 mm
		120	1200 mm
		180	1800 mm
		240	2400 mm
		all dimensions possible up to 4000 mm on request	








NINZA

- [IP65] 1800-BB-FFGH-K-NN(N) SEALED-PLEXI
- [IP67] 1803-BB-FFGH-K-NN(N) SEALED



BB	COLORS	02		Black
		03		White
FF	LED	09	>80 CRI • 450 Lm/m / 9,6 W/m	
		14	>90 CRI • 700 Lm/m / 14,4 W/m	
		28	>90 CRI • 1450 Lm/m / 28,8 W/m	
G	DIFFUSER	P	Plexi	
H	COLOR TEMP.	2	2700 K	
		3	3000 K	
		4	4000 K	
K	DRIVER	0	Non dimmable (extern)	
		3	Dali (extern)	
		4	Phase cut (extern)	
NN(N)	LENGTH	90	900 mm	
		120	1200 mm	
		180	1800 mm	
		240	2400 mm	
all dimensions possible up to 4000 mm on request				

