

BALLZZZ

design anthony boelaert





CM HO _ Retail Office



Flanders Insurance _ Anthony Boelaert



BALLZZZ ONE 950
1913-BB-90600H-DD-K

BALLZZZ ONE 1200
1915-BB-90600H-DD-K

BALLZZZ ONE 1500
1916-BB-90600H-DD-K

















BALLZZZ ONE 1800
1917-BB-90600H-DD-K

BALLZZZ TWO 1200
2003-BB-90600H-DD-K

BALLZZZ TWO 1500
2005-BB-90600H-DD-K

BALLZZZ TWO 1800
2006-BB-90600H-DD-K

BALLZZZ TWO 2200
2007-BB-90600H-DD-K



950

1200

1500


1800

950
1200

1200
1500

1500
1800

1800
2200



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (extern)






BALLZZZ ORGANIC 1
2325-BB-90600-H-DD-K

BALLZZZ ORGANIC 2
2326-BB-90600-H-DD-K

BALLZZZ ORGANIC 3
2327-BB-90600-H-DD-K



BB	COLOR RING	02	Black
		03	White
		RAL color on request	
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W (per ball)
GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
		03	5 m
K	DRIVER	0	Non dimmable (extern)
		3	Dali (intern)

