

CUPCAKE

design susanne uerlings









CUPCAKE SUZY S

1065-BB(B)-804002-DD
1065-BB(B)-80600H-DD-K
1065-BB(B)-071-DD-K




CUPCAKE JENNY S

1066-BB(B)-804002-DD
1066-BB(B)-80600H-DD-K
1066-BB(B)-071-DD-K




CUPCAKE KATHY S

1067-BB(B)-804002-DD
1067-BB(B)-80600H-DD-K
1067-BB(B)-071-DD-K




CUPCAKE CLUB 3

1070-BB(B)-804002-DD
1070-BB(B)-80600H-DD-K
1070-BB(B)-071-DD-K



CUPCAKE CLUB 5

1071-BB(B)-804002-DD
1071-BB(B)-80600H-DD-K
1071-BB(B)-071-DD-K



BB(B)	COLORS	02	Black
		03	White
		110	Brass
		RAL color on request	

EFF	CRI • LUMENOUTPUT	804	230V MC-LED	>80 CRI • 400 Lm / 6W
		806	CC LED	>90 CRI • 600 Lm / 350mA / 6.4W
		071	G9 LED	(MAX 6 W)

GG	REFLECTOR	00	N.A.
H	COLOR TEMP.	2	2700K
		3	3000K


DD	SUSP. CABLE	01	1,5 m
		02	2,5 m

K	DRIVER	1	No driver
		0	Non dimmable (intern)
		3	Dali (intern)
		4	Phase cut (intern)




CUPCAKE SUZY

1060-BB(B)-804002-00
1060-BB(B)-80600H-00-K
1060-BB(B)-071-K




CUPCAKE JENNY

1061-BB(B)-804002-00
1061-BB(B)-80600H-00-K
1061-BB(B)-071-K



CUPCAKE KATHY

1062-BB(B)-804002-00
1062-BB(B)-80600H-00-K
1062-BB(B)-071-K





BB	COLORS	02		Black	
		03		White	
		110		Brass	
					RAL color on request
EFF	CRI • LUMENOUTPUT	804		>80 CRI • 400 Lm / 6W	
		806		>90 CRI • 600 Lm / 350mA / 6.4W	
		071		G9 LED (MAX 6 W)	
GG	REFLECTOR	00	N.A.		
H	COLOR TEMP.	2	2700K		
		3	3000K		
K	DRIVER	1	No driver		
		0	Non dimmable (extern)		
		3	Dali (extern)		
		4	Phase cut (extern)		



CUPCAKE LUCY

1072-BB(B)-804003-K



MOTION DETECTION optional

BB	COLORS	02		Black	
		03		White	
		110		Brass	
					RAL color on request
EFF	CRI • LUMENOUTPUT	804	CC	>80 CRI • 1350 Lm / 15W	
GG	REFLECTOR	00	N.A.		
H	COLOR TEMP.	3	3000K		
K	DRIVER	1	No driver		
		3	Dali (extern)		
		9	Motion Detection		

