


EMANUELLE


design gregoire maison dieu






EMANUELLE 400 H

3305-14-2-DD-K




EMANUELLE 600 H

3306-14-2-DD-K




EMANUELLE 800 H

3307-14-2-DD-K



| | | | |
|----|--------------|----|----------------------------|
| FF | LED | 14 | >90 CRI • 800 Lm / 14 W/m |
| | | | >90 CRI • 1200 Lm / 14 W/m |
| | | | >90 CRI • 1500 Lm / 14 W/m |
| H | COLOR TEMP. | 2 | 2700K |
| DD | SUSP. CABLE. | 01 | 1,5 m |
| | | 02 | 2,5 m |
| K | DRIVER | 0 | Non dimmable (intern) |
| | | 3 | Dali (extern) |
| | | 4 | Phase cut (intern) |

Alu-PC






EMANUELLE 400 V
3300-14-2-DD-K


EMANUELLE 600 V
3301-14-2-DD-K

EMANUELLE 800 V
3302-14-2-DD-K




| | | | |
|----|--------------|----|----------------------------|
| FF | LED | 14 | >90 CRI • 800 Lm / 14 W/m |
| | | | >90 CRI • 1200 Lm / 14 W/m |
| | | | >90 CRI • 1500 Lm / 14 W/m |
| H | COLOR TEMP. | 2 | 2700K |
| DD | SUSP. CABLE. | 01 | 1,5 m |
| | | 02 | 2,5 m |
| K | DRIVER | 0 | Non dimmable (intern) |
| | | 3 | Dali (extern) |
| | | 4 | Phase cut (intern) |





EMANUELLE 400 W
3310-14-2-K



| | | | |
|----|-------------|----|---|
| FF | LED | 14 | >90 CRI • 800 Lm / 14 W/m >90 CRI • 1200 Lm / 14 W/m >90 CRI • 1500 Lm / 14 W/m |
| H | COLOR TEMP. | 2 | 2700K |
| K | DRIVER | 0 | Non dimmable (intern) |
| | | 3 | Dali (extern) |
| | | 4 | Phase cut (intern) |

Alu-PC

