


TORNER
design stephane bouchet










TORNER GU10 DUO
1602-BB-065






TORNER GU10 TRIO
1603-BB-065



ACCESSORIES p. 523


	HONEYCOMB	172-9005-438099	 Black
		172-9003-438099	 White
		172-0112-438099	 Gold

BB	COLORS	02	 Black
		03	 White
CCC	TYPE GU10	065	 (PAR5) (MAX 50 W)


Alu   230V  960°  IP20  365°  80° 




Driver INTERN **TORNER DUO**
1600-BB-906GGH-K




Driver INTERN **TORNER DUO IP44**
1610-BB-906GGH-K



Driver INTERN **TORNER TRIO**
1601-BB-906GGH-K



Driver INTERN **TORNER TRIO IP44**
1611-BB-906GGH-K



BB	COLORS	02	Black
		03	White
EFF	CRI • LUMENOUTPUT	906	>90 CRI • 600 Lm / 350 mA / 6,4 W
		22	22°
GG	REFLECTOR	34	34°
		54	54°
		2	2700K
H	COLOR TEMP.	3	3000K
		4	4000K
		1	No driver (CC)
K	DRIVER	0	Non dimmable
		3	Dali
		4	Phase cut

ACCESSORIES p. 523

	172-9005-436099	Black
	172-9003-436099	White
	172-0112-436099	Gold

Alu