


TOTM


design studio bjorn verlinde




TOTM Wall
3265-14H-K




TOTM TABLE
3270-14



TOTM
3261-14H-DD-K




TOTM LARGE
3262-14H-DD-K



EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
		2	2700K
		3	3000K
		4	4000K
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)



COLOR THEMES



COL	COLOR THEME	004			
		005			
		006			
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V		
		2	2700K		
		3	3000K		
		4	4000K		
DD	SUSP. CABLE	01	1,5 m		
		02	2,5 m		
K	DRIVER	1	No driver (CC)		
		0	Non dimmable (intern)		
		3	Dali (extern)		
		4	Phase cut (intern)		







COL	COLOR THEME	001	
		002	
		003	
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V
		2	2700K
		3	3000K
		4	4000K
H	COLOR TEMP.		
DD	SUSP. CABLE	01	1,5 m
		02	2,5 m
K	DRIVER	1	No driver (CC)
		0	Non dimmable (intern)
		3	Dali (extern)
		4	Phase cut (intern)

Alu


TOTM
3261-COL-14H-DD-K




COLOR THEMES



TOTM LARGE
3262-COL-14H-DD-K



TOTM TABLE
3270-COL-14



TOTM Wall
3265-COL-14H-K

