

SL53  
design léon stynen

HERITAGE  
COLLECTION

1953



LEON M. J. R. STYNEN





|       |                   |     |            |                                         |
|-------|-------------------|-----|------------|-----------------------------------------|
| BB(B) | COLORS CONES      | 02  |            | Black                                   |
|       |                   | 03  |            | White                                   |
|       |                   | 101 |            | Soft Pink                               |
|       |                   | 103 |            | Soft Blue                               |
|       |                   | 161 |            | LS Blue                                 |
|       |                   | 104 |            | Soft Green                              |
|       |                   | 162 |            | LS Green                                |
|       |                   | 124 |            | Kaki                                    |
|       |                   | 140 |            | Old Pink                                |
|       |                   | 141 |            | Terracotta Red                          |
| EFF   | CRI • LUMENOUTPUT | 906 | LED        | >90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W |
|       |                   | 914 | LED        | >90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W |
|       |                   | 2   | COLOR TEMP | 2700K                                   |
|       |                   | 3   |            | 3000K                                   |
| K     | DRIVER            | 1   |            | No driver (CC)                          |
|       |                   | 0   |            | Non dimmable (extern)                   |
|       |                   | 3   |            | Dali (extern)                           |
|       |                   | 4   |            | Phase cut (extern)                      |

Alu

CE


CC LED

230 V


960°

IP20

SL 53 M WALL  
3352-BB(B)906H-K



SL 53 WALL  
3353-BB(B)914H-K








Foodstation Vogelzang - Antwerpen - 2024

LEON M. J. R. STYNEN



|       |                   |                      |                       |                                         |
|-------|-------------------|----------------------|-----------------------|-----------------------------------------|
| BB(B) | COLORS CONES      | 02                   |                       | Black                                   |
|       |                   | 03                   |                       | White                                   |
|       |                   | 101                  |                       | Soft Pink                               |
|       |                   | 103                  |                       | Soft Blue                               |
|       |                   | 161                  |                       | LS Blue                                 |
|       |                   | 104                  |                       | Soft Green                              |
|       |                   | 162                  |                       | LS Green                                |
|       |                   | 124                  |                       | Kaki                                    |
|       |                   | 140                  |                       | Old Pink                                |
|       |                   | 141                  |                       | Terracotta Red                          |
|       |                   | 142                  |                       | Oxide Red                               |
|       |                   | RAL color on request |                       |                                         |
|       |                   |                      |                       |                                         |
| EFF   | CRI • LUMENOUTPUT | 906                  | LED                   | >90 CRI • 2x 600 Lm / 350 mA / 2x 6,4 W |
|       |                   | 914                  | LED                   | >90 CRI • 2x 1400 Lm / 350 mA / 2x 14 W |
| H     | COLOR TEMP        | 2                    | 2700K                 |                                         |
|       |                   | 3                    | 3000K                 |                                         |
| DD    | SUSP. CABLE       | 01                   | 1,5 m                 |                                         |
|       |                   | 02                   | 2,5 m                 |                                         |
| K     | DRIVER            | 1                    | No driver (CC)        |                                         |
|       |                   | 0                    | Non dimmable (intern) |                                         |
|       |                   | 3                    | Dali (intern)         |                                         |
|       |                   | 4                    | Phase cut (intern)    |                                         |