



TOTM
design studio bjorn verlinde





TOTM WALL
3265-14H-K
3265-COL-14H-K




COL	COLOR THEME	001					
		002					
		003					
		004					
		005					
		006					
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V				
H	COLOR TEMP.	2	2700K				
		3	3000K				
DD	SUSP. CABLE	01	1,5 m				
		02	2,5 m				
K	DRIVER	1	No driver (CC)				
		0	Non dimmable (intern)				
		3	Dali (extern)				
		4	Phase cut (intern)				

Alu


CE




TOTM TABLE
3270-14
3270-COL-14




TOTM TABLE LARGE
3270-14-L
3270-COL-14-L






TOTM
3261-14H-DD-K
3261-COL-14H-DD-K



TOTM LARGE
3262-14H-DD-K
3262-COL-14H-DD-K



COL	COLOR THEME	001				
		002				
		003				
		004				
		005				
		006				
EF	CRI • LUMENOUTPUT	14	>90 CRI • 1502 Lm/m / 13W/m / 24V			
		2	2700K			
		3	3000K			
DD	SUSP. CABLE	01	1,5 m			
		02	2,5 m			
K	DRIVER	1	No driver (CC)			
		0	Non dimmable (intern)			
		3	Dali (extern)			
		4	Phase cut (intern)			